

THE ROYAL SOCIETY  
for the Promotion  
OF HEALTH  
LIBRARY



AN ROINN SLÁINTE

---

TUARASCÁIL  
AR  
STADREAMH BEATHA

REPORT  
ON  
VITAL STATISTICS

1956

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

---

To be purchased from the  
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN  
or through any Bookseller

---

1958


Price: Six Shillings.

S  
4791

78.)

21





22503057125





AN ROINN SLÁINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1956

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the  
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN  
or through any Bookseller

1958

Price: Six Shillings.

(Pr. 4278.)

WELLCOME INSTITUTE LIBRARY	
Coll.	we!MOmec
Call	S4791
No.	





# CONTENTS

## PART I — TEXT

	Page
GENERAL SUMMARY ... ..	vi
MARRIAGES	
Number and rate ... ..	viii
Mode of celebration ... ..	viii
Rates by counties and provinces ... ..	ix
Age at marriage ... ..	ix
BIRTHS	
Number and rate ... ..	ix
Age at maternity, parity, duration of marriage ... ..	x
Multiple births ... ..	xi
DEATHS	
Number and rate ... ..	xii
Comparison between counties ... ..	xiii
Causes of death ... ..	xv
Tuberculosis ... ..	xvii
Cancer ... ..	xix
Diseases of the circulatory system ... ..	xxiii
Respiratory diseases ... ..	xxiii
Pregnancy, childbirth and the puerperium ... ..	xxiii
Infant mortality ... ..	xxiii
Accidents, poisoning and violence ... ..	xxv
Uncertified deaths ... ..	xxvii
Inquests and post-mortems ... ..	xxvii
DIAGRAM 1 — Birth, marriage and death rates (per 1,000 population) 1938 to 1956 ... ..	
„ 2 — Standardised death rates (per 1,000 population) from all causes, 1956 ... ..	xiv
„ 3 — Death rate (per 1,000 population) from tuberculosis and cancer, 1938-1956 ... ..	xviii
„ 4 — Infant and neo-natal mortality (per 1,000 live births), 1938-1956 ... ..	xviii



## PART II — TABLES

Contents	Area	Title	Page
Population .. ..	State .. ..	Table 1.—Estimated population of Ireland, exclusive of the Six Counties, at the middle of each year 1851 to 1956.	2
Population by age ..	State .. ..	Table 2.—Total population of Ireland, exclusive of the Six Counties, by sex and age in 1951.	3
Population .. ..	Counties ..	Table 3.—Population by sex in each county and county borough in 1956.	4
Marriages, births, deaths, 1864-1956 .. ..	State .. ..	Table 4.—Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1956.	5
Marriage, birth, death rates, 1864-1956.	State .. ..	Table 5.—Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1956.	6
Marriages, births, deaths, 1941-1956.	State .. ..	Table 6.—Marriages, births and deaths registered during each of the years 1941-1956 with the average annual rates for the ten years 1941-1950 and the rates for each year from 1951 to 1956 per 1,000 of the population.	7
Deaths by principal causes, 1956 with rates.	State and Six Counties.	Table 7.—Deaths from principal causes in Ireland and the Six Counties, 1956 with rates per 100,000 population.	8
Deaths by age, 1864-1956 ..	State .. ..	Table 8.—Average annual number of deaths of males and females, classified by age, registered during the years 1864-1950 and in each year 1951 to 1956.	10
Death rates by age, 1864-1956 .. ..	State .. ..	Table 9.—Average annual number of deaths of males and females, classified by age per 1,000 corresponding population 1864-1950 and in each year 1951 to 1956.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1956.	Counties ..	Table 10.—Births and deaths registered in each county and county borough in 1956 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under 1 year of age.	12
Marriages, births and deaths, by sex, 1956.	Counties ..	Table 11.—Marriages, births and deaths classified by sex, registered during 1956 showing illegitimate births and deaths from some principal causes separately in each county and county borough.	14
Marriage, birth and death rates, 1956.	Counties ..	Table 12.—Marriages, birth and death rates and the proportions of illegitimate births in 1956 in each county and county borough and the death rates for some of the principal diseases.	15
Marriages, 1956 .. ..	Counties ..	Table 13.—Marriages registered in each county and county borough during 1956.	16
Births and deaths, 1956 ..	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 14.—Births and deaths classified by sex registered in 1956 for the principal towns and aggregate urban and rural districts showing separately illegitimate births, and the deaths from tuberculosis and malignant neoplasms.	18
Birth and death rates, 1956	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 15.—Birth and death rates in 1956 in the principal towns and in aggregate urban and rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	19
Births and deaths, 1956 ..	Urban Districts ..	Table 16.—Births and deaths registered in 1956 for each urban district, classified by sex.	20
Deaths by age, 1956 ..	Agg. Urban and Agg. Rural.	Table 17.—Deaths registered in 1956 at each year of age in the aggregate urban districts and in the aggregate rural districts.	21
Deaths by age, 1956 ..	Counties ..	Table 18.—Deaths classified by sex and age registered during 1956 for each county and county borough.	24
Deaths by cause and age, 1956.	State .. ..	Table 19.—Deaths in 1956 classified by cause (International detailed list, 6th Revision 1948) and by sex and age.	28
Deaths in Hospitals, 1956 ..	Counties ..	Table 20.—Deaths of residents of each province, county and county borough registered in 1956, classified by place of occurrence.	64



Contents	Area	Title	Page
Deaths by cause and un-certified deaths, 1956.	Counties ..	Table 21.—Deaths of residents of each county and county borough in 1956 classified by cause, and showing the numbers which were not medically certified.	66
Deaths by cause, sex and age, 1956.	Dublin C.B. Other U.D.'s. and Agg. R.D.'s.	Table 22.—Deaths registered in 1956, classified by cause (International abbreviated list) sex and age for Dublin County Borough, remaining urban districts and aggregate rural districts.	86
Deaths not medically certified, by age, 1956.	Counties ..	Table 23.—Deaths of residents of each county and county borough registered in 1956 which were not medically certified, classified by age.	92
Deaths by age, sex and principal causes, 1956.	Counties ..	Table 24.—Deaths in 1956 classified by principal groups of causes, sex and age, for each county and county borough.	93
Infant mortality, 1956 ..	State .. ..	Table 25.—Infant mortality — Total deaths under one year of age in 1956, classified by sex, age and cause (International detailed list).	112
Infant mortality, 1956 ..	Principal Towns, U.D.'s. and R.D.'s.	Table 26.—Infant mortality—Deaths at ages under 4 weeks, 4 weeks and under 1 year in 1956, classified by sex and cause, for the principal towns, other urban districts and rural districts.	116
Infant mortality, 1956 (illegitimate infants).	State .. ..	Table 27.—Infant mortality — Deaths of illegitimate children in 1956 under one year of age, classified by sex, age and cause.	117
Infant mortality, 1956 ..	Counties ..	Table 28.—Infant mortality — Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1956, classified by sex and cause for each county and county borough.	118
Deaths, by conjugal condition, 1956.	State .. ..	Table 29.—Deaths registered in 1956, classified by conjugal condition and sex in certain age groups.	124
Deaths, by quarter of Registration, 1956.	Counties ..	Table 30.—Deaths registered in 1956 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	125
Births, by quarter of Registration, 1956 ..	Counties ..	Table 31.—Births registered in 1956 in respect of the resident population of each county and county borough showing the numbers registered each quarter.	126
Births, by age of mother, 1956.	State .. ..	Table 32.—Births registered in 1956 classified by age of mother at maternity and sex and showing the number of illegitimate births.	127
Births, by age of mother, by county, 1956.	Counties ..	Table 33.—Births registered in 1956, classified by age of mother at maternity and county of normal residence.	128
Births, by age of mother and previous children, 1956.	State .. ..	Table 34.—Total births registered in 1956, classified by age of mother at maternity and number of previous liveborn children.	132
Legitimate births, by age at maternity and duration of marriage, 1956.	State .. ..	Table 35.—Legitimate births registered in 1956, classified by age of mother at maternity and duration of marriage.	134
Legitimate first births, duration of marriage under two years, 1956.	State .. ..	Table 36.—Legitimate births registered in 1956, classified by age of mother at maternity and duration of marriage for durations under two years.	136
Legitimate first births, 1956	State .. ..	Table 37.—Legitimate first births registered in 1956, classified by age of mother at maternity and duration of marriage.	138
Births, hospital and domiciliary, 1956.	Counties ..	Table 38.—Births registered in 1956 in each county and county borough showing place of occurrence and areas of normal residence.	139
Notifications of infectious diseases, 1956.	State .. ..	Table 39.—Summary of causes of infectious diseases notified to the Department of Health during the year 1956.	140



## REPORT ON VITAL STATISTICS FOR THE YEAR 1956.

THIS Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952. It follows closely the form of the Reports of the Ard-Chláraitheoir for earlier years.

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents, and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1956 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1956 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

### GENERAL SUMMARY

**Marriages**—There were 16,761 marriages registered during the year 1956 compared with 16,443 in 1955. The marriage rate per 1,000 population was 5·8, this being the highest rate recorded since 1946.

**Births**—The number of births registered during 1956 was 60,740 and the birth rate was 21·0 per 1,000 population, compared with 21·1 per 1,000 population in 1955. The number of illegitimate births registered in 1956 was 1,173 or 1·9 per cent of all births.

**Deaths**—The number of deaths registered during 1956 was 33,910 and the death rate was 11·7 per 1,000 population.

Of the deaths registered in 1956, 30·1 per cent was stated to be due to heart diseases, 13·5 per cent to malignant neoplasms, 10·7 per cent to vascular lesions affecting the central nervous system and 2·0 per cent to tuberculosis (all forms).

The number of deaths from tuberculosis of all forms was 689 and the rate was 0·24 per 1,000 population. This is the lowest rate recorded up to 1956. There has been a considerable decline in the death rate from tuberculosis since 1947, when it was 1·24 per 1,000 population.

There were 4,407 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1956 was 1·52 per 1,000 population compared with 1·55 in 1955.

During 1956 the deaths of 2,162 infants under one year were registered, equivalent to a rate of 36 per 1,000 live births. This is the lowest rate recorded up to 1956.

The total number of deaths from accidents and other external causes in 1956 was 1,016 of which road vehicle accidents accounted for 256.


Marriage, birth and death rates per 1,000 population for the years 1938 to 1956 are illustrated in Diagram I.

**Issue of Authority for Registration**—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Ard-Chláraitheoir. The number of births registered on the authority of the Ard-Chláraitheoir in 1956 was 1,064 and the number of deaths registered was 112. Throughout the tables in this Report these births and deaths have been excluded.

**Population**—The population at the 9th April, 1956, was 2,898,264.



Diagram 1.  
BIRTH, MARRIAGE AND DEATH RATES. (PER 1000 POPULATION) 1938-1956.





## MARRIAGES

There were 16,761 marriages registered in 1956, an increase of 318 on the previous year, and the highest number of marriages registered in any year since 1946. The marriage rate, at 5·8 per 1,000 population in 1956, compared with a rate of 5·6 in 1955 and 5·4 in each of the years 1948 to 1954. Tables 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1941, while Table 6 shows marriages classified by quarter of registration and religious denomination for each year since 1943. The following table compares the marriage rates in Ireland in the years 1951 to 1956 with those in the Six Counties, England and Wales and Scotland :

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1951-1956

Years	Ireland*	Six Counties	England and Wales	Scotland
1951	5·4	6·8	8·2	8·1
1952	5·4	6·8	8·0	8·0
1953	5·4	6·8	7·8	8·0
1954	5·4	6·6	7·7	8·2
1955	5·6	6·8	8·1	8·4
1956	5·8	6·7	7·9	8·5

\*Exclusive of the Six Counties

The marriage rate in this country is lower than that in the Six Counties which is, in turn, low by comparison with the rates for England and Wales and Scotland.

## Mode of Celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1956 amounted to 16,041 (equal to 95·7 per cent of the total) and other marriages numbered 720. In the year 1956 the number of marriages other than Catholic recorded included 483 according to the rites and ceremonies of the Protestant Episcopal Church, 95 in Presbyterian Meeting Houses, 51 in registered buildings belonging to various other religious denominations, 75 by civil contract in the Registrars' Offices, 4 according to the usage of the Society of Friends and 12 according to Jewish rites.

The most recent Census of Population at which particulars of religious denomination were asked was that of 1946. At that time Catholics represented 94·3 per cent of the population, Protestant Episcopalians 4·2 per cent, Presbyterians 0·8 per cent, Methodists 0·3 per cent and other denominations 0·4 per cent.

The number of Catholic marriages recorded during 1956 corresponds to a rate of 5·87 per 1,000 of the estimated Catholic population, this being 0·21 above the rate for the preceding year. The rate for all other marriages in 1956 was 4·36 per 1,000 of all persons other than Catholics in the population, a decrease of 0·76 on the corresponding rate for 1955. Details of marriages registered in each of the years 1951 to 1956 are given in Table II.

TABLE II

MARRIAGES REGISTERED IN YEARS 1951-1956 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES

Years	Marriages registered, other than Catholic							Catholic marriages	Total marriages registered	Rate per 1,000 of estimated corresponding population		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In Registrars' Offices	Society of Friends	Jews	Total			Catholic marriages	All Other marriages	Total marriages
1951	570	131	50	63	2	6	822	15,195	16,017	5·44	4·85	5·41
1952	582	147	32	98	2	30	891	14,985	15,876	5·38	5·30	5·38
1953	534	121	46	54	—	15	770	15,118	15,888	5·44	4·58	5·39
1954	582	121	41	64	2	21	831	15,000	15,831	5·42	4·95	5·38
1955	605	107	42	67	3	25	849	15,594	16,443	5·66	5·10	5·63
1956	483	95	51	75	4	12	720	16,041	16,761	5·87	4·36	5·78



### Marriage rates by counties and provinces

Marriage rates in the counties, county boroughs and provinces are shown in Table 12. In making comparisons between different areas it must be remembered that the rates are based on the total number of marriages registered in each area, irrespective of the fact that the persons married may not be residents of the areas in which the marriages took place. An examination of the returns of marriages shows that many persons living in the rural portions of the country are married in the county boroughs or other urban areas. This fact accounts in some measure for the high rates in the county boroughs. In 1956 the rates per 1,000 population in the County Boroughs were Cork 12·14, Dublin 10·17, Limerick 8·78 and Waterford 5·99. For Dun Laoghaire Borough the rate was 9·0. The lowest rates were in the Counties of Roscommon 3·28, Dublin 3·48, Leitrim 3·51, Laois 3·55 and Mayo 3·62.

### Age at marriage

In 1956 and earlier years the law did not require that the ages of the contracting parties should be entered in the marriage register or certificate. It was necessary only that each party should be described as of full age or minor, as the case might be. Thus a record of the ages of persons marrying is not available.

Particulars of marriages of minors (i.e., persons under 21 years of age) for the years 1951 to 1956 are given in Table III.

TABLE III  
MARRIAGES OF MINORS, 1951-1956

Year	Number of marriages of minors		Marriages of minors per 100 marriages		Marriages of female minors per 100 marriages of male minors
	Males	Females	Males	Females	
1951	292	1,368	1·82	8·54	468
1952	291	1,348	1·83	8·49	463
1953	289	1,276	1·82	8·03	442
1954	294	1,277	1·86	8·07	434
1955	321	1,477	1·95	8·98	460
1956	364	1,482	2·17	8·84	407

### BIRTHS

Under a new system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1956 are presented in TABLES 32 to 38.

The number of births registered during the year 1956 was 60,740, the males numbering 31,257 and the females 29,483. Births registered in 1955 numbered 61,622 and in 1954, 62,534. The birth rate in 1956 was 21·0 per thousand population, compared with 21·1 in 1955 and 21·3 in 1954.

Table IV compares the birth rates in Ireland in the years 1951 to 1956 with those in the Six Counties, England and Wales and Scotland.

TABLE IV  
NUMBERS OF BIRTHS IN IRELAND\* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1951-1956

Year	Numbers of Births (in thousands) Ireland *	Birth rate per 1,000 population			
		Ireland *	Six Counties	England and Wales	Scotland
1951	62·9	21·2	20·7	15·5	17·7
1952	64·6	21·9	20·9	15·3	17·7
1953	62·6	21·2	20·9	15·5	17·8
1954	62·5	21·3	20·8	15·2	18·0
1955	61·6	21·1	20·8	15·0	18·0
1956	60·7	21·0	21·1	15·6	18·5

\* Exclusive of the Six Counties



In each country the birth rate reached a very high level in the war and immediate post-war years, and subsequently tended to decline. In this country the post-war decline in the birth rate, which was less pronounced than in the neighbouring countries, continued up to 1956. In the Six Counties, England and Wales and Scotland the birth rate in 1956 was above the rate in 1955, the increase being fairly substantial in the cases of England and Wales and Scotland. The birth rate in this country in 1956 was slightly below that in the Six Counties for the first time since the year 1947.

#### Classification by age at maternity, parity and duration of marriage

In TABLE 34 is shown the total number of births registered in 1956, classified by age of mother at maternity and number of previous live-born children. The number of births in the case of which the mother's age was not stated was 403, or 0·7 per cent of the total, and the number where the parity was not stated was 424 or 0·7 per cent of the total. As 1955 was the first year in which this information was sought, the relatively low proportion of cases "not stated" is fairly satisfactory. The results contained in TABLE 34 are summarised in Table V.

TABLE V

BIRTHS REGISTERED IN 1956 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years ...	1,062	813	187	46	14	.	1	.	.	1
20-24 years ...	8,056	3,790	2,368	1,079	507	225	62	.	.	25
25-29 years ...	15,701	4,364	3,999	2,933	1,856	1,191	1,286	4	.	68
30-34 years ...	17,402	2,387	3,067	3,288	2,726	2,041	3,598	184	4	107
35-39 years ...	12,910	1,040	1,373	1,828	1,939	1,720	4,339	551	26	94
40-44 years ...	4,884	247	298	411	590	669	2,072	525	45	27
45 years and over ...	322	20	13	22	17	39	139	62	7	3
Not stated ...	403	111	55	31	32	16	48	9	2	99
<b>Total ...</b>	<b>60,740</b>	<b>12,772</b>	<b>11,360</b>	<b>9,638</b>	<b>7,681</b>	<b>5,901</b>	<b>11,545</b>	<b>1,335</b>	<b>84</b>	<b>424</b>

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1955 to 1956 in the distribution of births according to age of mother at maternity, as may be seen from Table VI, in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE VI

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND\* IN 1955 AND 1956, AND IN ENGLAND AND WALES AND SCOTLAND IN 1955

Age at maternity	Ireland *		England and Wales (1955)	Scotland (1955)
	1956	1955		
	%	%	%	%
Under 20 years ...	1·8	1·9	4·9	4·6
20-24 years ...	13·4	13·1	28·8	29·0
25-29 years ...	26·0	25·8	31·8	31·8
30-34 years ...	28·8	29·4	21·2	21·1
35-39 years ...	21·4	21·0	9·9	10·2
40-44 years ...	8·1	8·3	3·1	3·2
45 years and over ...	0·5	0·5	0·2	0·2
<b>Total ...</b>	<b>100·—</b>	<b>100·—</b>	<b>100·—</b>	<b>100·—</b>
Average age at maternity	31·6	31·6	28·1	28·2

\* Exclusive of the Six Counties



The difference between this country and England, Wales and Scotland shown by Table VI arises due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average a larger number of children and so continue bearing children for a greater number of years. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced (as may be seen from the Report for the year 1955 in this series).

The percentage distribution of births according to the number of previous children in 1955 and 1956 is shown in Table VII and a comparison made with the corresponding distributions in England and Wales and Scotland. The correspondence is not exact since the England and Wales figures relate to legitimate maternities to women married only once, while the figures for Scotland refer to all legitimate births and to previous live or stillborn children. The Irish figures include illegitimate births whereas if these had been excluded the contrast with England and Wales and Scotland would have been still more pronounced.

TABLE VII

PERCENTAGE DISTRIBUTION ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND\* IN 1955 AND 1956 AND IN ENGLAND AND WALES AND SCOTLAND IN 1955

Number of previous children	Ireland *		England and Wales (1955)	Scotland (1955)
	1956	1955		
	%	%	%	%
0	21.2	21.0	39.6	36.3
1	18.8	18.9	29.9	27.8
2	16.0	15.9	15.2	16.4
3	12.8	12.9	7.5	8.7
4	9.8	9.8	3.7	4.8
5 to 9	19.1	19.0	3.9	5.7
10 to 14	2.2	2.3	0.2	0.4
15 and over	0.1	0.2	0.0	0.0
Total ...	100.0	100.0	100.0	100.0

\* Exclusive of the Six Counties

The difference between the years 1955 and 1956 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1955 19.0 per cent of the mothers had 5 to 9 previous children, the corresponding percentages being only 3.9 in England and Wales and 5.7 in Scotland.

In TABLE 35 legitimate births are classified by age of mother at maternity and duration of marriage, while in TABLE 37 a similar classification is done in respect of legitimate first births. The results contained in TABLE 37 are summarised in Table VIII.

TABLE VIII

LEGITIMATE FIRST BIRTHS REGISTERED IN 1956 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE

Age at maternity	Duration of marriage (in years)								
	Total	Under 1	1-2	3-4	5-9	10-14	15-19	20 and over	Not stated
Under 20 years ...	531	423	105	1	1	.	.	.	1
20-24 years ...	3,449	2,048	1,321	66	10	.	.	.	4
25-29 years ...	4,207	2,060	1,826	228	84	5	.	.	4
30-34 years ...	2,322	908	1,048	197	137	28	1	.	3
35-39 years ...	1,019	285	458	106	104	44	16	4	2
40-44 years ...	238	37	102	38	37	14	5	5	.
45 years and over ...	20	2	3	5	7	.	.	3	.
Not stated ...	45	10	14	1	1	.	.	.	19
Total ...	11,831	5,773	4,877	642	381	91	22	12	33

It will be seen that only about 1 per cent of first births occurred at durations of marriage of over 10 years, and only 10 per cent occurred at durations of over 3 years. Over thirty-five per cent of first births (excluding cases with age not stated) were to mothers in the age group 25-29 years, while almost 11 per cent were to mothers aged 35 years or over.

Multiple Births

The number of infants born alive in multiple births registered in 1956 was 1,890, consisting of 936 pairs of twins and 6 sets of triplets.



## DEATHS

The number of deaths registered during the year 1956 was 33,910 of which 18,269 were those of males and 15,641 those of females. This is equivalent to a rate of 11·7 deaths per 1,000 total population, compared with 12·6 in the previous year and 12·1 in 1954. The death rate of 11·7 per 1,000 population is the lowest so far recorded in this country.

In Table IX are shown the average annual death rates, by age group, for decennial periods since the beginning of this century, and for single years from 1951 to 1956.

TABLE IX

AGE SPECIFIC DEATH RATES PER 1,000 POPULATION FOR DECENNIAL PERIODS 1901-1950 AND EACH YEAR FROM 1951-1956

Period	Age Groups												Crude rate per 1,000 population
	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1901-10	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79	16·91
1911-20	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00	16·64
1921-30	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72	14·45
1931-40	19·55	2·20	1·59	2·75	3·95	4·77	6·17	10·70	24·64	54·46	100·41	172·56	14·17
1941-50	18·76	1·45	1·10	2·28	3·30	3·79	5·02	9·18	19·90	48·78	118·20	204·26	13·97
1951	11·25	0·81	0·65	1·29	2·04	2·58	4·07	8·56	20·31	52·19	134·68	272·64	14·32
1952	10·27	0·77	0·59	1·08	1·46	2·08	3·46	7·61	16·69	43·54	104·97	216·57	11·89
1953	9·50	0·69	0·48	0·78	1·30	1·92	3·09	7·29	16·40	42·72	104·65	229·86	11·73
1954	9·13	0·54	0·47	0·72	1·07	1·77	3·05	7·18	16·82	44·52	108·61	243·64	12·08
1955	8·69	0·57	0·48	0·65	1·13	1·78	2·74	6·95	17·14	47·54	111·77	272·93	12·59
1956	8·45	0·53	0·41	0·47	1·16	1·49	2·82	6·49	15·85	42·73	102·64	250·60	11·70

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages, and the improvement has been greatest in the most recent years. In the age groups above 65 years little change has occurred in the death rates since the period 1901-1910.

Table X compares the death rates in the years 1951-56 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country is somewhat higher than that in the neighbouring countries, but in 1956 the death rate in Ireland was below that for Scotland and equal to the rate in England and Wales.

TABLE X

DEATH RATES PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1951-1956

Year	Numbers of deaths (thousands) Ireland *	Death rate per 1,000 population			
		Ireland *	Six Counties	England and Wales	Scotland
1951	42·4	14·3	12·8	12·5	12·9
1952	35·1	11·9	10·8	11·3	12·0
1953	34·6	11·7	10·7	11·4	11·5
1954	35·5	12·1	10·9	11·3	12·0
1955	36·8	12·6	11·1	11·7	12·0
1956	33·9	11·7	10·6	11·7	12·0

\*Exclusive of the Six Counties.

## Comparison between Counties

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better



than the general average. To overcome this difficulty standardised death rates are prepared, as follows :— For each county the death rate in each age group is calculated by dividing the deaths of persons whose normal residence was in that county in each age group by the corresponding population. By multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products, an estimate is obtained of the number of deaths to be expected in the whole country, if the rates in the county under investigation applied generally. This “expected number” of deaths is divided by the total population of the country to give the county standardised death rate.

Table XI shows the crude and standardised death rates for each county and county borough in 1956.

TABLE XI


CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1956

Area							Deaths per 1,000 population	
							Crude	Standardised
<b>Total</b>	...	...	...	...	...	...	<b>11·70</b>	<b>11·70</b>
Carlow	...	...	...	...	...	...	11·60	12·53
Dublin County Borough	...	...	...	...	...	...	9·91	13·49
Dun Laoghaire Borough	...	...	...	...	...	...	11·82	13·33
Dublin County (remainder)	...	...	...	...	...	...	7·56	11·71
Kildare	...	...	...	...	...	...	9·75	12·59
Kilkenny	...	...	...	...	...	...	12·45	12·79
Laois	...	...	...	...	...	...	12·83	12·59
Longford	...	...	...	...	...	...	12·83	11·83
Louth	...	...	...	...	...	...	11·14	12·97
Meath	...	...	...	...	...	...	10·83	11·83
Offaly	...	...	...	...	...	...	10·58	11·50
Westmeath	...	...	...	...	...	...	11·18	11·51
Wexford	...	...	...	...	...	...	13·20	13·42
Wicklow	...	...	...	...	...	...	11·53	12·95
<b>Leinster</b>	...	...	...	...	...	...	<b>10·57</b>	<b>12·79</b>
Clare	...	...	...	...	...	...	13·40	11·90
Cork County Borough	...	...	...	...	...	...	12·99	15·44
Cork County	...	...	...	...	...	...	12·91	12·41
Kerry	...	...	...	...	...	...	11·97	11·12
Limerick County Borough	...	...	...	...	...	...	10·22	14·05
Limerick County	...	...	...	...	...	...	12·89	12·92
Tipperary, N.R.	...	...	...	...	...	...	12·77	12·99
Tipperary, S.R.	...	...	...	...	...	...	12·18	12·60
Waterford County Borough	...	...	...	...	...	...	10·98	13·55
Waterford County	...	...	...	...	...	...	12·87	12·31
<b>Munster</b>	...	...	...	...	...	...	<b>12·53</b>	<b>12·57</b>
Galway	...	...	...	...	...	...	10·81	10·66
Leitrim	...	...	...	...	...	...	14·11	11·64
Mayo	...	...	...	...	...	...	13·48	11·27
Roscommon	...	...	...	...	...	...	12·76	10·54
Sligo	...	...	...	...	...	...	14·07	12·25
<b>Connacht</b>	...	...	...	...	...	...	<b>12·57</b>	<b>11·10</b>
Cavan	...	...	...	...	...	...	14·16	13·04
Donegal	...	...	...	...	...	...	13·41	12·14
Monaghan	...	...	...	...	...	...	12·18	12·28
<b>Ulster (part of)</b>	...	...	...	...	...	...	<b>13·33</b>	<b>12·41</b>



## Diagram 2

STANDARDISED DEATH RATES (PER 1,000 POPULATION)  
FROM ALL CAUSES 1956.





In certain areas the standardised rates differ appreciably from the crude rates. Leinster, which had the lowest crude death rate among the provinces in 1956, had the highest standardised rate. The standardised death rates in 1956 were lowest in the counties of Roscommon, Galway, Kerry and Mayo and highest in the County Boroughs of Cork, Limerick, Waterford and Dublin, the Borough of Dun Laoghaire and the County of Cavan.

The standardised death rate for each county is illustrated in Diagram 2.

### Causes of Death

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health Organisation. The Sixth Revision was used for the first time in classifying death by causes in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

Table XII shows the deaths and death rates in 1956 from some of the principal groups of causes and the average numbers and rates for these causes in the periods 1935-37, 1945-47, 1950-52 and 1953-55.

TABLE XII

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47, 1950-52, 1953-55, AND 1956

Causes	1935-37	1945-47	1950-52	1953-55	1956
	Annual Average				Year
Tuberculosis of respiratory system ... ..	2,851	2,731	1,598	812	562
Tuberculosis, other forms ... ..	778	863	442	215	127
Diphtheria ... ..	339	144	7	7	15
Other infective and parasitic diseases ... ..	929	569	349	243	199
Cancer ... ..	3,601	3,980	4,194	4,430	4,570
Vascular lesions affecting central nervous system ...	2,350	2,810	2,907	3,494	3,645
Diseases of the heart ... ..	7,509	10,459	10,519	10,499	10,212
Other diseases of the circulatory system ... ..	907	948	1,620	2,032	2,161
Influenza ... ..	1,473	575	987	393	401
Other diseases of the respiratory system ... ..	5,253	3,473	2,667	2,380	2,253
Senility ... ..	6,176	6,229	4,436	3,283	2,627
Other diseases ... ..	9,924	9,069	7,762	6,865	6,122
Accidents and other external causes ... ..	982	910	921	976	1,016
<b>All causes ... ..</b>	<b>43,072</b>	<b>42,760</b>	<b>38,409</b>	<b>35,629</b>	<b>33,910</b>
Rates per 100,000 population					
Tuberculosis of respiratory system ... ..	96·0	92·4	54·0	27·7	19·4
Tuberculosis, other forms ... ..	26·2	29·2	14·9	7·3	4·4
Diphtheria ... ..	11·4	4·9	0·2	0·3	0·5
Other infective and parasitic diseases ... ..	31·3	19·2	11·8	8·3	6·9
Cancer ... ..	121·3	134·7	141·6	151·2	157·7
Vascular lesions affecting central nervous system ...	79·2	95·1	98·2	119·3	125·8
Diseases of the heart ... ..	253·0	353·9	355·3	358·4	352·3
Other diseases of the circulatory system ... ..	30·6	32·1	54·7	69·4	74·6
Influenza ... ..	49·6	19·5	33·3	13·4	13·8
Other diseases of the respiratory system ... ..	177·0	117·5	90·1	81·3	77·7
Senility ... ..	208·0	210·8	149·8	112·1	90·6
Other diseases ... ..	334·3	306·9	262·4	234·4	211·2
Accidents and other external causes ... ..	33·1	30·8	31·1	33·3	35·1
<b>All causes ... ..</b>	<b>1,451·0</b>	<b>1,447·0</b>	<b>1,297·4</b>	<b>1,216·4</b>	<b>1,170·0</b>



The death rate from tuberculosis (all forms) in 1956 was less than one-fifth of its level in the periods 1935-37 and 1945-47. Deaths from cancer show a gradual but steady increase in number, and represented 13·5 per cent of all deaths registered in 1956, compared with 8·4 per cent in 1935-37. The death rate from vascular lesions affecting the central nervous system has shown an increase of almost 60 per cent from 1935-37 to 1956. A substantial increase in the death rate from diseases of the heart took place between 1935-37 and 1945-47, but since then practically no change has occurred. Other diseases of the circulatory system have, however, accounted for a steadily increasing number of deaths, the death rate from these causes in 1956 being more than double its level in 1935-37. The number of deaths due to influenza shows considerable variation from year to year, while the number of deaths from other diseases of the respiratory system has declined fairly steadily being, in 1956, less than half the figure in 1935-37. In each period a large number of deaths were stated to be due simply to senility, although a considerable reduction in this number has occurred over the twenty year interval (6,176 in 1935-37 compared with 2,627 in 1956). This reduction is largely explained by an increasing accuracy of certification of cause of death as well as a falling proportion of deaths which are not medically certified. The question of medical certification is discussed in a later section, but it will be realized that the accuracy of the comparisons made in this table is appreciably reduced by the fact that many of the deaths are not medically certified.

Deaths registered in 1956, classified by sex, age group and cause are shown in Table 19 of this Report, the Detailed International List of Causes of Death being used. In Table XIII the principal causes of death in each age group are examined.

TABLE XIII

## PROPORTIONS OF DEATHS FROM PRINCIPAL CAUSES IN CERTAIN AGE GROUPS IN 1956

Abbreviated List Nos.	Causes of Death	All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
B 1	Tuberculosis of respiratory system	17	1	3	4	58	134	105	47	31	12	2
B 2	Tuberculosis other forms	4	6	68	36	32	20	12	8	3	1	.
B 8	Diphtheria ...	.	.	8	36	3	.	1	.	.	.	.
B 9	Whooping cough ...	1	16	10	.	.	.	.	.	.	.	.
B 14	Measles ...	1	3	26	11	.	.	.	.	.	.	.
B 18 (a)	Malignant Neoplasms of : Digestive Organs and peritoneum ...	64	.	.	.	13	28	62	90	113	95	44
(b)	Respiratory system ...	16	.	.	.	3	6	21	56	42	20	4
(c)	Other sites including lymphatic system ...	54	1	60	131	65	106	123	126	84	56	33
B 20	Diabetes mellitus ...	6	.	.	7	10	16	7	4	7	8	5
B 22	Vascular lesions ...	107	.	13	18	42	65	59	90	117	141	115
B 25-B 27	Diseases of the heart ...	301	.	.	22	52	98	168	245	310	353	357
B 24, B 28 B 29 and B 46 (a)	Other diseases of the circulatory system ...	64	.	5	51	45	37	40	44	54	77	76
B 30	Influenza ...	12	5	5	11	6	4	5	7	6	11	17
B 31	Pneumonia (excluding that of newborn) ...	28	103	215	51	29	18	26	21	19	20	21
B 32	Bronchitis ...	28	9	18	7	16	.	11	18	28	33	32
B 33	Ulcer of stomach and duodenum ...	7	.	.	.	6	10	18	16	14	8	4
B 34	Appendicitis ...	1	.	8	18	10	2	4	.	1	1	1
B 35	Intestinal obstruction and hernia ...	5	1	5	7	3	10	8	5	5	5	5
B 38	Nephritis and nephrosis	15	1	10	40	55	35	33	23	19	15	11
B 39	Hyperplasia of prostate	7	.	.	.	.	.	.	1	3	7	11
B 40	Complications of pregnancy and child- birth	2	.	.	.	32	51	14	1	.	.	.
B 41-B 44	Congenital malformations, birth injuries, etc. ...	47	714	76	36	19	4	6	1	.	.	.
B 45 (part of)	Senility without mention of psychosis ...	77	.	.	.	.	.	.	.	.	19	169
	Other Diseases ...	106	115	326	317	217	191	180	146	119	100	78
BE 47	External causes— accidents, etc. ...	30	25	144	197	284	165	97	51	25	18	15
	<b>Total ...</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>	<b>1,000</b>
	No. of deaths in 1956 ...	33,910	2,162	382	274	310	492	1,048	2,127	4,310	8,166	14,639



Diseases of the heart caused the largest proportion of all deaths, namely 301 in every 1,000 deaths. Next in order were malignant neoplasms (134), vascular lesions affecting the central nervous system (107) and senility without psychosis (77). At ages under one year congenital malformations, birth injuries and diseases peculiar to early infancy accounted for 714 out of every 1,000 deaths. At ages one to 4 years, pneumonia was the principal cause of death, accounting for 215 per 1,000 deaths at these ages, while accidents, etc., caused 144 deaths and tuberculosis (all forms) 71 deaths. The proportion of deaths caused by tuberculosis increases considerably in the young adult age groups. At ages 15–24 years, 90 out of every 1,000 deaths were caused by this disease, while at ages 25–34 years the proportion of deaths due to tuberculosis rose to 154 per 1,000 deaths. At ages 35–44 years tuberculosis was still one of the major causes of death, accounting for 117 per 1,000 deaths at these ages. The principal causes of death at ages 35–44 years were malignant neoplasms (206 per 1,000 deaths) and diseases of the heart (168 per 1,000 deaths). Between the ages of 45 and 74 years diseases of the heart, malignant neoplasms and vascular lesions affecting the central nervous system were the principal causes of death.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XIV shows the number of deaths and the death rate per 1,000 population for each of the years 1951 to 1956.

TABLE XIV

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1951–1956

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1951	1,712	0·58	450	0·15	1·22	1·23
1952	1,207	0·41	372	0·13	1·45	1·27
1953	911	0·31	276	0·09	1·52	1·09
1954	797	0·27	208	0·07	1·59	0·93
1955	729	0·25	160	0·05	1·38	1·12
1956	562	0·19	127	0·04	1·81	1·31

In 1956 there were 689 deaths from tuberculosis of which 562 were caused by the respiratory form and 127 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period ; the number of deaths in 1956 was the lowest recorded, showing a fall of 67 per cent since 1951. The trend in the death rate from tuberculosis (all forms) since 1938 is shown in Diagram 3.

In Table XV tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XV

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION IN THE PERIODS 1935–37, 1945–47, 1950–52 AND IN EACH YEAR 1953 TO 1956

Period	Under 15	15–19	20–24	25–34	35–44	45–54	55 and over	All ages
1935–37	0·53	1·36	2·25	2·18	1·63	1·32	0·71	1·22
1945–47	0·52	1·40	2·17	1·99	1·58	1·38	0·87	1·22
1950–52	0·24	0·52	0·96	1·10	1·00	0·90	0·70	0·69
1953	0·16	0·19	0·38	0·51	0·47	0·62	0·63	0·40
1954	0·12	0·14	0·22	0·41	0·45	0·55	0·56	0·34
1955	0·08	0·08	0·26	0·43	0·37	0·47	0·54	0·30
1956	0·06	0·05	0·09	0·23	0·33	0·36	0·50	0·24



Diagram 3

DEATH RATE (PER 1000 POPULATION) FROM TUBERCULOSIS &amp; CANCER 1938-56





Diagram 4

INFANT AND NEO-NATAL MORTALITY (PER 1000 LIVE BIRTHS) 1938-1956





There was little change, either in the overall death rate or in the rates for individual age groups between the periods 1935-37 and 1945-47. By 1950-52, however, the death rates in the younger age groups were roughly halved, while in the most recent years the death rates for these age groups were only a fraction of their level in 1945-47. Thus, between 1945-47 and 1956 the death rate in the age group under 15 years was reduced by 88 per cent, in the group 15 to 19 years by 96 per cent and in the group 20 to 24 years by 96 per cent. In the group 55 years and over the reduction in the death rate was less marked, amounting to 43 per cent.

The death rates from tuberculosis in the years 1951 to 1956 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XVI.

TABLE XVI  
DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1951-1956

Year	Ireland *	Six Counties	England and Wales	Scotland
1951	0.73	0.45	0.32	0.43
1952	0.54	0.30	0.24	0.32
1953	0.40	0.23	0.20	0.26
1954	0.34	0.18	0.18	0.22
1955	0.30	0.15	0.15	0.19
1956	0.24	0.12	0.12	0.16

\* Exclusive of the Six Counties

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. The striking feature of this table, however, is the extent to which Ireland, in which mortality from tuberculosis has for many years been heavier than in other countries, has shared in the general improvement.

The mortality from tuberculosis in the counties and county boroughs in 1956 is compared in Table 12 on page 15 of this Report. The highest death rates per 1,000 population from tuberculosis (all forms) were in Limerick County Borough (0.41), Laois (0.38), Dun Laoghaire Borough (0.32), and Clare (0.32), while the lowest rates were in Monaghan (0.10), Roscommon (0.11), Kilkenny (0.11), and Leitrim (0.13).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while since the year 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, 1948, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia and aleukaemia) should also be shown.

In 1956 there were 4,570 deaths from cancer (Nos. 140 to 205). Of this number, 40 deaths were caused by Hodgkin's disease and 123 by leukaemia and aleukaemia.

Table XVII shows the death rate from cancer in certain age groups in the years 1951 to 1956.

TABLE XVII  
DEATHS FROM CANCER (NOS. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1951 TO 1956

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
Males								
1951	8	22	53	179	415	829	1,958	161
1952	9	21	48	159	368	846	1,162	160
1953	8	20	54	169	406	808	1,188	164
1954	8	20	48	164	394	866	1,149	165
1955	8	22	42	164	428	910	1,310	176
1956	8	22	48	172	411	825	1,269	170
Females								
1951	5	17	63	182	381	604	750	137
1952	5	18	75	183	340	568	755	135
1953	7	24	76	203	337	591	716	140
1954	6	19	61	196	367	644	810	147
1955	5	21	66	181	348	658	768	145
1956	6	20	69	184	347	637	758	145



At the older ages some reduction in the mortality rate from cancer occurred in 1956 compared with 1955. This is in contrast to the trend in the previous five years in which the cancer death rate in the age groups 75 years and over showed a fairly steady rise. The death rate from cancer among males is appreciably higher than among females; in 1956 the male death rate for all ages was 17 per cent above that for females. Between the ages of 35 and 54 years the cancer death rates for males are slightly below those for females but at other ages, particularly above 75 years, the excess of male deaths is very marked. The trend in the death rate from cancer since 1938 is shown in Diagram 3; for the reason given earlier, the figures plotted in this diagram exclude deaths from Hodgkin's disease and leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1951 to 1956 are compared in Table XVIII.

TABLE XVIII

DEATHS FROM CANCER (Nos. 140-205) PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1951 TO 1956

Year	Ireland *	Six Counties	England and Wales	Scotland
1951	1.49	1.53	1.96	1.92
1952	1.48	1.53	1.99	1.98
1953	1.52	1.58	1.99	1.98
1954	1.56	1.54	2.03	2.05
1955	1.61	1.60	2.03	2.06
1956	1.58	1.63	2.08	2.09

\* Exclusive of the Six Counties

The general upward trend in the cancer death rate in each area will be noted. With the exception of the years 1954 and 1955 the cancer death rate in this country was slightly below that in the Six Counties. The cancer death rates in England and Wales and in Scotland were considerably higher than the rates in Ireland.

The death rates from cancer in 1956 in counties and county boroughs are compared in Table XIX. Standardised rates, which eliminate the effect of different age distributions in the different areas are also shown.

TABLE XIX

DEATH RATES FROM CANCER (Nos. 140-205) IN EACH COUNTY AND COUNTY BOROUGH, (CRUDE AND STANDARDISED) IN 1956

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow ... ..	1.15	1.17	Clare ... ..	1.46	1.24
Dublin County Borough ...	1.63	2.03	Cork County Borough ...	2.12	2.32
Dun Laoghaire Borough ...	1.58	1.66	Cork County ... ..	1.72	1.57
Dublin County (remainder) ...	1.22	1.80	Kerry ... ..	1.32	1.18
Kildare ... ..	1.24	1.53	Limerick County Borough ...	1.38	1.73
Kilkenny ... ..	1.44	1.36	Limerick County ... ..	1.68	1.60
Laois ... ..	1.61	1.50	Tipperary, N.R. ... ..	1.51	1.43
Longford ... ..	1.64	1.48	Tipperary, S.R. ... ..	1.60	1.56
Louth ... ..	1.97	2.13	Waterford County Borough ...	1.39	1.57
Meath ... ..	1.69	1.72	Waterford County ... ..	1.66	1.49
Offaly ... ..	1.35	1.37			
Westmeath ... ..	1.37	1.32	Munster ... ..	1.62	1.53
Wexford ... ..	2.04	1.96			
Wicklow ... ..	1.74	1.84	Galway ... ..	1.38	1.32
			Leitrim ... ..	1.38	1.12
Leinster ... ..	1.58	1.78	Mayo ... ..	1.42	1.21
			Roscommon ... ..	1.77	1.43
Cavan ... ..	1.55	1.35	Sligo ... ..	1.76	1.50
Donegal ... ..	1.52	1.35			
Monaghan ... ..	1.63	1.55	Connacht ... ..	1.50	1.31
Ulster (part of) ... ..	1.56	1.41	Total ... ..	1.58	1.58

The crude death rate from cancer in 1956 varied from 2.12 per 1,000 population in Cork County Borough to 1.15 in County Carlow. In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.32 per 1,000 population in Cork County Borough to 1.12 in Leitrim. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e., 20-30 per cent) in the counties of Donegal, Roscommon, Mayo and Leitrim and low (i.e., less than 2 per cent) in the County Boroughs. Thus the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1956, classified by site of the disease, and age group are contained in TABLE 19. The number of deaths and death rate from cancer per 100,000 in each age group for the main groups of sites are shown in Table XX and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the Digestive system represented half the total cancer deaths for each sex, the death rate being about 24 per cent higher for males than females. The death rate from malignant neoplasms of the respiratory system was almost four times as great for males as for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female death rate was more than double that of males, being high even in the younger age groups.



TABLE XX

MORTALITY IN 1956 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1948 Inter- national List Nos.	Site	Males						Females									
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
		Number of Deaths															
	Malignant neoplasms of :																
140-148	Buccal cavity and pharynx	.	.	3	13	11	54	56	137	1	.	.	8	7	12	10	38
150-159	Digestive organs and peritoneum	3	6	35	108	275	436	360	1,223	1	8	30	84	214	337	290	964
160-165	Respiratory system ...	1	2	13	103	149	124	43	435	.	1	9	17	31	39	20	117
170-181	Breast and genito-urinary organs	4	3	8	14	49	96	104	278	6	14	66	140	160	166	132	684
190-199	Other and unspecified	10	8	20	36	50	47	114	285	13	6	11	26	40	49	53	198
200-205	Neoplasm of lymphatic and haematopoietic tissues	33	16	12	16	29	19	8	133	14	5	9	16	16	15	3	78
	Total ...	51	35	91	290	563	776	685	2,491	35	34	125	291	468	618	508	2,079
	Malignant neoplasm of :																
140-148	Buccal cavity and pharynx	.	.	1.6	7.7	8.0	57.4	103.7	9.4	0.2	.	.	5.0	5.2	12.4	14.9	2.6
150-159	Digestive organs and peritoneum	0.5	3.7	18.5	63.9	200.9	463.4	666.7	83.6	0.2	4.7	16.5	53.0	158.5	347.4	432.8	67.1
160-165	Respiratory system ...	0.2	1.2	6.9	60.9	108.8	131.8	79.6	29.7	.	0.6	4.9	10.7	23.0	40.2	29.9	8.2
170-181	Breast and genito-urinary organs	0.6	1.9	4.2	8.3	35.8	102.0	192.6	19.0	1.0	8.3	36.4	88.5	118.5	171.1	197.0	47.7
190-199	Other and unspecified sites	1.4	5.0	10.6	21.3	36.5	49.9	211.1	19.5	2.1	3.5	6.0	16.4	29.6	50.5	79.1	13.8
200-205	Neoplasm of lymphatic and haematopoietic tissues	5.0	10.0	6.3	9.5	21.2	20.2	14.8	9.1	2.1	2.9	4.9	10.1	11.9	15.5	4.5	5.4
	Total ...	7.7	21.8	48.1	171.6	411.2	824.7	1,268.5	170.3	5.6	20.0	68.7	183.7	346.7	637.1	758.2	144.8



TABLE XXI  
DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1956, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

1948 Inter- national List Nos.	Cause of Death	Males						Females									
		0-24	25-34	35-44	45-54	55-64	65-74	75-	Total	0-24	25-34	35-44	45-54	55-64	65-74	75-	Total
Numbers of deaths																	
400-402	Rheumatic fever ...	11	2	4	3	.	1	.	21	12	2	2	7	.	3	1	27
410-416	Chronic rheumatic heart disease	2	10	20	27	42	44	56	201	6	17	22	25	45	44	46	205
421	Chronic endocarditis ...	2	1	3	13	47	89	72	227	.	3	6	14	35	56	83	197
420	Coronary and arteriosclerotic heart disease	1	3	58	223	487	716	567	2,055	1	3	17	76	219	390	382	1,088
422	Other myocardial degeneration	1	1	13	54	147	637	1,667	2,520	1	2	11	36	143	508	1,744	2,445
430-434	Other diseases of heart	4	5	14	30	97	216	274	640	5	3	12	24	75	181	334	634
440-443	Hypertension with heart disease	2	.	5	10	46	104	132	299	.	.	4	14	40	122	167	347
444-447	Hypertension without mention of heart disease	3	7	13	17	59	69	101	269	.	1	5	16	33	89	115	259
450-468	Other diseases of circulatory system	.	2	2	15	36	137	322	514	2	4	7	11	19	103	279	425
400-468	Total diseases of circulatory system ...	26	31	132	392	961	2,013	3,191	6,746	27	35	86	223	609	1,496	3,151	5,627
Rates per 100,000 corresponding population																	
400-402	Rheumatic fever ...	1.7	1.2	2.1	1.8	.	1.1	.	1.4	1.9	1.2	1.1	4.4	.	3.1	1.5	1.9
410-416	Chronic rheumatic heart disease	0.3	6.2	10.6	16.0	30.7	46.8	103.7	13.7	0.9	10.0	12.1	15.8	33.3	45.3	68.7	14.3
421	Chronic endocarditis ...	0.3	0.6	1.6	7.7	34.3	94.6	133.3	15.5	.	1.8	3.3	8.8	25.9	57.7	123.9	13.7
420	Coronary and arteriosclerotic heart disease	0.2	1.9	30.7	132.0	355.7	760.9	1,050.0	140.5	0.2	1.8	9.3	48.0	162.2	402.1	570.1	75.8
422	Other myocardial degeneration	0.2	0.6	6.9	32.0	107.4	676.9	3,087.0	172.2	0.2	1.2	6.0	22.7	105.9	523.7	2,603.0	170.3
430-434	Other diseases of heart ...	0.6	3.1	7.4	17.7	70.9	229.5	507.4	43.8	0.8	1.7	6.6	15.2	55.6	186.6	498.5	44.2
440-443	Hypertension with heart disease	0.3	.	2.6	5.9	33.6	110.5	244.5	20.4	.	.	2.2	8.8	29.6	125.8	249.3	24.2
444-447	Hypertension without mention of heart disease	0.4	4.4	6.9	10.0	43.1	73.3	187.1	18.4	.	0.6	2.8	10.1	24.5	91.7	171.6	18.0
450-468	Other diseases of circulatory system	.	1.3	1.0	8.9	26.3	145.6	596.3	35.2	0.3	2.3	3.8	6.9	14.1	106.2	416.4	29.6
400-468	Total diseases of circulatory system ...	4.0	19.3	69.8	232.0	702.0	2,139.2	5,909.3	461.1	4.3	20.6	47.2	140.7	451.1	1,542.2	4,703.0	392.0



### Diseases of the circulatory system

There were 12,373 deaths ascribed to diseases of the circulatory system (Nos. 400–468) registered in 1956, of which 6,746 were deaths of males and 5,627 deaths of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county or county borough are shown in TABLE 21. Deaths and death rates from certain groups of causes are given in Table XXI.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (2,055 males compared with 1,088 females); in respect of the remaining groups of causes the differences between the male and female death rates is not nearly so pronounced. In interpreting Table XXI it should be borne in mind that a number of deaths (mainly of elderly persons) stated to be due to heart diseases are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXII.

TABLE XXII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1956 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED

Cause of death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Rheumatic fever ... ..	21	—	—	27	—	—
Chronic rheumatic heart disease ... ..	201	2	1·0	205	2	1·0
Chronic endocarditis ... ..	227	6	2·6	197	3	1·5
Coronary and arteriosclerotic heart disease ...	2,055	83	4·0	1,088	46	4·2
Other myocardial degeneration ... ..	2,520	71	2·8	2,445	87	3·6
Other diseases of heart ... ..	640	52	8·1	634	53	8·4
Hypertension with heart disease ... ..	299	—	—	347	5	1·4
Hypertension without mention of heart ...	269	5	1·9	259	8	3·1
Other diseases of circulatory system ...	514	9	1·8	425	3	0·7

It appears that only in the case of “ Other diseases of the heart ” are errors due to the incorrect assignment of uncertified deaths to the above groups likely to be substantial. A more serious source of error is the large number of uncertified deaths ascribed simply to “ senility ”. Thus out of a total of 2,627 deaths (1,217 male, 1,410 female) stated to be due to senility, 1,482 (665 male, 817 female) were not medically certified. Of these uncertified deaths it is fair to suppose that a substantial proportion were caused by heart diseases.

### Respiratory Diseases

Deaths from respiratory diseases (Nos. 470–527 on the International List) in 1956 numbered 2,654. These include 401 deaths caused by influenza, 961 by pneumonia, 938 by bronchitis and 354 due to other respiratory diseases.

### Pregnancy, Childbirth and Puerperium

The number of deaths in this group in 1956 was 52, compared with 70 in 1955. The death rate was 0·86 per thousand births.

### Infant Mortality

During the year 1956 the deaths of 2,162 infants under one year of age were registered, compared with 2,264 in the previous year and 2,364 in 1954. The figure for 1956 is equivalent to a rate of 35·6 per 1,000 live births registered, this being the lowest ever recorded and compares with 36·7 in 1955 and 37·8 in 1954. Table XXIII shows the mortality rates, per 1,000 births, at different ages under one year, for the years 1938 and 1946 to 1956.

TABLE XXIII

INFANT MORTALITY BY AGE, 1938 AND 1946 TO 1956

Year	Deaths per 1,000 births at ages											
	Under 24 hrs.	1-6 days	7-13 days	14-20 days	21 days and under 1 month	Total * under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 1 month- 1 year	Total under 1 year
1938	8.2	8.5	4.5	3.5	3.6	28.3	8.3	6.9	12.4	10.7	38.3	66.6
1946	7.0	8.7	5.1	4.5	4.0	29.3	8.4	6.9	11.5	8.5	35.3	64.6
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8
1955	7.6	9.0	2.8	2.0	1.5	22.9	3.5	2.1	4.4	3.8	13.8	36.7
1956	7.4	8.2	3.0	2.5	1.6	22.7	3.5	2.4	3.9	3.1	12.9	35.6

\* For 1950 to 1956 under 4 weeks.

Infant mortality showed little change from 1938 to 1947, but since then a considerable reduction has occurred. The greatest improvement has been in respect of mortality of infants over one month : deaths between the ages of one month and one year declined from 39·1 per 1,000 births in 1947 to 12·9 per 1,000 births in 1956. The reduction in neo-natal mortality (i.e., at ages under one month) has been less marked : whereas deaths under one month amounted to 28·8 per 1,000 births in 1947, the corresponding figure in 1956 was 22·7. No significant reduction has occurred since 1947 (or 1938) in mortality at ages under 24 hours or between one day and one week. Deaths occurring within 24 hours of birth represented 7·0 per 1,000 births in 1947, compared with 7·4 in 1956. Deaths occurring between one day and one week after birth represented 8·8 per 1,000 births in 1947 compared with 8·2 in 1956. The trends in the infant and neo-natal mortality rates since 1938 are illustrated in Diagram 4.

In Table XXIV the infant mortality rates in Ireland and neighbouring countries are compared for the years 1951 to 1956.

TABLE XXIV

## INFANT MORTALITY RATES IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1951-1956

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland *	Six Counties	England and Wales	Scotland
1951	46	41	30	37
1952	41	39	28	35
1953	39	38	27	31
1954	38	33	25	31
1955	37	32	25	30
1956	36	29	24	29

\* Exclusive of the Six Counties

In each of the years shown the infant mortality rate in this country was the highest in the table while that in England and Wales was the lowest. Up to the year 1930 the infant mortality rate in Ireland had maintained a lower level than that in the Six Counties, England and Wales and Scotland. In the decade 1931-40 also the Irish rate compared very favourably with those in the Six Counties and Scotland, although a marked reduction in infant mortality in England and Wales had brought the rate for these countries below that for Ireland. The subsequent decrease in infant mortality has been greater in the Six Counties, England and Wales and Scotland than in this country.

Table XXV compares the neo-natal and infant mortality rates in the year 1956 for counties and county boroughs.

TABLE XXV

## NEO-NATAL AND INFANT MORTALITY RATES FOR COUNTIES AND COUNTY BOROUGHS IN 1956

Area	Deaths of infants per 1,000 births			Area	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow ...	19	21	40	Clare ...	32	10	42
Dublin County Borough ...	22	14	36	Cork County Borough ...	20	10	30
Dun Laoghaire ...	16	13	28	Cork ...	21	9	31
Dublin (remainder) ...	22	7	29	Kerry ...	18	15	32
Kildare ...	30	14	44	Limerick County Borough ...	15	17	32
Kilkenny ...	31	13	43	Limerick ...	27	20	47
Laois ...	32	16	49	Tipperary, N.R. ...	23	16	40
Longford ...	30	12	42	Tipperary, S.R. ...	28	16	45
Louth ...	23	9	32	Waterford County Borough	9	11	20
Meath ...	27	8	35	Waterford ...	20	12	32
Offaly ...	18	8	25				
Westmeath ...	23	13	37	Munster ...	22	13	35
Wexford ...	20	12	32				
Wicklow ...	18	17	35	Galway ...	23	11	34
				Leitrim ...	15	6	22
Leinster ...	23	13	35	Mayo ...	31	17	48
Cavan ...	30	12	42	Roscommon ...	17	12	29
Donegal ...	20	19	39	Sligo ...	15	10	25
Monaghan ...	24	14	39				
				Connacht ...	23	12	35
Ulster (part of) ...	24	16	40	<b>Total ...</b>	<b>23</b>	<b>13</b>	<b>36</b>

NOTE :—In some cases the figures in the first two columns do not tot to that in the third column on account of rounding.



In 1956 the infant mortality rates were highest in the Counties of Laois, Mayo, Limerick, Tipperary (S.R.), Kildare and Kilkenny. The lowest rates of infant mortality occurred in Waterford County Borough, the Counties of Leitrim, Offaly, Sligo and in Dun Laoghaire Borough. The neo-natal mortality rate ranged from 9 per 1,000 births for Waterford County Borough to 32 per 1,000 births for Counties Laois and Clare.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In Table 25 infant deaths are again classified by cause, and a more detailed age classification shown. These results are summarised in Table XXVI.

TABLE XXVI

DEATHS OF INFANTS UNDER ONE YEAR REGISTERED IN 1956, CLASSIFIED BY CAUSE AND AGE

International List Nos.	Cause	Age				
		1 day	1 day to 1 week	1 week to 1 month	1 month to 1 year	Total under 1 year
001-019	Tuberculosis, all forms . . . . .	.	.	.	16	16
340	Meningitis, except meningococcal and tuberculous . .	.	.	3	14	17
056, 470-475 480-483 490-493 500-502 510-527, 763 530-587, 764	Whooping cough, influenza, pneumonia, bronchitis, other respiratory diseases . . . . .	4	28	92	298	422
	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn) . . . . .	.	2	60	93	155
750-759	Congenital malformations . . . . .	74	75	87	135	371
760, 761	Birth injuries . . . . .	60	95	21	13	189
762	Asphyxia and atelectasis . . . . .	83	93	24	10	210
770	Haemolytic disease (erythroblastosis) . . . . .	16	25	10	1	52
771	Haemorrhagic disease . . . . .	3	12	4	1	20
774, 776	Immaturity . . . . .	166	124	47	12	349
	Ill defined diseases of early infancy :—					
773·0	Without mention of immaturity . . . . .	10	18	27	36	91
773·5	With mention of immaturity . . . . .	19	7	15	6	47
780·2	Convulsions . . . . .	1	3	5	29	38
	Other causes . . . . .	17	16	34	118	185
	<b>Total . . . . .</b>	<b>453</b>	<b>498</b>	<b>429</b>	<b>782</b>	<b>2,162</b>

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages one month to one year. At ages under one week 30 per cent of all deaths were ascribed to immaturity, while, as may be seen from TABLE 25, many deaths ascribed to other underlying causes were with mention of immaturity. Postnatal asphyxia and atelectasis accounted for 19 per cent of deaths under one week, birth injuries for 16 per cent, and congenital malformations for 16 per cent. Six per cent of the deaths under one week were assigned to the heading "Ill-defined diseases peculiar to early infancy" (No. 773 of the Detailed International List); deaths described by such terms as "asthenia", "athrepsia", "cachexia", "debility", "inanition", "marasmus", "cyanosis neonatorum", "hepatitis of newborn", or "sclerema neonatorum", and not otherwise specified must be allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic disease were at ages under one week. At ages over one month, congenital malformations were still an important cause of death, but only a small proportion of deaths were ascribed to immaturity, birth injuries or asphyxia. The majority of infant deaths from tuberculosis, meningitis, respiratory diseases, gastro-enteritis, and convulsions occurred at ages over one month. Details of the 185 deaths ascribed to "other causes" may be obtained from TABLE 19. This figure includes 53 deaths from external causes (accidents, etc.), 6 from septicaemia and pyaemia, 6 from measles, 5 from meningococcal infections and 8 from diseases of the thymus gland.

#### Accidents, poisoning and violence

The number of deaths from external causes (Nos. E.800-999) registered in 1956 was 1,016, of which 715 were those of males and 301 those of females. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 10 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was due to the higher number of deaths from accidents. Table XXVII shows the number of deaths from accidents, poisoning or violence in 1956 and certain previous years.

Cause of Death	1938	1946	1951	1952	1953	1954	1955	1956
Railway accidents ... ..	5	14	10	6	8	2	6	13
Road vehicle accidents ... ..	190	134	235	239	251	260	273	310
Accidental poisoning ... ..	10	20	29	22	20	13	19	19
Accidents caused by fire, explosion and burns ... ..	156	105	85	77	71	96	95	78
Accidental drowning ... ..	98	119	121	104	134	125	146	112
Suicide ... ..	97	79	77	66	62	59	68	76
Other accidents and external causes ...	401	409	439	348	361	415	444	408
<b>Total ... ..</b>	<b>957</b>	<b>880</b>	<b>996</b>	<b>862</b>	<b>907</b>	<b>970</b>	<b>1,051</b>	<b>1,016</b>

Particulars of deaths registered in 1956 due to accidents in the home are given in Table XXVIII.

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1956, CLASSIFIED BY CAUSE AND AGE GROUP

Inter-national List Nos.	Cause of Death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
890-894	Accidental poisoning by gases and vapours	M F	8 5	• •	• •	• •	1 2	• •	2 1	• •	2 1	1 •	2 1
900-904	Accidental falls	M F	16 31	• •	3 2	• •	• •	2 •	• •	• •	1 1	4 7	6 21
910	Blow from falling object	M F	1 •	• •	1 •	• •	• •	• •	• •	• •	• •	• •	• •
913	Accident caused by cutting and piercing instruments	M F	1 •	• •	• •	1 •	• •	• •	• •	• •	• •	• •	• •
914	Accident caused by electric current	M F	1 •	• •	• •	• •	• •	1 •	• •	• •	• •	• •	• •
916	Accident caused by fire and explosion of combustible material	M F	11 13	• 1	2 3	2 1	1 1	• •	• •	• •	• 2	4 1	2 4
917	Accident caused by hot substance, corrosive liquid and steam	M F	2 7	• 1	1 4	• 1	• •	• •	1 •	• •	• •	• •	• 1
919	Accident caused by firearm	M F	1 •	• •	• •	• •	• •	1 •	• •	• •	• •	• •	• •
921	Inhalation and ingestion of food causing obstruction or suffocation	M F	3 4	2 4	1 •	• •	• •	• •	• •	• •	• •	• •	• •
922	Inhalation and ingestion of other object causing obstruction or suffocation	M F	• 1	• 1	• •	• •	• •	• •	• •	• •	• •	• •	• •
924	Accidental mechanical suffocation in bed and cradle	M F	10 8	10 8	• •	• •	• •	• •	• •	• •	• •	• •	• •
925	Accidental mechanical suffocation in other and unspecified circumstances	M F	1 •	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •
928	Accidents caused by animals	M F	1 1	1 •	• •	• •	• •	• •	1 •	• •	• •	• •	• •
	Total deaths from accidents in the home	M F	56 70	14 15	8 9	3 2	2 3	4 •	3 2	• •	3 4	9 8	10 27



It will be seen that accidental falls resulted in 47 deaths of which the majority were deaths of elderly persons. Accidents caused by fire, hot liquids, etc., resulted in 33 deaths of which 16 were of children under 15 years and 12 were of persons aged 65 years and over.

#### Uncertified Deaths

The number of cases in 1956 in which the cause of death was not certified by a medical practitioner was 2,622, which represents 7·7 per cent of the total deaths registered. In Table 23 uncertified deaths registered in 1956 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1956, in the counties of Leitrim (23·1 per cent), Mayo (21·7 per cent) and Donegal (19·0 per cent).

Table XXIX compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XXIX

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1938, AND 1951 TO 1956

Province	1938	1951	1952	1953	1954	1955	1956
Leinster ...	7·3	4·6	4·6	3·6	3·4	3·5	2·6
Munster ...	14·7	12·1	9·4	9·3	8·4	7·8	7·4
Connacht ...	32·7	26·9	24·4	22·8	21·1	20·3	18·0
Ulster (part of) ...	26·2	18·6	16·2	15·7	16·0	14·7	13·6
<b>Total ...</b>	<b>16·0</b>	<b>12·2</b>	<b>10·6</b>	<b>9·8</b>	<b>9·2</b>	<b>8·8</b>	<b>7·7</b>

Table XXX shows the percentage of deaths uncertified in 1956, by age group, in each province.

TABLE XXX

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1956

Province	All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster ...	2·6	1·7	1·0	·	·	0·4	1·2	1·5	1·5	2·1	4·1
Munster ...	7·4	2·1	2·7	1·3	2·2	1·9	0·6	1·9	2·7	3·7	13·1
Connacht ...	18·0	7·0	1·8	10·3	·	3·3	1·2	2·2	2·5	8·4	30·0
Ulster (part of) ...	13·6	1·2	4·5	·	·	2·2	6·3	5·0	3·5	7·2	22·1
<b>Total ...</b>	<b>7·7</b>	<b>2·5</b>	<b>1·8</b>	<b>1·8</b>	<b>0·6</b>	<b>1·4</b>	<b>1·4</b>	<b>2·0</b>	<b>2·2</b>	<b>4·1</b>	<b>14·1</b>
Actual number of deaths uncertified ...	2,622	54	7	5	2	7	15	42	95	331	2,064

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while only a very small proportion of young adult deaths was uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare very unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

#### Inquests and post-mortems

The number of deaths registered on certificates issued by Coroners as the result of inquests and post-mortem examinations during 1956 was 1,696 compared with 1,884 in 1955 and 1,553 in 1954.





## TABLES

TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR,\* 1851 TO 1956.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1887	3,600	1,788	1,812	1923	3,014	1,526	1,488
1852	4,927	2,413	2,514	1888	3,554	1,766	1,788	1924	3,005	1,521	1,484
1853	4,807	2,358	2,449	1889	3,516	1,748	1,768	1925	2,985	1,512	1,473
1854	4,704	2,311	2,393	1890	3,482	1,733	1,749	1926	2,971	1,507	1,464
1855	4,638	2,281	2,357	1891	3,449	1,718	1,731	1927	2,957	1,502	1,455
1856	4,594	2,261	2,333	1892	3,408	1,697	1,711	1928	2,944	1,498	1,446
1857	4,540	2,234	2,306	1893	3,382	1,684	1,698	1929	2,937	1,496	1,441
1858	4,506	2,217	2,289	1894	3,362	1,675	1,687	1930	2,927	1,493	1,434
1859	4,471	2,199	2,272	1895	3,333	1,662	1,671	1931	2,933	1,497	1,436
1860	4,428	2,179	2,249	1896	3,314	1,653	1,661	1932	2,949	1,505	1,444
1861	4,393	2,164	2,229	1897	3,298	1,646	1,652	1933	2,962	1,512	1,450
1862	4,377	2,158	2,219	1898	3,283	1,640	1,643	1934	2,971	1,518	1,453
1863	4,328	2,134	2,194	1899	3,265	1,631	1,634	1935	2,971	1,520	1,451
1864	4,263	2,103	2,160	1900	3,234	1,616	1,618	1936	2,967	1,520	1,447
1865	4,223	2,084	2,139	1901	3,213	1,607	1,606	1937	2,948	1,510	1,438
1866	4,163	2,051	2,112	1902	3,200	1,603	1,597	1938	2,937	1,505	1,432
1867	4,130	2,033	2,097	1903	3,185	1,599	1,586	1939	2,934	1,503	1,431
1868	4,109	2,022	2,087	1904	3,175	1,597	1,578	1940	2,958	1,515	1,443
1869	4,090	2,012	2,078	1905	3,165	1,594	1,571	1941	2,993	1,533	1,460
1870	4,062	1,996	2,066	1906	3,160	1,593	1,567	1942	2,963	1,499	1,464
1871	4,042	1,986	2,056	1907	3,151	1,589	1,562	1943	2,946	1,490	1,456
1872	4,023	1,975	2,048	1908	3,145	1,588	1,557	1944	2,944	1,487	1,457
1873	3,989	1,955	2,034	1909	3,142	1,589	1,553	1945	2,952	1,490	1,462
1874	3,966	1,944	2,022	1910	3,139	1,588	1,551	1946	2,957	1,496	1,461
1875	3,951	1,940	2,011	1911	3,132	1,586	1,546	1947	2,974	1,505	1,469
1876	3,949	1,942	2,007	1912	3,120	1,581	1,539	1948	2,985	1,512	1,473
1877	3,956	1,947	2,009	1913	3,103	1,572	1,531	1949	2,981	1,513	1,468
1878	3,952	1,948	2,004	1914	3,092	1,568	1,524	1950	2,969	1,510	1,459
1879	3,939	1,944	1,995	1915	3,068	1,546	1,522	1951	2,961	1,507	1,454
1880	3,891	1,920	1,971	1916	3,068	1,549	1,519	1952	2,953	1,501	1,452
1881	3,847	1,901	1,946	1917	3,065	1,551	1,514	1953	2,949	1,498	1,451
1882	3,808	1,882	1,926	1918	3,066	1,553	1,513	1954	2,941	1,493	1,448
1883	3,745	1,853	1,892	1919	3,102	1,598	1,504	1955	2,921	1,479	1,442
1884	3,703	1,834	1,869	1920	3,103	1,598	1,505	1956	2,898	1,463	1,435
1885	3,671	1,820	1,851	1921	3,096	1,599	1,497				
1886	3,642	1,808	1,834	1922	3,022	1,529	1,493				

\* For 1951 and subsequent years the figures relate to the month of April.



TABLE 2.—TOTAL POPULATION BY SEX AND AGE ACCORDING TO THE CENSUS OF POPULATION, 1951.

Age (years)	Actual Numbers			Percentage Distribution		
	Males	Females	Persons	Males	Females	Persons
				%	%	%
Under 1	32,630	30,927	63,557	2·17	2·13	2·15
1	32,083	30,719	62,802	2·13	2·11	2·12
2	31,932	30,494	62,426	2·12	2·10	2·11
3	31,982	30,457	62,439	2·12	2·09	2·11
4	31,604	30,004	61,608	2·10	2·06	2·08
5-9	143,490	137,553	281,043	9·53	9·46	9·49
10-14	132,726	128,209	260,935	8·82	8·82	8·81
15-19	125,742	115,440	241,182	8·35	7·94	8·15
20-24	105,380	96,792	202,172	6·99	6·65	6·83
25-29	99,595	98,826	198,421	6·61	6·80	6·70
30-34	96,441	95,125	191,566	6·40	6·54	6·47
35-39	102,278	98,638	200,916	6·79	6·78	6·79
40-44	94,006	86,320	180,326	6·24	5·94	6·09
45-49	82,374	78,541	160,915	5·47	5·40	5·44
50-54	82,922	80,064	162,986	5·50	5·51	5·51
55-59	65,028	63,820	128,848	4·32	4·39	4·35
60-64	61,346	60,714	122,060	4·07	4·18	4·12
65-69	54,145	53,403	107,548	3·59	3·67	3·63
70-74	49,121	50,995	100,116	3·26	3·51	3·38
75-79	31,642	32,913	64,555	2·10	2·26	2·18
80-84	14,649	16,238	30,887	0·97	1·12	1·04
85-89	4,285	5,882	10,167	0·28	0·40	0·34
90-94	973	1,542	2,515	0·06	0·11	0·09
95-99	205	368	573	0·01	0·03	0·02
100 and over	18	12	30	0·00	0·00	0·00
TOTAL	1,506,597	1,453,996	2,960,593	100·00	100·00	100·00

TABLE 3.—POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE  
CENSUS OF POPULATION, 1956.

Area							Persons	Males	Females
Carlow	...	...	...	...	...	...	33,888	17,666	16,222
Dublin County Borough	...	...	...	...	...	...	539,476	250,817	288,659
Dun Laoghaire Borough	...	...	...	...	...	...	47,553	20,772	26,781
Dublin County (remainder)	...	...	...	...	...	...	118,752	58,038	60,714
Kildare	...	...	...	...	...	...	65,915	35,069	30,846
Kilkenny	...	...	...	...	...	...	64,089	33,927	30,162
Laoighis	...	...	...	...	...	...	47,087	25,233	21,854
Longford	...	...	...	...	...	...	32,969	17,477	15,492
Louth	...	...	...	...	...	...	69,194	34,788	34,406
Meath	...	...	...	...	...	...	66,762	34,830	31,932
Offaly	...	...	...	...	...	...	51,970	27,591	24,379
Westmeath	...	...	...	...	...	...	54,122	28,102	26,020
Wexford	...	...	...	...	...	...	87,259	44,210	43,049
Wicklow	...	...	...	...	...	...	59,906	29,933	29,973
Clare	...	...	...	...	...	...	77,176	40,868	36,308
Cork County Borough	...	...	...	...	...	...	80,011	37,544	42,467
Cork County	...	...	...	...	...	...	256,652	130,408	126,244
Kerry	...	...	...	...	...	...	122,072	63,965	58,107
Limerick County Borough	...	...	...	...	...	...	50,886	24,047	26,839
Limerick County	...	...	...	...	...	...	86,995	45,575	41,420
Tipperary, N.R.	...	...	...	...	...	...	55,697	29,228	26,469
Tipperary, S.R.	...	...	...	...	...	...	73,718	38,170	35,548
Waterford County Borough	...	...	...	...	...	...	28,878	13,460	15,418
Waterford County	...	...	...	...	...	...	45,153	23,517	21,636
Galway	...	...	...	...	...	...	155,553	82,223	73,330
Leitrim	...	...	...	...	...	...	37,056	19,986	17,070
Mayo	...	...	...	...	...	...	133,052	68,879	64,173
Roscommon	...	...	...	...	...	...	63,710	34,078	29,632
Sligo	...	...	...	...	...	...	56,850	29,392	27,458
Cavan	...	...	...	...	...	...	61,740	33,177	28,563
Donegal	...	...	...	...	...	...	122,059	62,664	59,395
Monaghan	...	...	...	...	...	...	52,064	27,294	24,770
TOTAL	...	...	...	...	...	...	2,898,264	1,462,928	1,435,336



TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1956.

Period	Marriages	Births			Deaths			Natural Increase				
		Total (including Illegitimate)			Total							
		Legitimate		Total	Illegitimate		Total					
		Males	Females		Males	Females						
Average 1864—1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871—1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881—1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891—1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901—1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911—1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921—1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931—1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941—1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
1949	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830

TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1956.

Period	Marriages  Per 1,000 Population	Births				Deaths		Natural Increase per 1,000 of Population	
		Per 1,000 Population	Legitimate per 1,000 Population	Illegitimate		Per 1,000 Population	Infant Mortality per 1,000 Births		
				Per 1,000 Population	Per cent. of Total Births				
1864—1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871—1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881—1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891—1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901—1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911—1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921—1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931—1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941—1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26



TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941-56 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941-50 AND THE RATES FOR EACH YEAR FROM 1951 TO 1956 PER 1,000 OF THE POPULATION.

Year	Marriages										Births				Deaths			
	Catholic					All Others					Total				Quarter ending the last day of			
	Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of				Quarter ending the last day of			
	Mar. June Sept. Dec.					Mar. June Sept. Dec.					Mar. June Sept. Dec.				Mar. June Sept. Dec.			
	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	13,673	14,955	15,067	13,085
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	14,437	18,181	17,749	15,760
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	16,400	16,916	16,242	14,817
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	17,066	17,663	15,749	14,947
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	16,073	17,940	17,244	15,604
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,005	18,122	17,230	15,565
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	17,537	18,946	17,424	15,071
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,310	18,143	16,385	15,092
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,388	16,774	16,519	14,472
1950	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	15,843	17,172	15,960	14,590
Average for ten years 1941-1950	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,072	17,481	16,557	14,900
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	15,727	16,966	16,299	13,886
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	16,341	17,502	16,048	14,740
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,672	16,947	15,728	14,211
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	187	831	3,332	3,642	5,507	3,350	15,379	16,487	15,974	14,694
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	15,183	16,480	15,807	14,152
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	14,286	16,718	15,405	14,331
Equivalent Annual Rate per 1,000 Population Average 1941-1950	5.3	5.4	6.6	5.0	5.6	3.9	5.8	7.4	4.2	5.3	5.2	5.5	6.7	5.0	21.7	23.6	22.3	20.1
1951	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	21.2	22.9	22.0	18.8
1952	4.6	5.0	7.1	4.9	5.4	3.7	6.6	6.7	4.2	5.3	4.6	5.1	7.1	4.8	22.2	23.7	21.8	20.0
1953	4.1	5.2	7.5	5.0	5.4	2.7	4.8	7.1	3.7	4.6	4.0	5.2	7.5	4.9	21.3	23.0	21.4	19.3
1954	4.6	4.9	7.5	4.6	5.4	2.9	6.1	7.0	3.7	4.9	4.5	5.0	7.5	4.6	21.0	22.5	21.8	20.0
1955	4.4	5.5	8.0	5.0	5.7	3.4	5.9	8.0	3.2	5.1	4.3	5.5	8.0	4.8	20.9	22.7	21.7	19.5
1956	4.0	5.8	7.9	5.7	5.9	2.6	4.5	6.7	3.7	4.4	4.0	5.7	7.9	5.6	19.7	23.1	21.3	19.8

TABLE 7.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1956, WITH RATES  
PER 100,000 POPULATION

NOTE.—The classification of cause of death in this Table is based on the Abbreviated List, 1948.

Detailed List No.	Causes of Death	Ireland *		Six Counties	
		Number	Rate	Number	Rate
001-008	Tuberculosis of respiratory system ... ..	562	19·4	147	10·5
010-019	Tuberculosis, other forms ... ..	127	4·4	17	1·2
020-029	Syphilis and its sequelae ... ..	13	0·4	46	3·3
040	Typhoid fever ... ..	3	0·1	.	.
045-048	Dysentery, all forms ... ..	.	.	2	0·1
050-051	Scarlet fever and streptococcal sore throat ...	4	0·1	.	.
055	Diphtheria ... ..	15	0·5	.	.
056	Whooping cough ... ..	39	1·3	13	0·9
057	Meningococcal infections ... ..	20	0·7	10	0·7
080	Acute poliomyelitis ... ..	20	0·7	5	0·4
085	Measles ... ..	20	0·7	1	0·1
100-108	Typhus and other rickettsial diseases ...	.	.	.	.
110-117	Malaria ... ..	.	.	.	.
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic ... ..	81	2·8	48	3·4
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues ...				
	(a) Cancer ... ..	4,407	152·1	2,201	157·6
201, 204	(b) Hodgkin's disease and leukaemia ...	163	5·6	80	5·7
210-239	Benign and unspecified neoplasms ... ..	119	4·1	28	2·0
260	Diabetes mellitus ... ..	207	7·1	89	6·4
290-293	Anaemias ... ..	221	7·6	60	4·3
330-334	Vascular lesions affecting central nervous system	3,645	125·8	2,126	152·2
340	Non-meningococcal meningitis ... ..	47	1·6	8	0·6
400-402	Rheumatic fever ... ..	48	1·7	34	2·4
410-416	Chronic rheumatic heart disease ... ..	406	14·0	202	14·5

\* Exclusive of the Six Counties.



TABLE 7.—(contd.)—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1956, WITH RATES PER 100,000 POPULATION.

Detailed List No.	Causes of Death	Ireland *		Six Counties	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease ...	8,532	294.4	4,013	287.3
430-434	Other diseases of the heart ... ..	1,274	44.0	533	38.2
440-443	Hypertension with heart disease ... ..	646	22.3	488	34.9
444-447	Hypertension without mention of heart ...	528	18.2	155	11.1
480-483	Influenza ... ..	401	13.8	160	11.5
490-493	Pneumonia ... ..	961	33.2	510	36.5
500-502	Bronchitis ... ..	938	32.4	532	38.1
540-541	Ulcer of stomach and duodenum ... ..	239	8.3	104	7.4
550-553	Appendicitis ... ..	37	1.3	11	0.8
560, 561, 570	Intestinal obstruction and hernia ... ..	159	5.5	73	5.2
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of newborn ... ..	174	6.0	72	5.2
581	Cirrhosis of liver ... ..	69	2.4	36	2.6
590-594	Nephritis and nephrosis ... ..	495	17.1	145	10.4
610	Hyperplasia of prostate ... ..	230	7.9	118	8.4
640-689	Complications of pregnancy, childbirth and the puerperium ... ..	52	1.8	17	1.2
750-759	Congenital malformations ... ..	429	14.8	256	18.3
760-762	Birth injuries, postnatal asphyxia and atelectasis	399	13.8	216	15.5
763-768	Infections of newborn ... ..	196	6.8	44	3.2
769-776	Other diseases peculiar to early infancy and immaturity unqualified ... ..	579	20.0	183	13.1
780-795	Senility without mention of psychosis, ill-defined and unknown causes ... ..	3,188	110.0	641	45.9
	All other diseases ... ..	3,201	110.3	954	68.3
E810-E835	Motor vehicle accidents ... ..	256	8.8	136	9.7
E800-E802, E840-E962	All other accidents ... ..	678	23.4	285	20.4
E963, E970-E979	Suicide and self-inflicted injury ... ..	76	2.6	54	3.9
E980-E999	Homicide and operations of war ... ..	6	0.2	5	0.4
	<b>All causes</b> ... ..	<b>33,910</b>	<b>1,170.0</b>	<b>14,858</b>	<b>1,063.9</b>

\* Exclusive of the Six Counties.

TABLE 8.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES CLASSIFIED BY AGE,  
REGISTERED DURING THE YEARS 1864-1956.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average—														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
1952	18,918	1,788	126	86	136	152	413	726	1,391	2,420	4,866	5,446	1,301	67
1953	18,420	1,655	100	59	106	139	359	588	1,317	2,472	4,698	5,476	1,384	67
1954	19,199	1,629	85	67	91	118	338	636	1,371	2,552	4,885	5,834	1,519	74
1955	19,773	1,515	95	70	97	114	318	541	1,290	2,695	5,121	6,080	1,764	73
1956	18,269	1,456	91	62	71	120	265	555	1,254	2,500	4,544	5,631	1,640	80
Females														
Average—														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
1952	16,187	1,407	95	69	122	134	373	587	1,084	1,845	4,052	4,820	1,493	106
1953	16,171	1,286	103	70	80	109	346	584	1,066	1,804	3,923	5,010	1,650	140
1954	16,336	1,177	76	59	80	80	292	515	985	1,908	3,974	5,299	1,786	105
1955	16,988	1,129	78	60	54	89	292	487	988	1,913	4,145	5,578	2,021	154
1956	15,641	1,088	72	49	38	81	227	493	873	1,810	3,622	5,249	1,916	123
Persons														
Average—														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,006	1,551	2,774	5,095	10,838	12,854	3,382	240
1952	35,105	3,195	221	155	258	286	786	1,313	2,475	4,265	8,918	10,266	2,794	173
1953	34,591	2,941	203	129	186	248	705	1,172	2,383	4,276	8,621	10,486	3,034	207
1954	35,535	2,806	161	126	171	198	630	1,151	2,356	4,460	8,859	11,133	3,305	179
1955	36,761	2,644	173	130	151	203	610	1,028	2,278	4,608	9,266	11,658	3,785	227
1956	33,910	2,544	163	111	109	201	492	1,048	2,127	4,310	8,166	10,880	3,556	203

\* For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

† For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.



TABLE 9.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE  
PER 1,000 CORRESPONDING POPULATION, 1864-1956.

Period	All Ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951 ...	14.92	12.67	0.93	0.60	1.33	1.98	2.65	4.13	9.60	22.69	56.50	143.09	294.47
1952 ...	12.60	11.21	0.86	0.64	1.09	1.48	2.18	3.72	8.35	18.79	47.85	116.37	244.29
1953 ...	12.29	10.42	0.66	0.43	0.86	1.40	1.96	3.02	7.85	18.78	46.93	115.53	254.56
1954 ...	12.86	10.32	0.55	0.49	0.75	1.22	1.92	3.29	8.11	19.06	49.54	122.05	274.66
1955 ...	13.37	9.71	0.61	0.51	0.81	1.22	1.89	2.83	7.63	19.87	53.18	126.93	311.36
1956 ...	12.49	9.45	0.57	0.45	0.60	1.33	1.65	2.93	7.42	18.26	48.29	117.31	286.67
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951 ...	13.69	9.76	0.69	0.71	1.25	2.11	2.51	4.00	7.48	17.89	47.92	126.75	257.30
1952 ...	11.15	9.28	0.68	0.53	1.06	1.42	1.97	3.18	6.83	14.56	39.30	94.51	197.41
1953 ...	11.15	8.53	0.72	0.53	0.70	1.19	1.87	3.17	6.70	13.97	38.57	94.89	213.10
1954 ...	11.28	7.86	0.52	0.44	0.70	0.90	1.62	2.80	6.19	14.53	39.58	96.87	222.47
1955 ...	11.78	7.61	0.53	0.45	0.48	1.04	1.67	2.66	6.22	14.36	42.04	98.90	247.16
1956 ...	10.90	7.40	0.48	0.36	0.34	0.98	1.34	2.71	5.51	13.40	37.34	90.50	226.56
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951 ...	14.32	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64
1952 ...	11.89	10.27	0.77	0.59	1.08	1.46	2.08	3.46	7.61	16.69	43.54	104.97	216.57
1953 ...	11.73	9.50	0.69	0.48	0.78	1.30	1.92	3.09	7.29	16.40	42.72	104.65	229.86
1954 ...	12.08	9.13	0.54	0.47	0.72	1.07	1.77	3.05	7.18	16.82	44.52	108.61	243.64
1955 ...	12.59	8.69	0.57	0.48	0.65	1.13	1.78	2.74	6.95	17.14	47.54	111.77	272.93
1956 ...	11.70	8.45	0.53	0.41	0.47	1.16	1.49	2.82	6.49	15.85	42.73	102.64	250.60

TABLE 10.—BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH, IN 1956  
PONDING PARTICULARS FOR ILLEGITIMATE BIRTHS AND DEATHS OF INFANTS UNDER 1 YEAR

Area	Births (including illegitimate)				Illegitimate Births			
	Total Number registered	Trans- ferred from area	Trans- ferred to area	Net Number	Total Number regis- tered	Trans- ferred from area	Trans- ferred to area	Net Number
<b>Total</b> ... ..	<b>60,740</b>	—	—	<b>60,740</b>	<b>1,173</b>	—	—	<b>1,173</b>
Carlow ... ..	720	23	149	846	12	.	10	22
Dublin County Borough ...	17,201	4,620	76	12,657	342	155	24	211
Dun Laoghaire Borough ...	874	385	532	1,021	14	9	16	21
Dublin County (remainder) ...	735	68	2,346	3,013	73	63	18	28
Kildare ... ..	957	6	571	1,522	14	.	26	40
Kilkenny ... ..	1,089	48	228	1,269	18	1	13	30
Laois ... ..	869	15	134	988	12	.	18	30
Longford ... ..	682	123	110	669	6	.	10	16
Louth ... ..	1,977	530	56	1,503	6	1	15	20
Meath ... ..	758	14	671	1,415	14	1	27	40
Offaly ... ..	1,063	15	148	1,196	7	.	22	29
Westmeath ... ..	1,382	159	146	1,369	119	107	17	29
Wexford ... ..	1,690	41	144	1,793	38	1	30	67
Wicklow ... ..	733	20	553	1,266	16	2	21	35
Clare ... ..	1,312	8	152	1,456	14	.	16	30
Cork County Borough ...	2,786	1,534	486	1,738	13	4	12	21
Cork County ... ..	3,985	556	1,483	4,912	103	34	17	86
Kerry ... ..	2,199	33	99	2,265	13	.	9	22
Limerick County Borough ...	1,745	473	21	1,293	12	5	4	11
Limerick County ... ..	1,226	7	484	1,703	38	1	28	65
Tipperary, N.R. ... ..	1,324	175	88	1,237	104	95	11	20
Tipperary, S.R. ... ..	1,622	158	57	1,521	24	5	18	37
Waterford County Borough ...	1,059	418	23	664	9	4	3	8
Waterford County ... ..	575	28	289	836	26	3	10	33
Galway ... ..	3,436	274	44	3,206	44	9	14	49
Leitrim ... ..	551	12	112	651	3	.	10	13
Mayo ... ..	2,236	4	213	2,445	2	.	16	18
Roscommon ... ..	956	29	124	1,051	1	.	12	13
Sligo ... ..	1,091	56	29	1,064	9	3	8	14
Cavan ... ..	849	2	251	1,098	12	.	20	32
Donegal ... ..	2,011	9	35	2,037	44	.	13	57
Monaghan... ..	1,047	83	72	1,036	11	.	15	26



AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH CORRESPONDING AGE.

Deaths				Deaths of Infants (under one year)				Natural increase (excess of births over deaths)	Area
Total Number regis- tered	Trans- ferred from area	Trans- ferred to area	Net Number	Total Number regis- tered	Trans- ferred from area	Trans- ferred to area	Net Number		
<b>33,910</b>	—	—	<b>33,910</b>	<b>2,162</b>	—	—	<b>2,162</b>	<b>26,830</b>	<b>Total</b>
360	25	58	393	26	.	8	34	453	Carlow
6,347	1,180	179	5,346	626	180	11	457	7,311	Dublin County Borough
547	131	146	562	31	13	11	29	459	Dun Laoghaire Borough
695	203	406	898	27	6	65	86	2,115	Dublin County (remainder)
546	11	108	643	41	.	26	67	879	Kildare
785	32	45	798	50	3	8	55	471	Kilkenny
581	33	56	604	42	2	8	48	384	Laois
378	8	53	423	23	3	8	28	246	Longford
754	42	59	771	62	16	2	48	732	Louth
645	26	104	723	29	.	21	50	692	Meath
510	12	52	550	25	1	6	30	646	Offaly
615	63	53	605	48	5	7	50	764	Westmeath
1,110	11	53	1,152	46	.	11	57	641	Wexford
550	20	161	691	20	.	24	44	575	Wicklow
996	1	39	1,034	58	.	3	61	422	Clare
933	280	386	1,039	64	39	27	52	699	Cork County Borough
3,437	410	286	3,313	145	33	38	150	1,599	Cork County
1,422	9	48	1,461	69	.	4	73	804	Kerry
673	163	10	520	50	8	.	42	773	Limerick County Borough
976	18	163	1,121	67	3	16	80	582	Limerick County
673	15	53	711	53	8	4	49	526	Tipperary, N.R.
894	33	37	898	71	5	2	68	623	Tipperary, S.R.
411	114	20	317	29	18	2	13	347	Waterford County Borough
493	34	122	581	15	1	13	27	255	Waterford County
1,753	100	29	1,682	120	11	.	109	1,524	Galway
481	5	47	523	12	.	2	14	128	Leitrim
1,722	11	82	1,793	108	1	10	117	652	Mayo
757	11	67	813	25	.	6	31	238	Roscommon
805	26	21	800	28	1	.	27	264	Sligo
797	4	81	874	38	1	9	46	224	Cavan
1,609	2	30	1,637	77	.	3	80	400	Donegal
655	45	24	634	37	.	3	40	402	Monaghan

TABLE 11.—MARRIAGES, BIRTHS AND DEATHS BY SEX, REGISTERED DURING 1956 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY IN EACH COUNTY AND COUNTY BOROUGH.

Area	Marriages	Births						Deaths						
		Total (including illegitimate)			Illegitimate			Total			Under one year of age	Principal Epidemic Diseases*	Tuberculosis	Malignant Neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total	Total
<b>Total</b>	<b>16,761</b>	<b>31,257</b>	<b>29,483</b>	<b>60,740</b>	<b>608</b>	<b>565</b>	<b>1,173</b>	<b>18,269</b>	<b>15,641</b>	<b>33,910</b>	<b>2,162</b>	<b>250</b>	<b>689</b>	<b>4,570</b>
Carlow	156	437	409	846	8	14	22	195	198	393	34	1	5	39
Dublin County Borough	5,489	6,441	6,216	12,657	105	106	211	2,705	2,641	5,346	457	74	153	879
Dun Laoghaire Borough	428	502	519	1,021	13	8	21	285	277	562	29	3	15	75
Dublin County (remainder)	413	1,591	1,422	3,013	10	18	28	504	394	898	86	8	20	145
Kildare	301	783	739	1,522	20	20	40	370	273	643	67	4	17	82
Kilkenny	284	629	640	1,269	14	16	30	468	330	798	55	7	7	92
Laois	167	523	465	988	18	12	30	357	247	604	48	13	18	76
Longford	125	327	342	669	9	7	16	245	178	423	28	5	8	54
Louth	413	784	719	1,503	12	8	20	427	344	771	48	4	12	136
Meath	303	756	659	1,415	22	18	40	418	305	723	50	2	11	113
Offaly	235	598	598	1,196	20	9	29	308	242	550	30	3	10	70
Westmeath	235	710	659	1,369	16	13	29	348	257	605	50	7	13	74
Wexford	444	956	837	1,793	37	30	67	615	537	1,152	57	12	25	178
Wicklow	326	668	598	1,266	18	17	35	357	334	691	44	2	12	104
<b>LEINSTER</b>	<b>9,319</b>	<b>15,705</b>	<b>14,822</b>	<b>30,527</b>	<b>322</b>	<b>296</b>	<b>618</b>	<b>7,602</b>	<b>6,557</b>	<b>14,159</b>	<b>1,083</b>	<b>145</b>	<b>326</b>	<b>2,117</b>
Clare	276	746	710	1,456	12	18	30	578	456	1,034	61	8	25	113
Cork County Borough	971	896	842	1,738	11	10	21	493	546	1,039	52	7	20	170
Cork County	1,114	2,531	2,381	4,912	49	37	86	1,814	1,499	3,313	150	9	51	441
Kerry	532	1,149	1,116	2,265	12	10	22	767	694	1,461	73	9	30	161
Limerick County Borough	447	674	619	1,293	2	9	11	262	258	520	42	6	21	70
Limerick County	350	903	800	1,703	35	30	65	637	484	1,121	80	4	24	146
Tipperary, N.R.	243	632	605	1,237	12	8	20	402	309	711	49	2	14	84
Tipperary, S.R.	286	794	727	1,521	17	20	37	496	402	898	68	8	23	118
Waterford County Borough	173	329	335	664	6	2	8	178	139	317	13	1	8	40
Waterford County	231	438	398	836	12	21	33	314	267	581	27	2	12	75
<b>MUNSTER</b>	<b>4,623</b>	<b>9,092</b>	<b>8,533</b>	<b>17,625</b>	<b>168</b>	<b>165</b>	<b>333</b>	<b>5,941</b>	<b>5,054</b>	<b>10,995</b>	<b>615</b>	<b>56</b>	<b>228</b>	<b>1,418</b>
Galway	607	1,663	1,543	3,206	33	16	49	927	755	1,682	109	6	30	215
Leitrim	130	331	320	651	9	4	13	292	231	523	14	1	5	51
Mayo	482	1,241	1,204	2,445	8	10	18	977	816	1,793	117	24	29	189
Roscommon	209	532	519	1,051	5	8	13	437	376	813	31	4	7	113
Sligo	263	534	530	1,064	6	8	14	414	386	800	27	1	9	100
<b>CONNACHT</b>	<b>1,691</b>	<b>4,301</b>	<b>4,116</b>	<b>8,417</b>	<b>61</b>	<b>46</b>	<b>107</b>	<b>3,047</b>	<b>2,564</b>	<b>5,611</b>	<b>298</b>	<b>36</b>	<b>80</b>	<b>668</b>
Cavan	270	568	530	1,098	15	17	32	498	376	874	46	5	12	96
Donegal	605	1,049	988	2,037	28	29	57	839	798	1,637	80	3	38	186
Monaghan	253	542	494	1,036	14	12	26	342	292	634	40	5	5	85
<b>ULSTER</b>	<b>1,128</b>	<b>2,159</b>	<b>2,012</b>	<b>4,171</b>	<b>57</b>	<b>58</b>	<b>115</b>	<b>1,679</b>	<b>1,466</b>	<b>3,145</b>	<b>166</b>	<b>13</b>	<b>55</b>	<b>367</b>

\*Includes typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, measles, gastro-enteritis (under two years), and poliomyelitis.



TABLE 12.—MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS  
IN 1956 IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE  
PRINCIPAL DISEASES.

Area	Marriages per 1,000 popula- tion	Births		Death Rate per 1,000 population				Deaths under 1 year per 1,000 Births
		Total Births per 1,000 popula- tion	Illegit- imate % of total Births	All causes	Prin- cipal Epidemic Diseases	Tuber- culosis	Malig- nant Neo- plasms	
<b>Total ...</b>	<b>5.78</b>	<b>20.96</b>	<b>1.93</b>	<b>11.70</b>	<b>0.09</b>	<b>0.24</b>	<b>1.58</b>	<b>35.59</b>
Carlow ...	4.60	24.96	2.60	11.60	0.03	0.15	1.15	40.19
Dublin County Borough ...	10.17	23.46	1.67	9.91	0.14	0.28	1.63	36.11
Dun Laoghaire Borough ...	9.00	21.47	2.06	11.82	0.06	0.32	1.58	28.40
Dublin County (remainder) ...	3.48	25.37	0.93	7.56	0.07	0.17	1.22	28.54
Kildare ...	4.57	23.09	2.63	9.75	0.06	0.26	1.24	44.02
Kilkenny ...	4.43	19.80	2.36	12.45	0.11	0.11	1.44	43.34
Laois ...	3.55	20.98	3.04	12.83	0.28	0.38	1.61	48.58
Longford ...	3.79	20.29	2.39	12.83	0.15	0.24	1.64	41.85
Louth ...	5.97	21.72	1.33	11.14	0.06	0.17	1.97	31.94
Meath ...	4.54	21.19	2.83	10.83	0.03	0.16	1.69	35.33
Offaly ...	4.52	23.01	2.42	10.58	0.06	0.19	1.35	25.08
Westmeath ...	4.34	25.29	2.12	11.18	0.13	0.24	1.37	36.52
Wexford ...	5.09	20.55	3.74	13.20	0.14	0.29	2.04	31.79
Wicklow ...	5.44	21.13	2.76	11.53	0.03	0.20	1.74	34.76
<b>LEINSTER ...</b>	<b>6.96</b>	<b>22.80</b>	<b>2.02</b>	<b>10.57</b>	<b>0.11</b>	<b>0.24</b>	<b>1.58</b>	<b>35.48</b>
Clare ...	3.58	18.87	2.06	13.40	0.10	0.32	1.46	41.90
Cork County Borough ...	12.14	21.72	1.21	12.99	0.09	0.25	2.12	29.92
Cork County ...	4.34	19.14	1.75	12.91	0.04	0.20	1.72	30.54
Kerry ...	4.36	18.55	0.97	11.97	0.07	0.25	1.32	32.23
Limerick County Borough ...	8.78	25.41	0.85	10.22	0.12	0.41	1.38	32.48
Limerick County ...	4.02	19.58	3.82	12.89	0.05	0.28	1.68	46.98
Tipperary, N.R. ...	4.36	22.21	1.62	12.77	0.04	0.25	1.51	39.61
Tipperary, S.R. ...	3.88	20.63	2.43	12.18	0.11	0.31	1.60	44.71
Waterford County Borough ...	5.99	22.99	1.20	10.98	0.03	0.28	1.39	19.58
Waterford County ...	5.12	18.51	3.95	12.87	0.04	0.27	1.66	32.30
<b>MUNSTER ...</b>	<b>5.27</b>	<b>20.09</b>	<b>1.89</b>	<b>12.53</b>	<b>0.06</b>	<b>0.26</b>	<b>1.62</b>	<b>34.89</b>
Galway ...	3.90	20.61	1.53	10.81	0.04	0.19	1.38	34.00
Leitrim ...	3.51	17.57	2.00	14.11	0.03	0.13	1.38	21.50
Mayo ...	3.62	18.38	0.74	13.48	0.18	0.22	1.42	47.85
Roscommon ...	3.28	16.50	1.24	12.76	0.06	0.11	1.77	29.50
Sligo ...	4.63	18.72	1.32	14.07	0.02	0.16	1.76	25.38
<b>CONNACHT ...</b>	<b>3.79</b>	<b>18.86</b>	<b>1.27</b>	<b>12.57</b>	<b>0.08</b>	<b>0.18</b>	<b>1.50</b>	<b>35.40</b>
Cavan ...	4.37	17.78	2.91	14.16	0.08	0.19	1.55	41.89
Donegal ...	4.96	16.69	2.80	13.41	0.02	0.31	1.52	39.27
Monaghan... ..	4.86	19.90	2.51	12.18	0.10	0.10	1.63	38.61
<b>ULSTER (PART OF) ...</b>	<b>4.78</b>	<b>17.68</b>	<b>2.76</b>	<b>13.33</b>	<b>0.06</b>	<b>0.23</b>	<b>1.56</b>	<b>39.80</b>

TABLE 13.—MARRIAGES REGISTERED IN EACH

Provinces and Counties	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Pro- testant Episco- palian	In Regis- tered Presby- terian Meeting Houses	In Regis- tered Build- ings	In the Regis- trars' Offices	Society of Friends	Jews
<b>Total ...</b>	<b>16,761</b>	<b>16,041</b>	<b>720</b>	<b>483</b>	<b>95</b>	<b>51</b>	<b>75</b>	<b>4</b>	<b>12</b>
Leinster ...	9,319	8,893	426	289	25	27	69	4	12
Munster ...	4,623	4,520	103	82	3	12	6	.	.
Connacht ...	1,691	1,656	35	31	1	3	.	.	.
Ulster (part of) ...	1,128	972	156	81	66	9	.	.	.

## PROVINCE OF

Carlow ...	156	148	8	8	.	.	.	.	.
Dublin County Borough ...	5,489	5,242	247	122	21	23	67	2	12
Dun Laoghaire Borough ...	428	394	34	27	3	1	1	2	.
Dublin County (remainder) ...	413	383	30	30	.	.	.	.	.
Kildare ...	301	291	10	9	.	.	1	.	.
Kilkenny ...	284	279	5	5	.	.	.	.	.
Laois ...	167	163	4	3	.	1	.	.	.
Longford ...	125	118	7	6	1	.	.	.	.
Louth ...	413	405	8	8	.	.	.	.	.
Meath ...	303	293	10	10	.	.	.	.	.
Offaly ...	235	229	6	6	.	.	.	.	.
Westmeath ...	235	229	6	6	.	.	.	.	.
Wexford ...	444	431	13	13	.	.	.	.	.
Wicklow ...	326	288	38	36	.	2	.	.	.

## PROVINCE OF

Clare ...	276	275	1	1	.	.	.	.	.
Cork County Borough ...	971	955	16	12	.	2	2	.	.
Cork County ...	1,114	1,066	48	43	.	5	.	.	.
Kerry ...	532	532	.	.	.	.	.	.	.
Limerick County Borough ...	447	436	11	7	2	2	.	.	.
Limerick County ...	350	344	6	3	.	.	3	.	.
Tipperary, N.R. ...	243	232	11	8	.	3	.	.	.
Tipperary, S.R. ...	286	280	6	5	1	.	.	.	.
Waterford County Borough ...	173	171	2	1	.	.	1	.	.
Waterford County ...	231	229	2	2	.	.	.	.	.

## PROVINCE OF

Galway ...	607	605	2	2	.	.	.	.	.
Leitrim ...	130	121	9	9	.	.	.	.	.
Mayo ...	482	477	5	4	1	.	.	.	.
Roscommon ...	209	208	1	1	.	.	.	.	.
Sligo ...	263	245	18	15	.	3	.	.	.

## PROVINCE OF

Cavan ...	270	244	26	21	4	1	.	.	.
Donegal ...	605	516	89	43	38	8	.	.	.
Monaghan ...	253	212	41	17	24	.	.	.	.



## COUNTY AND COUNTY BOROUGH DURING 1956.

Total marriages registered in the Quarter ending the last day of				Marriages						Provinces and Counties
March	June	Sept.	Dec.	Contracted between				Persons not of full age		
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women	
2,874	4,141	5,688	4,058	16,189	145	330	97	364	1,482	Total
1,353	2,307	3,493	2,166	8,983	77	203	56	242	900	Leinster
1,035	1,086	1,326	1,176	4,464	43	91	25	89	377	Munster
300	463	475	453	1,645	16	21	9	18	113	Connacht
186	285	394	263	1,097	9	15	7	15	92	Ulster (part of)

## Leinster

25	38	61	32	150	2	3	1	3	17	Carlow
794	1,333	2,119	1,243	5,297	43	115	34	140	469	Dublin Co. Borough
44	132	176	76	410	5	11	2	11	41	Dun Laoghaire Boro'
58	85	168	102	402	3	6	2	9	47	Dublin Co. (rem.)
40	80	114	67	284	5	10	2	9	56	Kildare
46	69	78	91	272	2	7	3	7	25	Kilkenny
28	36	70	33	160	2	3	2	4	16	Laois
27	28	34	36	124	1	.	.	.	13	Longford
63	117	142	91	403	.	8	2	10	44	Louth
44	87	114	58	292	2	9	.	3	32	Meath
34	73	64	64	228	3	3	1	5	24	Offaly
35	56	91	53	229	1	5	.	14	21	Westmeath
70	102	166	106	419	6	14	5	17	58	Wexford
45	71	96	114	313	2	9	2	10	37	Wicklow

## Munster

67	77	68	64	257	11	7	1	4	19	Clare
310	188	207	266	934	6	27	4	18	73	Cork County Boro'
247	232	382	253	1,078	15	16	5	18	73	Cork County
118	130	123	161	521	2	7	2	3	28	Kerry
40	145	156	106	435	3	8	1	15	50	Limerick Co. Boro'
72	87	93	98	337	.	7	6	4	25	Limerick County
51	69	70	53	237	4	1	1	2	28	Tipperary, N.R.
57	62	98	69	278	2	5	1	11	37	Tipperary, S.R.
18	40	67	48	166	.	4	3	10	21	Waterford Co. Boro'
55	56	62	58	221	.	9	1	4	23	Waterford County

## Connacht

100	163	169	175	591	5	8	3	7	43	Galway
28	37	41	24	128	1	1	.	1	7	Leitrim
106	113	131	132	471	2	6	3	5	33	Mayo
38	74	49	48	207	1	1	.	1	10	Rosecommon
28	76	85	74	248	7	5	3	4	20	Sligo

## Ulster (part of)

52	85	74	59	264	3	2	1	1	11	Cavan
89	145	224	147	589	4	7	5	9	60	Donegal
45	55	96	57	244	2	6	1	5	21	Monaghan

TABLE 14.—BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1956 FOR THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births						Deaths				
	Total (including Illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
Dublin County Borough and Dun Laoghaire Borough ...	6,943	6,735	13,678	118	114	232	2,990	2,918	5,908	168	954
Remaining Co. Boroughs ...	1,899	1,796	3,695	19	21	40	933	943	1,876	49	280
Galway Borough	250	208	458	3	•	3	97	76	173	17	22
Dundalk U.D.	205	201	406	1	2	3	99	95	194	5	32
Drogheda „	215	194	409	4	•	4	94	68	162	4	30
Sligo „	138	161	299	4	•	4	55	82	137	3	23
Wexford „	133	120	253	4	•	4	71	90	161	7	21
Kilkenny „	123	105	228	•	•	•	78	47	125	2	15
Bray „	134	122	256	4	1	5	47	53	100	6	19
Tralee „	117	117	234	1	1	2	42	56	98	4	11
Clonmel „	116	125	241	•	3	3	60	52	112	4	14
Total above Principal Towns ...	10,278	9,884	20,162	158	142	300	4,566	4,480	9,046	259	1,421
All Other Urban Districts ...	1,990	1,794	3,784	34	29	63	917	848	1,765	43	244
All Boroughs and Urban Districts	12,268	11,678	23,946	192	171	363	5,483	5,328	10,811	302	1,665
All Rural Districts ...	18,989	17,805	36,794	416	394	810	12,786	10,313	23,099	387	2,905
All Co. Boroughs and Urban Districts :—											
Leinster ...	8,573	8,201	16,774	146	120	275	3,704	3,554	7,258	204	1,170
Munster ...	2,880	2,736	5,616	32	36	68	1,434	1,452	2,886	78	404
Connacht ...	561	523	1,084	8	2	10	232	228	460	14	61
Ulster (part of)	254	218	472	6	4	10	113	94	207	6	30
All Rural Districts :—											
Leinster ...	7,132	6,621	13,753	176	167	343	3,898	3,003	6,901	122	949
Munster ...	6,212	5,797	12,009	136	129	265	4,507	3,602	8,109	150	1,013
Connacht ...	3,740	3,593	7,333	53	44	97	2,815	2,336	5,151	66	607
Ulster (part of)	1,905	1,794	3,699	51	54	105	1,566	1,372	2,938	49	336
<b>Total ...</b>	<b>31,257</b>	<b>29,483</b>	<b>60,740</b>	<b>608</b>	<b>565</b>	<b>1,173</b>	<b>18,269</b>	<b>15,641</b>	<b>33,910</b>	<b>689</b>	<b>4,570</b>



TABLE 15.—BIRTH AND DEATH RATES IN 1956 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death Rate per 1,000 Population		
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms
Dublin County Borough and Dun Laoghaire Borough ... ..	23.30	1.70	10.06	0.29	1.63
Remaining County Boroughs ... ..	23.13	1.08	11.74	0.31	1.75
Galway Borough ... ..	21.58	0.66	8.15	0.33	1.04
Dundalk U.D. ... ..	20.14	0.74	9.63	0.25	1.59
Drogheda „ ... ..	24.05	0.98	9.52	0.24	1.76
Sligo „ ... ..	23.09	1.34	10.58	0.23	1.78
Wexford „ ... ..	23.81	1.55	14.86	0.65	1.94
Kilkenny „ ... ..	21.50	.	11.78	0.19	1.41
Bray „ ... ..	23.58	1.95	9.21	0.55	1.75
Tralee „ ... ..	21.41	0.85	8.97	0.37	1.01
Clonmel „ ... ..	22.53	1.24	10.47	0.37	1.31
Total above Principal Towns ... ..	23.12	1.49	10.37	0.30	1.63
All other Urban Districts ... ..	20.37	1.66	9.50	0.23	1.31
All Boroughs and Urban Districts ... ..	22.64	1.52	10.22	0.29	1.57
All Rural Districts ... ..	19.99	2.20	12.55	0.21	1.58
All County Boroughs and Urban Districts ... ..					
Leinster ... ..	23.30	1.64	10.08	0.28	1.63
Munster ... ..	21.54	1.21	11.07	0.30	1.55
Connacht ... ..	20.07	0.92	8.52	0.26	1.13
Ulster (part of) ... ..	20.33	2.12	8.92	0.26	1.29
All Rural Districts ... ..					
Leinster ... ..	22.22	2.49	11.15	0.20	1.53
Munster ... ..	19.48	2.21	13.15	0.24	1.64
Connacht ... ..	18.70	1.32	13.13	0.17	1.55
Ulster (part of) ... ..	17.39	2.84	13.82	0.23	1.58
<b>Total ... ..</b>	<b>20.96</b>	<b>1.93</b>	<b>11.70</b>	<b>0.24</b>	<b>1.58</b>

TABLE 16.—BIRTHS AND DEATHS REGISTERED IN 1956 FOR EACH URBAN DISTRICT, CLASSIFIED BY SEX

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow ... ..	105	79	184	30	27	57
Athy ... ..	58	59	117	22	19	41
Naas ... ..	40	50	90	12	17	29
Longford ... ..	33	44	77	15	21	36
Ceanannus Mor ... ..	24	22	46	11	5	16
An Uaimh ... ..	60	56	116	20	15	35
Trim ... ..	19	12	31	9	2	11
Birr ... ..	27	40	67	22	13	35
Tullamore ... ..	98	76	174	24	29	53
Athlone ... ..	143	122	265	51	32	83
Enniscorthy ... ..	63	47	110	35	40	75
New Ross ... ..	46	26	72	29	18	47
Arklow ... ..	72	67	139	27	31	58
Wicklow ... ..	27	24	51	18	53	71
Ennis ... ..	65	81	146	34	32	66
Kilrush ... ..	25	26	51	19	20	39
Clonakilty ... ..	13	14	27	9	6	15
Cobh ... ..	63	60	123	30	43	73
Fermoy ... ..	29	32	61	24	24	48
Kinsale ... ..	6	10	16	16	7	23
Macroom ... ..	12	8	20	6	15	21
Mallow ... ..	50	56	106	28	19	47
Middleton ... ..	36	23	59	10	22	32
Skibbereen ... ..	21	15	36	15	14	29
Youghal ... ..	43	39	82	28	24	52
Killarney ... ..	57	35	92	34	33	67
Listowel ... ..	26	27	53	15	11	26
Nenagh ... ..	52	46	98	20	18	38
Templemore ... ..	9	14	23	10	10	20
Thurles ... ..	57	51	108	22	24	46
Carriek-on-Suir ... ..	74	59	133	19	16	35
Cashel ... ..	20	20	40	16	16	32
Tipperary ... ..	45	43	88	26	33	59
Dungarvan ... ..	45	39	84	18	14	32
Ballinasloe ... ..	26	18	44	13	9	22
Ballina ... ..	83	73	156	32	26	58
Castlebar ... ..	39	42	81	18	16	34
Westport ... ..	25	21	46	17	19	36
Cavan ... ..	44	33	77	21	16	37
Bunrana ... ..	27	32	59	12	9	21
Bundoran ... ..	13	14	27	18	12	30
Letterkenny ... ..	39	34	73	16	12	28
Carriekmacross ... ..	31	23	54	9	6	15
Castleblayney ... ..	25	25	50	16	13	29
Clones ... ..	29	21	50	8	10	18
Monaghan ... ..	46	36	82	13	16	29



TABLE 17.—DEATHS IN 1956 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Under 1 year ...	814	461	353	1,348	788	560	2,162	1,249	913
1 year ...	71	34	37	103	49	54	174	83	91
2 years ...	33	22	11	57	35	22	90	57	33
3 „ ...	35	21	14	35	22	13	70	43	27
4 „ ...	21	12	9	27	12	15	48	24	24
1-4 „ ...	160	89	71	222	118	104	382	207	175
5 „ ...	20	10	10	28	14	14	48	24	24
6 „ ...	17	6	11	11	1	10	28	7	21
7 „ ...	16	11	5	15	12	3	31	23	8
8 „ ...	10	4	6	23	18	5	33	22	11
9 „ ...	9	6	3	14	9	5	23	15	8
5-9 „ ...	72	37	35	91	54	37	163	91	72
10 „ ...	10	6	4	21	12	9	31	18	13
11 „ ...	5	3	2	12	6	6	17	9	8
12 „ ...	5	3	2	11	6	5	16	9	7
13 „ ...	7	3	4	12	8	4	19	11	8
14 „ ...	11	6	5	17	9	8	28	15	13
10-14 „ ...	38	21	17	73	41	32	111	62	49
15 „ ...	5	4	1	17	10	7	22	14	8
16 „ ...	4	2	2	14	6	8	18	8	10
17 „ ...	13	8	5	18	12	6	31	20	11
18 „ ...	7	5	2	11	11	•	18	16	2
19 „ ...	8	6	2	12	7	5	20	13	7
15-19 „ ...	37	25	12	72	46	26	109	71	38
20 „ ...	14	7	7	24	10	14	38	17	21
21 „ ...	14	8	6	23	17	6	37	25	12
22 „ ...	14	8	6	26	15	11	40	23	17
23 „ ...	18	13	5	22	10	12	40	23	17
24 „ ...	18	11	7	28	21	7	46	32	14
20-24 „ ...	78	47	31	123	73	50	201	120	81
25 „ ...	13	7	6	26	16	10	39	23	16
26 „ ...	18	9	9	15	8	7	33	17	16
27 „ ...	15	11	4	22	10	12	37	21	16
28 „ ...	22	13	9	32	18	14	54	31	23
29 „ ...	19	10	9	21	14	7	40	24	16
25-29 „ ...	87	50	37	116	66	50	203	116	87
30 „ ...	16	8	8	38	23	15	54	31	23
31 „ ...	16	10	6	28	13	15	44	23	21
32 „ ...	30	17	13	29	15	14	59	32	27
33 „ ...	25	13	12	39	19	20	64	32	32
34 „ ...	24	12	12	44	19	25	68	31	37
30-34 „ ...	111	60	51	178	89	89	289	149	140

TABLE 17.—(contd.)—DEATHS IN 1956 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years ...	38	15	23	45	27	18	83	42	41
36 „ ...	36	18	18	55	34	21	91	52	39
37 „ ...	33	17	16	41	31	10	74	48	26
38 „ ...	36	16	20	66	32	34	102	48	54
39 „ ...	27	10	17	65	33	32	92	43	49
35-39 „ ...	170	76	94	272	157	115	442	233	209
40 „ ...	48	29	19	79	45	34	127	74	53
41 „ ...	36	21	15	55	31	24	91	52	39
42 „ ...	47	24	23	91	45	46	138	69	69
43 „ ...	52	21	31	70	38	32	122	59	63
44 „ ...	53	28	25	75	40	35	128	68	60
40-44 „ ...	236	123	113	370	199	171	606	322	284
45 „ ...	50	25	25	105	65	40	155	90	65
46 „ ...	61	33	28	92	50	42	153	83	70
47 „ ...	55	35	20	99	58	41	154	93	61
48 „ ...	78	48	30	109	65	44	187	113	74
49 „ ...	60	39	21	94	56	38	154	95	59
45-49 „ ...	304	180	124	499	294	205	803	474	329
50 „ ...	114	72	42	196	108	88	310	180	130
51 „ ...	92	65	27	103	59	44	195	124	71
52 „ ...	117	66	51	148	88	60	265	154	111
53 „ ...	92	63	29	142	80	62	234	143	91
54 „ ...	132	76	56	188	103	85	320	179	141
50-54 „ ...	547	342	205	777	438	339	1,324	780	544
55 „ ...	131	72	59	213	131	82	344	203	141
56 „ ...	184	100	84	286	158	128	470	258	212
57 „ ...	91	61	30	175	116	59	266	177	89
58 „ ...	159	96	63	234	155	79	393	251	142
59 „ ...	131	83	48	220	125	95	351	208	143
55-59 „ ...	696	412	284	1,128	685	443	1,824	1,097	727
60 „ ...	216	118	98	381	220	161	597	338	259
61 „ ...	136	83	53	206	118	88	342	201	141
62 „ ...	223	134	89	331	187	144	554	321	233
63 „ ...	190	99	91	284	158	126	474	257	217
64 „ ...	192	101	91	327	185	142	519	286	233
60-64 „ ...	957	535	422	1,529	868	661	2,486	1,403	1,083
65 „ ...	252	145	107	451	278	173	703	423	280
66 „ ...	224	145	79	300	170	130	524	315	209
67 „ ...	243	133	110	374	231	143	617	364	253
68 „ ...	257	139	118	501	297	204	758	436	322
69 „ ...	239	129	110	474	274	200	713	403	310
65-69 „ ...	1,215	691	524	2,100	1,250	850	3,315	1,941	1,374



TABLE 17.—(contd.)—DEATHS IN 1956 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years ...	345	160	185	616	338	278	961	498	463
71 „ ...	243	125	118	470	254	216	713	379	334
72 „ ...	333	162	171	640	345	295	973	507	466
73 „ ...	326	169	157	704	412	292	1,030	581	449
74 „ ...	358	166	192	816	472	344	1,174	638	536
70-74 „ ...	1,605	782	823	3,246	1,821	1,425	4,851	2,603	2,248
75 „ ...	397	184	213	836	496	340	1,233	680	553
76 „ ...	357	159	198	923	532	391	1,280	691	589
77 „ ...	258	112	146	818	418	400	1,076	530	546
78 „ ...	299	132	167	851	462	389	1,150	594	556
79 „ ...	265	140	125	720	402	318	985	542	443
75-79 „ ...	1,576	727	849	4,148	2,310	1,838	5,724	3,037	2,687
80 „ ...	336	136	200	1,013	521	492	1,349	657	692
81 „ ...	221	109	112	688	392	296	909	501	408
82 „ ...	232	106	126	759	401	358	991	507	484
83 „ ...	211	74	137	681	354	327	892	428	464
84 „ ...	255	110	145	760	391	369	1,015	501	514
80-84 „ ...	1,255	535	720	3,901	2,059	1,842	5,156	2,594	2,562
85 „ ...	157	49	108	615	330	285	772	379	393
86 „ ...	164	57	107	580	304	276	744	361	383
87 „ ...	122	42	80	388	201	187	510	243	267
88 „ ...	88	40	48	291	146	145	379	186	193
89 „ ...	72	24	48	234	123	111	306	147	159
85-89 „ ...	603	212	391	2,108	1,104	1,004	2,711	1,316	1,395
90 „ ...	70	18	52	248	110	138	318	128	190
91 „ ...	52	15	37	117	51	66	169	66	103
92 „ ...	34	13	21	101	39	62	135	52	83
93 „ ...	26	10	16	89	30	59	115	40	75
94 „ ...	20	5	15	88	33	55	108	38	70
90-94 „ ...	202	61	141	643	263	380	845	324	521
95 „ ...	17	7	10	50	25	25	67	32	35
96 „ ...	12	3	9	37	16	21	49	19	30
97 „ ...	5	1	4	23	6	17	28	7	21
98 „ ...	3	2	1	16	7	9	19	9	10
99 „ ...	4	•	4	17	8	9	21	8	13
95-99 „ ...	41	13	28	143	62	81	184	75	109
100 years and over	2	•	2	17	5	12	19	5	14
Totals ...	10,806	5,479	5,327	23,104	12,790	10,314	33,910	18,269	15,641

TABLE 18.—DEATHS CLASSIFIED BY SEX AND AGE, REGISTERED

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
<b>Total</b>	<b>Males</b>	<b>18,269</b>	<b>1,249</b>	<b>83</b>	<b>57</b>	<b>43</b>	<b>24</b>	<b>1,456</b>	<b>91</b>	<b>62</b>	<b>71</b>	<b>120</b>	<b>116</b>
	<b>Females</b>	<b>15,641</b>	<b>913</b>	<b>91</b>	<b>33</b>	<b>27</b>	<b>24</b>	<b>1,088</b>	<b>72</b>	<b>49</b>	<b>38</b>	<b>81</b>	<b>87</b>
LEINSTER	Males	7,602	627	45	25	24	14	735	45	28	36	57	53
	Females	6,557	456	41	13	19	13	542	39	28	19	41	44
MUNSTER	Males	5,941	346	21	19	15	5	406	22	21	20	32	36
	Females	5,054	269	28	12	5	5	319	23	13	12	25	31
CONNACHT	Males	3,047	175	13	9	3	5	205	18	10	10	18	14
	Females	2,564	123	16	3	3	4	149	7	4	5	8	4
ULSTER (part of)	Males	1,679	101	4	4	1	.	110	6	3	5	13	13
	Females	1,466	65	6	5	.	2	78	3	4	2	7	8
LEINSTER Carlow	Males	195	17	2	1	.	1	21	2	.	.	1	1
	Females	198	17	.	2	1	.	20	.	3	.	1	2
Dublin County Borough	Males	2,705	248	19	10	11	5	293	18	8	11	28	25
	Females	2,641	209	19	4	7	8	247	20	7	9	14	16
Dun Laoghaire Borough	Males	285	19	.	1	.	1	21	2	2	.	2	3
	Females	277	10	1	.	1	.	12	.	2	.	1	.
Dublin County (remainder)	Males	504	51	5	3	2	3	64	7	2	4	3	4
	Females	394	35	2	1	3	1	42	2	5	4	2	3
Kildare	Males	370	38	3	.	2	.	43	.	.	1	1	.
	Females	273	29	2	2	2	1	36	1	.	.	2	3
Kilkenny	Males	468	31	1	1	.	.	33	3	3	3	1	4
	Females	330	24	1	1	.	.	26	.	1	.	2	2
Laois	Males	357	33	1	1	.	1	36	3	1	5	3	3
	Females	247	15	3	.	.	.	18	1	.	1	1	3
Longford	Males	245	19	3	.	.	.	22	1	1	1	1	.
	Females	178	9	2	.	1	.	12	2	.	.	2	2
Louth	Males	427	26	2	2	1	.	31	1	.	2	4	3
	Females	344	22	2	.	.	.	24	2	.	1	1	1
Meath	Males	418	31	1	.	2	.	34	1	1	.	5	4
	Females	305	19	2	2	.	.	23	1	3	1	6	1
Offaly	Males	308	15	.	3	1	1	20	1	.	2	1	.
	Females	242	15	1	.	.	.	16	1	.	2	.	4
Westmeath	Males	348	35	2	2	1	2	42	2	2	2	3	1
	Females	257	15	2	.	1	.	18	2	1	1	1	2
Wexford	Males	615	38	3	1	3	.	45	4	7	2	2	3
	Females	537	19	4	1	2	1	27	3	4	.	5	3
Wicklow	Males	357	26	3	.	1	.	30	.	1	3	2	2
	Females	334	18	.	.	1	2	21	4	2	.	3	2



## DURING 1956 FOR EACH COUNTY AND COUNTY BOROUGH.

Death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
149	233	322	474	780	1,097	1,403	1,941	2,603	3,037	2,594	1,720	Males	
140	209	284	329	544	727	1,083	1,374	2,248	2,687	2,562	2,039	Females	
71	112	154	218	390	525	650	879	1,065	1,169	907	508	Males	LEINSTER
56	96	119	159	256	318	484	630	967	1,072	939	748	Females	
47	68	84	153	233	362	474	623	863	1,040	872	585	Males	MUNSTER
48	70	100	94	166	243	353	441	746	898	843	629	Females	
18	36	59	69	93	135	180	294	412	524	541	411	Males	CONNACHT
25	28	42	44	72	110	166	184	330	458	509	419	Females	
13	17	25	34	64	75	99	145	263	304	274	216	Males	ULSTER (part of)
11	15	23	32	50	56	80	119	205	259	271	243	Females	
1	2	2	8	7	9	16	26	34	29	22	14	Males	LEINSTER Carlow
.	.	.	3	5	7	10	14	37	36	32	28	Females	
35	54	74	100	180	206	261	351	366	332	250	113	Males	Dublin County Borough
27	41	59	68	111	134	196	261	390	392	354	295	Females	
3	.	5	7	19	26	27	34	44	48	16	26	Males	Dun Laoghaire Borough
2	4	5	2	12	12	29	24	43	55	35	39	Females	
4	6	11	22	25	30	43	53	57	75	65	29	Males	Dublin County (remainder)
4	7	7	8	29	16	26	40	56	64	43	36	Females	
7	11	9	5	15	31	30	35	56	53	48	25	Males	Kildare
.	6	6	7	9	16	17	29	33	44	33	31	Females	
3	5	4	7	18	26	30	50	66	93	68	51	Males	Kilkenny
2	5	5	10	10	16	29	30	53	44	64	31	Females	
.	6	1	5	10	35	23	27	54	58	51	36	Males	Laois
1	5	9	4	9	10	12	19	43	51	32	28	Females	
.	4	4	5	6	10	12	24	30	41	51	32	Males	Longford
1	1	3	4	8	6	8	11	27	26	39	26	Females	
3	4	10	12	21	22	45	53	64	80	52	20	Males	Louth
3	4	3	9	15	16	29	40	42	69	49	36	Females	
2	4	5	8	12	31	30	43	73	76	60	29	Males	Meath
4	5	4	7	7	16	28	26	60	36	45	32	Females	
.	4	4	4	8	21	31	40	38	61	42	31	Males	Offaly
1	5	3	8	8	16	18	25	26	45	38	26	Females	
4	4	7	4	17	19	16	43	59	54	40	29	Males	Westmeath
3	4	2	3	7	8	23	25	36	47	38	36	Females	
3	4	12	21	34	36	51	66	79	96	103	47	Males	Wexford
4	5	9	16	16	28	29	55	77	110	83	63	Females	
6	4	6	10	18	23	35	34	45	73	39	26	Males	Wicklow
4	4	4	10	10	17	30	31	44	53	54	41	Females	

TABLE 18.—(contd.)—DEATHS CLASSIFIED BY SEX AND AGE REGISTERED

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	578	38	1	1	1	.	41	2	4	2	2	4
	Females	456	23	2	.	.	1	26	2	1	2	2	.
Cork County Borough	Males	493	29	2	3	1	.	35	3	2	2	3	5
	Females	546	23	6	1	1	.	31	4	1	1	2	4
Cork County	Males	1,814	71	4	1	2	1	79	6	4	6	8	9
	Females	1,499	79	4	4	2	.	89	8	7	.	4	9
Kerry	Males	767	42	3	1	2	.	48	3	1	.	3	1
	Females	694	31	4	.	.	.	35	2	1	4	5	5
Limerick County Borough	Males	262	24	3	3	2	1	33	1	2	2	4	3
	Females	258	18	1	1	1	1	22	2	2	.	1	3
Limerick County	Males	637	43	1	4	1	.	49	1	3	2	3	2
	Females	484	37	2	1	.	.	40	.	1	1	2	6
Tipperary, North Riding	Males	402	27	1	1	1	.	30	3	1	2	4	4
	Females	309	22	3	2	.	.	27	1	.	1	3	.
Tipperary, South Riding	Males	496	47	3	4	2	2	58	2	2	3	3	4
	Females	402	21	3	2	.	1	27	3	.	1	3	1
Waterford County Borough	Males	178	8	3	.	2	1	14	.	1	1	.	1
	Females	139	5	1	1	.	.	7	1	.	.	2	.
Waterford County	Males	314	17	.	1	1	.	19	1	1	.	2	3
	Females	267	10	2	.	1	2	15	.	.	2	1	3
CONNACHT													
Galway	Males	927	59	4	4	1	2	70	5	3	5	6	4
	Females	755	50	4	2	1	1	58	2	1	1	3	1
Leitrim	Males	292	7	.	.	.	.	7	1	.	.	.	2
	Females	231	7	1	.	.	1	9	1	.	1	.	.
Mayo	Males	977	76	5	2	1	2	86	10	4	2	6	4
	Females	816	41	4	1	1	1	48	.	2	2	4	2
Roscommon	Males	437	20	1	2	.	1	24	1	2	1	2	2
	Females	376	11	6	.	.	.	17	2	.	1	1	.
Sligo	Males	414	13	3	1	1	.	18	1	1	2	4	2
	Females	386	14	1	.	1	1	17	2	1	.	.	1
ULSTER (part of)													
Cavan	Males	498	28	2	1	.	.	31	1	.	1	4	1
	Females	376	18	2	3	.	.	23	1	2	1	4	2
Donegal	Males	839	51	2	2	1	.	56	4	3	2	6	7
	Females	798	29	4	.	.	2	35	1	.	1	3	3
Monaghan	Males	342	22	.	1	.	.	23	1	.	2	3	5
	Females	292	18	.	2	.	.	20	1	2	.	.	3



DURING 1956 FOR EACH COUNTY AND COUNTY BOROUGH.

Death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
3	9	7	16	16	26	47	50	80	100	86	83	Males      MUNSTER Clare
7	10	9	4	8	21	31	35	67	84	82	65	Females
5	4	6	14	22	44	53	60	83	67	56	29	Males      Cork County Borough
4	10	11	14	18	33	49	56	89	92	84	43	Females
15	21	22	56	81	117	139	210	267	301	295	178	Males      Cork County
8	12	22	23	43	64	99	150	228	270	270	193	Females
5	8	13	17	29	41	61	78	123	148	106	82	Males      Kerry
10	8	18	9	27	38	34	52	85	135	114	112	Females
2	1	7	11	22	14	29	27	35	28	29	12	Males      Limerick County Borough
3	5	5	4	11	17	21	21	45	39	36	21	Females
3	12	9	8	17	42	36	66	86	137	90	71	Males      Limerick County
6	8	7	15	23	22	37	40	59	74	85	58	Females
4	4	5	11	13	18	31	38	60	79	61	34	Males      Tipperary, North Riding
3	4	9	7	11	14	27	22	52	52	39	37	Females
4	6	7	14	17	36	31	42	64	87	74	42	Males      Tipperary, South Riding
4	8	8	8	11	18	28	31	61	79	59	52	Females
1	2	2	3	7	8	15	16	23	38	31	15	Males      Waterford County Borough
1	2	5	4	6	10	9	12	17	33	21	9	Females
5	1	6	3	9	16	32	36	42	55	44	39	Males      Waterford County
2	3	6	6	8	6	18	22	43	40	53	39	Females
6	8	16	24	28	44	50	82	125	154	171	126	Males      CONNACHT Galway
7	9	9	15	21	37	54	53	98	112	144	130	Females
3	2	7	3	13	12	23	35	34	62	53	35	Males      Leitrim
3	3	7	4	7	7	18	19	31	51	40	30	Females
3	13	19	20	27	43	56	94	128	149	175	138	Males      Mayo
10	11	11	7	26	32	49	61	92	152	172	135	Females
4	7	11	11	15	16	26	33	63	84	75	60	Males      Roscommon
3	1	7	7	7	16	23	26	42	69	92	62	Females
2	6	6	11	10	20	25	50	62	75	67	52	Males      Sligo
2	4	8	11	11	18	22	25	67	74	61	62	Females
2	4	10	9	11	22	35	47	76	91	95	58	Males      ULSTER (part of) Cavan
1	4	8	8	15	9	22	32	56	56	76	56	Females
5	10	11	17	30	40	47	63	127	152	138	121	Males      Donegal
7	9	13	19	23	34	38	60	107	152	149	144	Females
6	3	4	8	23	13	17	35	60	61	41	37	Males      Monaghan
3	2	2	5	12	13	20	27	42	51	46	43	Females

TABLE 19.—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]





[illegible]





TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
144	Malignant neoplasm of other parts of mouth and mouth unspecified	M F	19 4	• •	• •	• •	• •	• •	• •	• •	• •
145	Malignant neoplasm of oral mesopharynx	M F	8 1	• •	• •	• •	• •	• •	• •	• •	• •
146	Malignant neoplasm of nasopharynx	M F	3 •	• •	• •	• •	• •	• •	• •	• •	• •
147	Malignant neoplasm of hypopharynx	M F	2 10	• •	• •	• •	• •	• •	• •	• •	• •
148	Malignant neoplasm of pharynx, unspecified	M F	30 9	• •	• •	• •	• •	• •	• •	• •	• •
150	Malignant neoplasm of oesophagus	M F	87 60	• •	• •	• •	• •	• •	• •	• •	• •
151	Malignant neoplasm of stomach	M F	523 370	• •	• •	• •	• •	• •	• •	• •	• •
152	Malignant neoplasm of small intestine, including duodenum	M F	13 4	• •	• •	• •	• •	• •	• •	• •	• •
153	Malignant neoplasm of large intestine, except rectum	M F	250 264	• •	• •	• •	• •	• •	• •	• •	• •
154	Malignant neoplasm of rectum	M F	167 78	• •	• •	• •	• •	• •	• •	• •	• •
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M F	11 31	• •	• •	• •	• •	• •	• •	• •	• •
156	Malignant neoplasm of liver (secondary and unspecified)	M F	63 49	• •	• •	• •	• •	• •	• •	• •	• •
157	Malignant neoplasm of pancreas	M F	98 94	• •	• •	• •	• •	• •	• •	• •	• •
158	Malignant neoplasm of peritoneum	M F	10 10	• •	• •	• •	• •	• •	• •	• •	• •
159	Malignant neoplasm of unspecified digestive organs	M F	1 4	• •	• •	• •	• •	• •	• •	• •	• •
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M F	6 4	• •	• •	• •	• •	• •	• •	• •	• •
161	Malignant neoplasm of larynx	M F	44 21	• •	• •	• •	• •	• •	• •	• •	• •
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	M F	112 16	• •	• •	• •	• •	• •	• •	• •	• •
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	M F	270 72	• •	• •	• •	• •	• •	• •	• •	• •
164	Malignant neoplasm of mediastinum	M F	3 3	• •	• •	• •	• •	• •	• •	• •	• •
165	Malignant neoplasm of thoracic organs (secondary)	M F	• 1	• •	• •	• •	• •	• •	• •	• •	• •
170	Malignant neoplasm of breast	M F	4 383	• •	• •	• •	• •	• •	• •	• •	• •
171	Malignant neoplasm of cervix uteri	F	39	•	•	•	•	•	•	•	•
172	Malignant neoplasm of corpus uteri	F	6	•	•	•	•	•	•	•	•
173	Malignant neoplasm of other parts of uterus, including chorion-epithelioma	F	1	•	•	•	•	•	•	•	•
174	Malignant neoplasm of uterus, unspecified	F	119	•	•	•	•	•	•	•	•



## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	1	1	2	.	.	2	3	4	4	2	144
.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	
.	.	.	.	.	.	.	1	.	1	5	.	1	.	.	145
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	146
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	
.	.	.	.	.	.	2	2	1	2	.	2	.	1	.	147
.	.	.	.	2	.	1	1	.	2	5	8	7	3	1	148
.	.	.	.	.	.	1	1	.	1	.	4	1	1	.	
.	.	.	.	1	1	2	5	10	12	15	17	13	10	1	150
.	.	.	.	1	2	1	3	6	13	8	13	7	6	.	
.	1	1	2	7	7	21	30	57	75	108	75	98	26	15	151
.	.	1	.	3	6	9	20	30	51	60	72	68	36	14	
.	1	.	.	.	.	1	.	2	2	3	3	1	.	.	152
.	.	.	.	.	.	1	.	1	.	.	1	.	1	.	
1	.	.	1	1	4	6	13	19	27	35	52	56	29	6	153
.	.	.	4	3	7	7	17	21	36	37	56	42	22	12	
.	.	.	1	.	4	7	3	10	17	25	44	30	20	6	154
.	.	.	.	1	3	.	4	10	5	12	14	10	10	9	
.	.	.	.	.	1	.	1	2	.	4	1	2	.	.	155
.	.	.	.	.	.	.	.	4	6	11	5	3	1	1	
.	.	.	.	.	3	3	3	6	7	8	14	8	9	2	156
.	1	.	1	1	1	1	5	3	6	8	9	9	2	2	
.	.	.	.	2	4	4	6	9	17	15	15	16	8	2	157
.	.	1	1	1	1	5	8	8	11	9	17	15	17	.	
.	.	.	1	.	.	1	2	1	1	1	1	1	1	.	158
.	.	.	.	.	.	1	2	2	.	1	2	2	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	159
.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	
.	.	.	.	.	1	.	1	1	.	1	1	.	.	1	160
.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	
.	.	.	.	.	.	.	2	3	5	9	10	8	6	1	161
.	.	.	.	.	.	.	1	4	5	3	3	4	1	.	
.	1	1	.	2	2	17	13	24	19	21	6	6	.	.	162
.	.	.	.	.	1	1	1	.	3	2	5	2	1	.	
.	.	.	1	3	5	22	48	51	45	45	29	16	4	1	163
.	.	.	1	3	4	4	10	12	5	12	12	4	4	1	
.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	164
.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	165
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	1	2	1	.	.	.	1	1	1	1	.	.	.	.	170
.	.	.	.	17	24	38	39	33	45	48	46	38	29	16	
.	.	.	1	2	4	4	8	8	4	3	3	1	.	1	171
.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	172
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	173
.	.	.	.	2	6	8	16	18	18	14	16	12	6	3	174

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	66	.	.	.	.	.	.	1	.
176	Malignant neoplasm of other and unspecified female genital organs	F	20	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	167	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	9	.	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs	M	11	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	28	.	.	.	.	.	.	2	.
		F	17	.	1	1	2	.	4	.	.
181	Malignant neoplasm of bladder and other urinary organs	M	59	.	.	.	.	.	.	.	.
		F	33	.	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M	6	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	61	.	.	.	.	.	.	.	.
		F	42	1	.	1	.	.	2	.	.
192	Malignant neoplasm of eye	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	47	.	.	1	.	.	1	1	2
		F	23	.	.	.	1	.	1	3	.
194	Malignant neoplasm of thyroid gland	M	4	.	.	.	.	.	.	.	.
		F	21	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	4	.	.	1	.	.	1	.	.
		F	2	.	.	.	.	.	.	.	.
196	Malignant neoplasm of bone (including jaw bone)	M	56	.	.	.	.	1	1	.	.
		F	25	.	1	.	.	.	1	.	1
197	Malignant neoplasm of connective tissue	M	3	.	.	.	.	.	.	.	.
		F	2	1	.	.	.	.	1	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	14	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	86	.	.	.	.	.	.	.	1
		F	71	.	.	.	.	.	.	.	.
200	Lymphosarcoma and reticulosarcoma	M	13	.	.	.	.	.	.	1	2
		F	12	.	.	.	.	.	.	.	1
201	Hodgkin's disease	M	31	.	.	.	.	.	.	2	1
		F	9	.	.	.	.	.	.	.	1
202	Other forms of lymphoma (reticulosis)	M	2	.	.	.	.	1	1	.	.
		F	.	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma)	M	14	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia	M	73	.	3	2	5	1	11	5	6
		F	50	.	1	.	.	.	1	3	3
211	Benign neoplasm of other parts of digestive system	M	1	.	.	.	.	.	.	.	.
		F	2	1	.	.	.	.	1	.	.
212	Benign neoplasm of respiratory system	M	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
214	Utering fibromyoma	F	4	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	9	.	.	.	.	.	.	.	.



## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	1	2	2	5	5	15	9	9	1	8	5	3	.	175
.	.	1	.	.	.	.	2	3	1	2	6	1	2	2	176
.	.	.	.	.	.	1	1	7	14	24	42	42	30	6	177
.	1	1	1	3	1	.	.	.	.	1	1	.	.	.	178
.	.	.	.	.	.	1	.	.	3	.	1	2	3	1	179
.	1	.	.	1	2	2	1	3	6	4	3	1	1	1	180
.	.	.	.	.	2	.	.	2	3	1	1	2	1	1	181
.	.	.	.	.	1	3	4	5	10	9	10	12	3	2	181
.	.	.	.	.	1	2	2	2	4	7	7	6	2	.	181
.	.	.	.	.	1	.	.	2	1	.	.	1	.	1	190
.	.	2	2	.	1	.	1	.	.	1	.	1	.	1	190
.	.	.	.	1	1	1	2	2	6	2	8	20	8	10	191
.	.	1	.	1	1	2	2	3	4	2	4	4	9	7	191
.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	192
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	192
.	.	2	3	4	8	6	7	7	1	3	.	2	.	.	193
1	1	.	1	.	2	4	3	2	3	2	.	.	.	.	193
.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	194
.	.	.	.	.	1	.	5	3	3	3	2	2	.	2	194
.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	195
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	195
.	2	.	1	2	.	3	6	7	5	6	6	6	5	6	196
.	1	.	.	.	2	1	2	2	3	5	3	2	2	.	196
.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	197
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	197
.	.	.	.	.	1	1	.	3	3	.	2	2	1	1	198
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	198
.	1	.	2	.	2	1	6	4	4	4	13	25	15	8	199
.	1	.	.	1	1	2	3	2	13	10	16	11	6	5	199
1	.	3	1	.	.	.	.	2	1	2	.	.	.	.	200
.	.	.	.	.	.	1	2	2	2	3	.	.	1	.	200
.	.	2	3	1	3	5	3	4	5	.	.	1	1	.	201
.	.	2	1	1	2	.	.	.	.	2	.	.	.	.	201
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	202
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	202
.	.	.	.	1	2	.	2	3	3	1	1	1	.	.	203
.	.	.	.	.	.	2	1	.	3	1	.	.	.	.	203
2	1	5	2	2	3	3	2	7	4	7	8	5	.	.	204
4	1	1	1	5	1	4	6	2	7	4	5	1	.	1	204
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	211
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	211
.	.	.	.	1	.	.	.	.	2	.	1	.	.	.	212
.	.	.	.	1	.	2	.	.	.	1	.	.	.	.	214
.	.	.	.	1	2	1	2	.	2	.	.	.	.	1	216

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]





TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
272	Diseases of pituitary gland	M	1	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
273	Diseases of thymus gland	M	8	6	1	.	.	.	7	1	.
		F	4	2	1	.	.	.	3	.	.
274	Diseases of adrenal glands	M	10	2	.	.	.	.	2	.	.
		F	18	.	.	.	.	.	.	.	.
277	Polyglandular dysfunction and other diseases of endocrine glands	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
280	Beriberi	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
282	Scurvy	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
283	Active rickets	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	1	.
286	Other avitaminoses and nutritional deficiency states	M	9	.	.	.	.	.	.	.	.
		F	12	.	1	2	1	.	4	.	2
287	Obesity, not specified as of endocrine origin	M	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
288	Gout	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
289	Other metabolic diseases	M	7	.	.	.	.	.	.	.	.
		F	2	1	.	.	.	.	1	.	.
290-299	IV. Diseases of the Blood and Blood-forming organs	M	113	1	1	1	2	.	5	2	.
		F	146	3	2	2	.	.	7	1	.
290	Pernicious and other hyperchromic anaemias	M	28	.	.	.	.	.	.	.	.
		F	51	.	.	.	.	.	.	.	.
291	Iron deficiency anaemias (hypochromic anaemias)	M	2	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
292	Other anaemias of specified type	M	17	.	1	.	1	.	2	1	.
		F	12	.	.	1	.	.	1	.	.
293	Anaemia of unspecified type	M	45	1	.	.	.	.	1	.	.
		F	58	.	2	1	.	.	3	1	.
294	Polycythaemia	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
295	Haemophilia	M	1	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.
296	Purpura and other haemorrhagic conditions	M	10	.	.	1	1	.	2	.	.
		F	9	3	.	.	.	.	3	.	.
297	Agranulocytosis	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
298	Diseases of spleen	M	5	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
299	Other diseases of blood and blood-forming organs	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
300-326	V. Mental, Psychoneurotic and Personality Disorders	M	54	9	1	1	2	1	14	1	1
		F	41	8	2	.	.	.	10	2	1
300	Schizophrenic disorders (dementia praecox)	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
301	Manic-depressive reaction	M	4	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.



## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	272
.	.	.	.	.	1	.	1	1	.	1	.	.	.	.	273
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	274
.	.	1	.	1	3	.	1	.	2	.	.	.	.	.	277
1	.	1	1	1	3	3	4	1	2	1	.	.	.	.	280
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	282
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	283
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	286
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	287
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	288
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	289
.	1	.	.	1	.	.	1	3	1	.	.	.	.	.	290-299
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	290
2	3	.	1	2	2	5	3	4	8	20	22	19	14	1	291
1	2	3	.	4	6	2	5	8	11	18	27	21	18	12	292
.	.	.	.	1	1	.	.	1	3	6	7	6	3	.	293
.	.	1	.	1	3	1	1	2	6	8	13	9	5	1	294
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	295
.	.	.	.	.	.	.	1	.	.	2	3	1	.	1	296
1	3	.	1	.	.	1	2	1	1	1	1	1	1	.	297
.	1	1	.	.	2	.	.	1	.	2	1	2	.	1	298
.	.	.	.	.	1	2	.	1	1	8	12	9	9	1	299
.	1	.	.	1	.	.	2	4	2	5	9	8	13	9	300-326
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	300
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	301
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	302
1	.	.	.	.	.	.	.	1	2	.	1	.	.	.	303
1	1	.	3	4	1	.	.	3	3	1	4	7	3	2	304
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	305
.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	306
.	.	.	1	1	.	.	.	.	.	.	2	.	1	.	307

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
304	Senile psychosis	M	13	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
307	Alcoholic psychosis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
309	Other and unspecified psychoses	M	6	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
311	Hysterical reaction without mention of anxiety reaction	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	F	1	.	.	.	.	.	.	.	.
318	Psychoneurotic disorders, other, mixed and unspecified types	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
322	Alcoholism	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
325	Mental deficiency	M	25	9	1	1	2	1	14	1	1
		F	21	8	2	.	.	.	10	2	1
330-398	VI. Diseases of the Nervous System and Sense Organs	M	1,991	13	12	5	4	.	34	14	11
		F	2,328	12	4	2	1	2	21	5	3
330	Subarachnoid haemorrhage	M	68	.	2	.	.	.	2	.	1
		F	83	.	.	.	.	.	.	.	.
331	Cerebral haemorrhage	M	726	.	.	.	.	.	.	1	1
		F	879	.	1	.	.	.	1	.	1
332	Cerebral embolism and thrombosis	M	568	.	.	.	.	.	.	.	.
		F	707	.	.	.	.	.	.	.	.
334	Other and ill-defined vascular lesions affecting central nervous system	M	270	.	.	.	.	.	.	1	.
		F	344	.	1	1	.	.	2	.	.
340	Meningitis, except meningococcal and tuberculous	M	27	10	3	4	1	.	18	1	4
		F	20	7	1	.	.	1	9	4	1
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
342	Intracranial and intraspinal abscess	M	3	.	.	.	1	.	1	.	.
		F	5	1	.	.	.	.	1	.	1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	12	1	1	.	2	.	4	2	2
		F	3	1	.	.	.	.	1	.	.
344	Late effects of intracranial abscess or pyogenic infection	M	3	.	.	1	.	.	1	1	.
		F	2	.	1	.	.	.	1	.	.
345	Multiple sclerosis	M	38	.	.	.	.	.	.	.	.
		F	48	.	.	.	.	.	.	.	.
350	Paralysis agitans	M	60	.	.	.	.	.	.	.	.
		F	46	.	.	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis	M	3	.	.	.	.	.	.	1	.
		F	9	1	.	1	.	.	2	1	.
352	Other cerebral paralysis	M	117	.	.	.	.	.	.	.	.
		F	116	.	.	.	.	.	.	.	.
353	Epilepsy	M	48	.	3	.	.	.	3	3	3
		F	33	.	.	.	1	1	2	.	.
355	Other diseases of brain	M	9	.	.	.	.	.	.	2	.
		F	11	.	.	.	.	.	.	.	.
356	Motor neurone disease and muscular atrophy	M	22	.	1	.	.	.	1	1	.
		F	9	1	.	.	.	.	1	.	.
357	Other diseases of spinal cord	M	3	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.



## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	1	2	4	3	3	304
.	.	.	.	.	.	.	.	.	.	.	1	.	2	2	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	307
.	.	.	.	1	1	1	1	1	.	.	2	1	.	.	309
.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	
.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	311
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	315
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	318
.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	322
1	.	1	.	1	2	2	1	.	.	1	.	.	.	.	325
1	1	.	2	1	.	.	.	.	2	.	1	.	.	.	
10	10	12	17	25	27	38	88	114	156	235	372	421	260	147	330-398
3	10	6	21	22	38	44	86	118	205	276	419	470	371	210	
.	3	6	4	5	7	6	13	4	3	3	5	3	2	1	330
.	4	2	5	3	8	7	14	7	10	6	4	9	2	2	
2	1	2	4	4	7	13	35	48	75	104	136	160	85	48	331
.	.	.	5	8	10	15	29	55	96	119	173	169	128	70	
1	1	1	1	2	3	3	12	25	34	66	121	138	101	62	332
.	.	1	.	2	2	7	13	24	55	77	128	169	139	89	
.	1	.	.	.	.	1	9	16	19	31	67	72	35	18	334
.	.	1	.	2	1	3	11	14	21	44	67	78	65	35	
1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	340
2	.	.	.	.	.	.	1	.	1	2	.	.	.	.	
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	341
1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	342
.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	343
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	344
.	.	.	3	3	5	7	4	5	4	3	2	1	1	.	345
.	.	1	1	4	8	6	8	5	4	6	4	1	.	.	
.	.	.	.	.	1	2	6	3	7	12	12	11	3	4	350
.	.	.	.	.	1	2	1	2	3	7	14	13	3	.	
.	.	.	.	.	1	.	1	2	1	.	.	1	1	.	351
.	.	.	1	2	1	.	3	4	8	13	19	27	26	13	352
.	.	.	.	1	3	.	1	4	8	12	22	26	27	12	
5	2	2	3	8	1	3	2	2	2	1	3	3	2	.	353
.	5	1	10	2	1	2	1	1	3	.	2	.	2	1	
.	.	.	.	.	.	1	2	.	2	.	1	1	2	1	355
.	1	.	.	1	.	1	1	5	3	2	4	1	1	.	356
.	.	.	.	.	1	.	1	1	.	1	2	1	1	1	
.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	357
.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
361	Trigeminal neuralgia	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
363	Sciatica	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
364	Polyneuritis and polyradiculitis	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
365	Erythroedema polyneuritica	M	1	1	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
367	Other diseases of cranial nerves	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
379	Other inflammatory diseases of eye	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
387	Glaucoma	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis	M	5	1	2	.	.	.	3	1	.
		F	2	1	.	.	.	.	1	.	.
392	Otitis media with mastoiditis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
400-468	VII. Diseases of the Circulatory System	M	6,746	.	.	1	.	.	1	4	4
		F	5,627	1	.	.	1	.	2	5	7
400	Rheumatic fever without mention of heart involvement	M	3	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	1
401	Rheumatic fever with heart involvement	M	17	.	.	1	.	.	1	4	2
		F	20	.	.	.	1	.	1	2	4
402	Chorea	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
410	Diseases of mitral valve	M	144	.	.	.	.	.	.	.	.
		F	152	.	.	.	.	.	.	2	.
411	Diseases of aortic valve, specified as rheumatic	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
412	Diseases of tricuspid valve	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
414	Other endocarditis specified as rheumatic	M	14	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.
415	Other myocarditis specified as rheumatic	M	14	.	.	.	.	.	.	.	.
		F	19	.	.	.	.	.	.	.	.
416	Other heart disease specified as rheumatic	M	23	.	.	.	.	.	.	.	.
		F	22	.	.	.	.	.	.	.	.
420	Arteriosclerotic heart disease, including coronary disease	M	2,055	.	.	.	.	.	.	.	.
		F	1,088	.	.	.	.	.	.	.	.
420·0	Arteriosclerotic heart disease	M	28	.	.	.	.	.	.	.	.
		F	30	.	.	.	.	.	.	.	.
420·1	Heart disease specified as involving coronary arteries	M	1,981	.	.	.	.	.	.	.	.
		F	1,033	.	.	.	.	.	.	.	.
420·2	Angina pectoris without mention of coronary disease	M	46	.	.	.	.	.	.	.	.
		F	25	.	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic	M	227	.	.	.	.	.	.	.	1
		F	197	.	.	.	.	.	.	.	.
422	Other myocardial degeneration	M	2,520	.	.	.	.	.	.	.	.
		F	2,445	.	.	.	.	.	.	.	.
430	Acute and subacute endocarditis	M	16	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	1



## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	361
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	363
.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	364
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	365
.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	367
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	379
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	387
.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	391
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	392
<b>6</b>	<b>11</b>	<b>12</b>	<b>19</b>	<b>46</b>	<b>86</b>	<b>127</b>	<b>265</b>	<b>387</b>	<b>574</b>	<b>824</b>	<b>1,189</b>	<b>1,361</b>	<b>1,130</b>	<b>700</b>	<b>400-468</b>
<b>2</b>	<b>11</b>	<b>14</b>	<b>21</b>	<b>36</b>	<b>50</b>	<b>76</b>	<b>147</b>	<b>230</b>	<b>379</b>	<b>535</b>	<b>961</b>	<b>1,202</b>	<b>1,123</b>	<b>828</b>	
1	.	.	.	1	1	.	1	.	.	.	.	.	.	.	400
3	1	1	1	.	1	1	1	.	.	1	.	.	.	.	401
.	3	1	1	.	2	3	1	.	.	.	1	1	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	402
.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	
.	.	4	2	6	9	5	16	15	16	14	18	25	7	7	410
.	2	4	5	10	9	11	10	13	19	12	18	18	8	11	
.	.	.	1	1	.	.	.	.	1	2	.	.	.	.	411
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	412
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	.	1	.	1	2	3	2	1	3	1	.	414
1	.	1	.	.	.	.	1	1	2	1	2	2	.	.	
.	1	1	1	2	.	.	1	1	1	2	3	4	4	1	415
1	1	.	2	1	1	2	2	3	1	2	3	3	.	1	416
.	.	4	.	2	1	.	1	5	1	2	2	2	1	1	
.	1	.	3	11	47	72	151	209	278	334	382	302	186	79	420
.	1	1	2	9	8	25	51	80	139	166	224	192	131	59	
.	.	.	.	.	.	.	.	.	.	5	7	8	5	2	420.0
.	.	.	.	.	.	.	2	.	2	4	11	5	5	1	
.	1	.	3	11	46	71	147	204	270	321	366	286	178	77	420.1
.	1	1	2	9	8	25	48	79	133	156	208	183	124	56	
.	.	.	.	.	1	1	4	5	7	8	9	8	3	.	420.2
.	.	.	.	.	.	.	1	1	4	6	5	4	2	2	
.	1	.	1	1	2	3	10	20	27	38	51	30	32	10	421
.	.	1	2	2	4	6	8	16	19	24	32	40	23	20	
1	.	.	1	4	9	18	36	49	98	222	415	623	627	417	422
.	1	.	2	5	6	10	26	48	95	140	368	603	646	495	
.	3	2	.	1	3	.	2	3	2	.	.	.	.	.	430
.	.	.	1	1	2	.	1	.	.	3	2	.	.	.	

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
431	Acute myocarditis not specified as rheumatic	M F	9 9	. .	. .	. .	. .	. .	. .	. .	. .
433	Functional disease of heart	M F	266 285	. .	. .	. .	. .	. .	. .	. .	. .
434	Other and unspecified diseases of heart	M F	349 329	. 1	. .	. .	. .	. .	. 1	. 1	. 1
440	Essential benign hypertension with heart disease	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
441	Essential malignant hypertension with heart disease	M F	11 3	. .	. .	. .	. .	. .	. .	. .	. .
442	Hypertensive heart disease with arteriolar nephrosclerosis	M F	6 7	. .	. .	. .	. .	. .	. .	. .	. .
443	Other and unspecified hypertensive heart disease	M F	282 336	. .	. .	. .	. .	. .	. .	. .	. .
444	Essential benign hypertension without mention of heart	M F	172 168	. .	. .	. .	. .	. .	. .	. .	1 .
445	Essential malignant hypertension without mention of heart	M F	38 15	. .	. .	. .	. .	. .	. .	. .	. .
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M F	27 23	. .	. .	. .	. .	. .	. .	. .	. .
447	Other hypertensive disease without mention of heart	M F	32 53	. .	. .	. .	. .	. .	. .	. .	. .
450	General arteriosclerosis	M F	405 312	. .	. .	. .	. .	. .	. .	. .	. .
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	M F	16 11	. .	. .	. .	. .	. .	. .	. .	. .
452	Other aneurysm, except of heart and aorta	M F	3 3	. .	. .	. .	. .	. .	. .	. .	. .
453	Peripheral vascular disease	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
454	Arterial embolism and thrombosis	M F	8 5	. .	. .	. .	. .	. .	. .	. .	. .
455	Gangrene of unspecified cause	M F	32 30	. .	. .	. .	. .	. .	. .	. .	. .
456	Other diseases of arteries	M F	2 5	. .	. .	. .	. .	. .	. .	. .	. .
460	Varicose veins of lower extremities	M F	4 9	. .	. .	. .	. .	. .	. .	. .	. .
461	Haemorrhoids	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
462	Varicose veins of other specified sites	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
463	Phlebitis and thrombophlebitis of lower extremities	M F	3 5	. .	. .	. .	. .	. .	. .	. .	. .
464	Phlebitis and thrombophlebitis of other sites	M F	8 10	. .	. .	. .	. .	. .	. .	. .	. .
465	Pulmonary embolism and infarction	M F	16 17	. .	. .	. .	. .	. .	. .	. .	. .
466	Other venous embolism and thrombosis	M F	10 9	. .	. .	. .	. .	. .	. .	. .	. .
467	Other diseases of circulatory system	M F	1 6	. .	. .	. .	. .	. .	. .	. .	. .



DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	1	1	.	2	.	2	2	1	.	431
.	1	.	.	.	1	.	1	.	.	4	.	2	.	.	
.	.	1	.	1	.	2	5	8	27	35	65	59	35	28	433
.	.	.	.	.	4	1	9	8	17	38	58	66	57	27	
.	1	.	2	7	2	9	10	18	37	59	55	69	49	31	434
.	.	1	1	1	3	1	11	21	29	29	47	64	55	63	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	440
.	2	.	.	1	1	1	1	2	1	1	1	.	.	.	441
.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	
.	.	.	.	.	1	.	.	.	1	2	.	1	1	2	442
.	.	.	.	1	1	2	6	18	23	38	63	72	42	16	443
.	.	.	.	2	2	2	11	13	24	37	84	72	60	29	
.	.	.	1	2	2	3	9	14	24	13	31	46	14	12	444
.	.	.	.	2	2	1	5	11	16	21	34	34	31	13	
1	.	1	3	6	2	1	1	7	10	4	2	.	.	.	445
.	.	.	1	1	.	4	3	2	1	2	1	.	.	.	
.	1	2	.	.	1	1	1	1	2	2	5	4	3	4	446
.	.	.	.	1	.	1	1	.	1	2	5	1	4	7	
.	.	.	.	.	1	.	1	.	1	7	5	11	4	3	447
.	.	.	.	.	.	.	1	.	2	10	14	10	9	6	
.	.	.	.	.	.	1	5	6	10	28	73	92	115	75	450
.	.	.	.	.	.	.	1	1	6	23	44	77	80	80	
.	.	.	.	.	.	1	1	3	2	4	2	3	.	.	451
.	.	.	.	.	.	1	.	.	1	1	4	1	2	1	
.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	452
.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	453
.	.	.	.	.	.	.	1	2	.	1	2	.	1	1	454
.	.	.	.	.	.	.	.	.	.	2	1	1	.	1	
.	.	.	.	.	.	.	1	1	1	3	5	8	5	10	455
.	.	.	.	.	.	.	.	.	.	3	5	6	8	6	
.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	456
.	1	.	1	.	1	1	.	1	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	460
.	.	.	.	.	.	.	.	.	1	2	3	.	1	2	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	461
.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	462
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	463
.	.	.	.	.	.	.	1	.	2	1	3	1	1	.	464
.	.	.	1	.	.	1	1	1	1	.	1	3	1	.	
.	.	.	.	.	.	2	1	2	.	6	1	1	2	1	465
.	.	.	1	1	2	.	.	2	.	3	4	2	1	1	
.	.	.	.	.	.	1	.	2	.	2	1	1	1	2	466
.	1	.	1	.	1	1	.	1	1	1	1	.	1	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	467
.	.	.	.	1	.	2	.	.	.	.	1	1	1	.	

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]





TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]



## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	2	.	.	1	3	1	2	.	.	.	.	525
.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	
.	1	1	1	.	1	1	3	1	7	9	5	2	.	.	526
.	1	1	2	.	2	.	.	3	.	4	4	6	1	2	
1	.	.	2	.	.	2	2	5	8	6	5	6	1	2	527
.	.	.	.	3	.	2	1	2	2	.	3	4	1	2	
<b>2</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>9</b>	<b>16</b>	<b>26</b>	<b>38</b>	<b>53</b>	<b>54</b>	<b>52</b>	<b>63</b>	<b>70</b>	<b>41</b>	<b>21</b>	<b>530-587</b>
<b>3</b>	<b>2</b>	<b>2</b>	<b>9</b>	<b>9</b>	<b>16</b>	<b>11</b>	<b>21</b>	<b>21</b>	<b>33</b>	<b>43</b>	<b>49</b>	<b>46</b>	<b>38</b>	<b>16</b>	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	530
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	536
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	537
.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	538
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	539
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	1	2	3	3	9	10	19	19	12	27	14	9	4	540
.	.	.	.	2	3	3	1	1	5	4	6	7	4	.	
.	1	1	1	.	3	3	8	5	9	5	6	4	4	1	541
.	1	.	.	2	3	.	.	1	3	1	4	3	2	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	542
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	2	2	1	1	3	543
.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	
.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	544
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	1	.	1	1	.	.	.	2	1	4	.	1	545
.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	
1	1	.	.	3	.	.	.	3	2	2	1	2	3	.	550
1	.	.	.	1	.	.	.	1	.	.	1	2	1	.	
.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	551
.	.	.	.	.	.	.	1	1	.	.	2	1	.	.	560
.	.	.	1	.	2	.	.	.	.	2	1	2	.	.	
.	.	.	.	.	.	2	1	2	1	3	1	4	5	2	561
.	.	.	.	1	.	.	.	3	3	3	7	3	3	4	
1	.	.	.	1	2	2	2	4	1	3	4	16	5	4	570
.	.	.	4	1	1	.	3	4	4	5	7	7	7	4	
.	.	.	2	.	1	.	1	.	.	1	.	2	.	1	571
1	.	.	.	.	.	.	.	.	2	1	.	3	4	.	
.	.	1	1	.	.	1	1	2	2	5	5	5	.	.	572
.	.	1	.	.	1	.	.	2	3	6	5	3	1	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	573
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	575
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	1	.	2	2	2	6	.	2	1	.	576
1	.	.	.	.	1	.	2	.	.	1	.	.	2	.	
.	.	.	.	.	1	.	1	.	1	2	1	2	3	.	578
.	.	.	.	1	.	.	1	1	1	2	3	2	1	.	

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
580	Acute and subacute yellow atrophy of liver	M F	9 4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
581	Cirrhosis of liver	M F	46 23	· ·	· ·	· ·	· 1	· ·	· 1	· ·	· ·
583	Other diseases of liver	M F	7 3	1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·
584	Cholelithiasis	M F	9 21	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
585	Cholecystitis without mention of calculi	M F	9 27	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·
586	Other diseases of gallbladder and biliary ducts	M F	10 16	· ·	1 ·	· ·	· ·	· ·	1 ·	· ·	· ·
587	Diseases of pancreas	M F	19 20	4 3	3 1	2 ·	· 2	· ·	9 6	· 1	· ·
590-637	X. Diseases of the Genito-Urinary System	M F	600 260	4 3	1 1	1 ·	1 ·	· ·	7 4	5 3	2 3
590	Acute nephritis	M F	12 13	1 1	· ·	· ·	· ·	· ·	1 1	1 ·	· 1
591	Nephritis with oedema, including nephrosis	M F	8 8	· ·	· ·	· ·	1 ·	· ·	1 ·	· 1	· ·
592	Chronic nephritis	M F	152 122	· ·	· ·	· ·	· ·	· ·	· ·	2 1	· ·
593	Nephritis not specified as acute or chronic	M F	106 71	1 ·	1 ·	1 ·	· ·	· ·	3 ·	1 ·	2 2
594	Other renal sclerosis	M F	1 2	· ·	· 1	· ·	· ·	· ·	· 1	· ·	· ·
600	Infections of kidney	M F	28 18	1 2	· ·	· ·	· ·	· ·	1 2	1 1	· ·
601	Hydronephrosis	M F	5 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
602	Calculi of kidney and ureter	M F	5 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
603	Other diseases of kidney and ureter	M F	5 1	1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·
604	Calculi of other parts of urinary system	M F	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
605	Cystitis	M F	11 9	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
606	Other diseases of bladder	M F	7 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
608	Stricture of urethra	M F	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
609	Other diseases of urethra	M F	4 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
610	Hyperplasia of prostate	M	230	·	·	·	·	·	·	·	·
611	Prostatitis	M	15	·	·	·	·	·	·	·	·
612	Other diseases of prostate	M	6	·	·	·	·	·	·	·	·
613	Hydrocele	M	1	·	·	·	·	·	·	·	·





TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
621	Other diseases of breast	F	1	.	.	.	.	.	.	.	.
624	Salpingitis and oophoritis unqualified	F	1	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F	1	.	.	.	.	.	.	.	.
630	Infective diseases of uterus, vagina and vulva	F	1	.	.	.	.	.	.	.	.
631	Uterovaginal prolapse	F	1	.	.	.	.	.	.	.	.
633	Other diseases of uterus	F	3	.	.	.	.	.	.	.	.
637	Other diseases of female genital organs	F	2	.	.	.	.	.	.	.	.
640-689	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	F	52	.	.	.	.	.	.	.	.
641	Other infections of genito-urinary tract during pregnancy	F	1	.	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F	20	.	.	.	.	.	.	.	.
644	Other haemorrhage of pregnancy	F	2	.	.	.	.	.	.	.	.
651	Abortion with sepsis	F	2	.	.	.	.	.	.	.	.
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	6	.	.	.	.	.	.	.	.
671	Delivery complicated by retained placenta	F	3	.	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	F	6	.	.	.	.	.	.	.	.
674	Delivery complicated by disproportion or malposition of foetus	F	1	.	.	.	.	.	.	.	.
677	Delivery with other trauma	F	3	.	.	.	.	.	.	.	.
678	Delivery with other complications of childbirth	F	3	.	.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium	F	2	.	.	.	.	.	.	.	.
682	Puerperal phlebitis and thrombosis	F	1	.	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F	1	.	.	.	.	.	.	.	.
688	Other and unspecified complications of the puerperium	F	1	.	.	.	.	.	.	.	.
690-716	XII. Diseases of the skin and cellular tissue	M	22	1	.	.	.	.	1	.	.
		F	34	4	.	.	.	.	4	.	3
692	Other cellulitis and abscess without mention of lymphangitis	M	6	.	.	.	.	.	.	.	.
		F	7	2	.	.	.	.	2	.	1
698	Other local infections of skin and subcutaneous tissue	M	1	1	.	.	.	.	1	.	.
		F	1	1	.	.	.	.	1	.	.
701	Eczema	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	621
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	624
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	626
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	630
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	631
.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	633
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	637
1	9	9	16	9	6	2	.	.	.	.	.	.	.	.	640-689
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	641
1	3	3	9	3	1	.	.	.	.	.	.	.	.	.	642
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	644
.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	651
.	2	.	.	2	2	.	.	.	.	.	.	.	.	.	670
.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	671
.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	672
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	674
.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	677
.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	678
.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	681
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	682
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	684
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	688
2	2	.	1	.	.	1	1	1	2	1	2	4	5	3	690-716
1	.	.	.	.	.	1	.	1	.	.	.	2	1	1	692
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	698
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	701



TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
703	Other dermatitis	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
704	Pemphigus	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. .
705	Erythematous conditions	M F	3 7	. .	. .	. .	. .	. .	. .	. .	. 2
710	Other hypertrophic and atrophic conditions of skin	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
715	Chronic ulcer of skin	M F	7 15	. 1	. .	. .	. .	. .	. 1	. .	. .
716	Other diseases of skin	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
720-749	XIII. Diseases of the bones and organs of movement	M F	113 167	3 1	1 .	. .	. .	. .	4 1	. 1	1 1
720	Acute arthritis due to pyogenic organisms	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
722	Rheumatoid arthritis and allied conditions	M F	44 91	. .	. .	. .	. .	. .	. .	. .	. 1
723	Osteo-arthritis (arthrosis) and allied conditions	M F	10 15	. .	. .	. .	. .	. .	. .	. .	. .
724	Other specified forms of arthritis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
725	Arthritis, unspecified	M F	15 21	. .	. .	. .	. .	. .	. .	. .	. .
727	Rheumatism, unspecified	M F	25 25	. .	. .	. .	. .	. .	. .	. .	. .
730	Osteomyelitis and periostitis	M F	5 1	. .	. .	. .	. .	. .	. .	. .	. .
731	Osteitis deformans	M F	2 7	. .	. .	. .	. .	. .	. .	. .	. .
733	Other diseases of bone	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. 1
738	Other diseases of joint	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
744	Other diseases of muscle, tendon and fascia	M F	4 2	3 1	. .	. .	. .	. .	3 1	. .	. .
745	Curvature of spine	M F	. 1	. .	. .	. .	. .	. .	. .	. 1	. .
748	Clubfoot	M F	1 .	. .	1 .	. .	. .	. .	1 .	. .	. .
749	Other deformities	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
750-759	XIV. Congenital malformations	M F	218 211	193 178	4 9	3 4	1 3	3 2	204 196	3 2	3 2
750	Monstrosity	M F	7 21	7 21	. .	. .	. .	. .	7 21	. .	. .
751	Spina bifida and meningocele	M F	39 56	39 54	. 1	. .	. 1	. .	39 56	. .	. .
752	Congenital hydrocephalus	M F	22 22	16 19	1 .	2 2	. .	1 .	20 21	. 1	2 .
753	Other congenital malformations of nervous system and sense organs	M F	3 6	2 3	. 2	. .	. .	. .	2 5	1 .	. .

## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	703
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	704
.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	705
.	2	.	.	.	.	.	1	.	1	1	.	.	.	.	710
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	715
1	.	.	.	.	.	.	.	.	.	.	.	1	3	2	716
.	.	.	.	.	.	.	.	.	.	2	2	2	4	4	720-749
.	1	.	2	2	1	2	3	6	11	12	28	20	14	9	720
.	.	1	.	.	.	3	9	7	23	14	26	33	29	16	722
.	.	.	.	.	.	1	.	.	1	1	.	1	.	.	723
.	.	.	.	.	.	.	2	3	7	6	9	8	5	3	724
.	.	.	1	1	.	2	8	4	15	11	11	21	12	5	725
.	.	.	.	.	.	1	1	1	1	1	4	3	.	.	727
.	.	.	.	.	.	.	.	.	2	.	5	2	1	3	730
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	731
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	733
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	738
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	744
.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	745
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	748
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	749
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	750-759
1	2	1	1	1	1	1	2	1	.	.	.	.	.	.	750
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	751
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	752
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	753
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
754	Congenital malformations of circulatory system	M F	82 59	70 46	1 3	1 .	1 1	1 1	74 51	2 .	. 2
755	Cleft palate and harelip	M F	3 5	3 4	. .	. 1	. .	. .	3 5	. .	. .
756	Congenital malformations of digestive system	M F	34 16	33 13	. 2	. .	. .	1 1	34 16	. .	. .
757	Congenital malformations of genito-urinary system	M F	8 5	6 2	1 .	. .	. 1	. .	7 3	. .	. .
758	Congenital malformations of bone and joint	M F	4 4	4 2	. .	. .	. .	. .	4 2	. 1	. .
759	Other and unspecified congenital malformations not elsewhere classified	M F	16 17	13 14	1 1	. 1	. .	. .	14 16	. .	1 .
760-776	XV. Certain diseases of early infancy	M F	704 470	704 470	. .	. .	. .	. .	704 470	. .	. .
760	Intracranial and spinal injury at birth	M F	97 49	97 49	. .	. .	. .	. .	97 49	. .	. .
761	Other birth injury	M F	28 15	28 15	. .	. .	. .	. .	28 15	. .	. .
762	Postnatal asphyxia and atelectasis	M F	118 92	118 92	. .	. .	. .	. .	118 92	. .	. .
763	Pneumonia of newborn	M F	74 47	74 47	. .	. .	. .	. .	74 47	. .	. .
764	Diarrhoea of newborn	M F	33 27	33 27	. .	. .	. .	. .	33 27	. .	. .
765	Ophthalmia neonatorum	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
766	Pemphigus neonatorum	M F	1 1	1 1	. .	. .	. .	. .	1 1	. .	. .
767	Umbilical sepsis	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
768	Other sepsis of newborn	M F	3 8	3 8	. .	. .	. .	. .	3 8	. .	. .
769	Neonatal disorders arising from maternal toxæmia	M F	6 6	6 6	. .	. .	. .	. .	6 6	. .	. .
770	Haemolytic disease of newborn (erythroblastosis)	M F	30 22	30 22	. .	. .	. .	. .	30 22	. .	. .
771	Haemorrhagic disease of newborn	M F	11 9	11 9	. .	. .	. .	. .	11 9	. .	. .
772	Nutritional maladjustment	M F	5 3	5 3	. .	. .	. .	. .	5 3	. .	. .
773	Ill-defined diseases peculiar to early infancy	M F	85 53	85 53	. .	. .	. .	. .	85 53	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	3 2	3 2	. .	. .	. .	. .	3 2	. .	. .
776	Immaturity unqualified	M F	208 136	208 136	. .	. .	. .	. .	208 136	. .	. .
780-795	XVI. Symptoms, senility and ill-defined conditions	M F	1,549 1,639	27 19	3 2	. 2	1 .	. .	31 23	. 1	. 1
780	Certain symptoms referable to nervous system and special senses	M F	27 20	22 16	3 1	. 2	. .	. .	25 19	. .	. 1
782	Symptoms referable to cardio-vascular and lymphatic system	M F	208 149	. .	. 1	. .	. .	. .	. 1	. .	. .



DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1 1	2 1	1 .	. 1	. 1	1 1	. 1	1 .	. .	. .	. .	. .	. .	. .	. .	754
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	755
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	756
.	.	.	.	.	.	.	.	1 .	.	.	.	.	.	.	757
.	.	.	.	.	.	.	.	1 .	.	.	.	.	.	.	758
.	.	.	.	.	.	.	1 .	.	.	.	.	.	.	.	759
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760-776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
1 1	. 1	. .	. .	. 2	1 .	7 3	5 6	19 8	14 11	43 26	113 112	262 283	518 519	535 642	780-795
.	.	.	.	.	.	.	.	.	.	1 .	1 .	.	.	.	780
.	.	.	.	.	1 .	6 2	4 2	10 6	11 9	28 16	35 22	45 34	41 29	27 26	782

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
783	Symptoms referable to respiratory system	M F	. 1	. .	. .	. .	. .	. .	. 8	. 1	. .
784	Symptoms referable to upper gastro-intestinal tract	M F	4 4	. 1	. .	. .	. .	. .	. 1	. .	. .
785	Symptoms referable to abdomen and lower gastro-intestinal system	M F	9 4	4 2	. .	. .	. .	. .	4 2	. .	. .
786	Symptoms referable to genito-urinary system	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
788	Other general symptoms	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
790	Nervousness and debility	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
792	Uraemia unqualified	M F	38 22	. .	. .	. .	. .	. .	. .	. .	. .
794	Senility without mention of psychosis	M F	1,217 1,410	. .	. .	. .	. .	. .	. .	. .	. .
795	Ill-defined and unknown causes of morbidity and mortality	M F	40 28	. .	. .	. .	1 .	. .	1 .	. .	. .
E800-E936	XVII. Accidents, poisonings and violence	M F	715 301	27 28	4 6	10 10	11 3	8 3	60 48	21 12	15 6
E800	Railway accident involving railroad employee	M F	8 2	. .	. .	. .	. .	. .	. .	. .	. .
E802	Railway accident involving other and unspecified person	M F	2 1	. .	. .	. .	. .	. .	. .	. .	. .
E812	Motor vehicle traffic accident to pedestrian	M F	79 31	. .	. 1	4 4	3 1	2 1	9 7	9 3	2 2
E813	Motor vehicle traffic accident to pedal cyclist	M F	34 8	. .	. .	. .	. 1	. .	. 1	. .	. 2
E814	Motor vehicle traffic accident to rider or passenger of motor-cycle in collision with non-motor vehicle or object	M F	2 1	. .	. .	. .	. .	. .	. .	. .	. .
E815	Motor vehicle traffic accident to rider or passenger of motor-cycle in collision with other motor vehicle	M F	15 .	. .	. .	. .	. .	. .	. .	. .	. .
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F	20 4	. .	. .	. .	. .	. .	. .	. .	. .
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M F	7 1	. .	. .	. .	. .	. .	. .	. .	. .
E821	Motor vehicle traffic accident to rider of motorcycle not involving collision	M F	13 .	. .	. .	. .	. .	. .	. .	. .	. .
E822	Motor vehicle traffic accident involving overturning in roadway	M F	9 1	. .	. .	. .	. .	. .	. .	. .	. .
E823	Motor vehicle traffic accident involving running off roadway	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
E824	Other noncollision motor vehicle traffic accident	M F	10 3	. .	. .	. .	1 .	. .	1 .	1 2	. 1
E825	Motor vehicle traffic accident of unspecified nature	M F	6 1	. .	. .	. .	. .	. .	. .	. .	. .
E835	Motor vehicle nontraffic accident of other and unspecified nature	M F	6 .	. .	. .	. .	1 .	. .	1 .	. .	. .

## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	783
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	784
.	.	.	.	.	.	1	1	.	.	.	1	2	.	1	785
.	.	.	.	1	.	.	1	1	.	1	.	1	1	1	786
.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	788
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	790
1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	792
1	.	.	.	.	.	1	1	.	.	3	6	10	12	6	794
.	.	.	.	.	.	.	.	.	1	5	64	195	459	494	795
.	.	.	.	.	.	.	.	8	3	5	6	6	4	7	
.	.	.	.	.	.	.	1	2	1	4	.	6	5	9	
21	53	41	35	51	33	47	54	51	36	48	53	43	40	13	E800-
4	10	4	1	9	9	3	5	11	10	16	29	41	44	39	E836
.	.	2	.	1	1	1	.	2	1	.	.	.	.	.	E800
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	E802
.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	E812
3	4	4	.	1	3	1	6	4	4	5	12	4	8	1	E813
.	.	1	.	2	.	1	1	2	1	3	2	3	2	.	E814
2	4	2	.	1	1	4	6	5	1	3	3	.	.	.	E815
2	1	.	.	.	2	.	.	1	1	.	.	.	.	.	E816
.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	E818
.	1	1	3	.	1	1	.	.	.	.	.	.	.	.	E819
.	8	.	1	.	1	.	.	1	1	1	.	.	.	.	E821
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E822
.	2	2	.	1	2	2	.	.	.	.	.	.	1	.	E823
.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	E824
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	E825
.	.	.	.	1	.	5	.	.	1	1	.	.	.	.	E835
.	2	1	.	.	.	1	1	1	.	.	1	.	.	.	
1	1	1	.	1	.	.	1	.	.	.	.	.	.	.	



TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Causes of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E842	Accident to pedestrian caused by pedal cycle	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M F	42 .	. .	. .	. .	. .	. .	. .	1 .	1 .
E844	Accident to pedestrian caused by other nonmotor road vehicle	M F	1 1	. .	. .	. 1	. .	1 .	1 1	. .	. .
E845	Other nonmotor road vehicle accidents	M F	9 .	. .	. .	. .	. .	. .	. .	1 .	1 .
E850	Submersion of occupant of small boat	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
E853	Other falls from one level to another in water transport	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E854	Falls on same level in water transport	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E857	Other specified accidents in water transport	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E863	Injury to occupant by accident to other aircraft	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E876	Accidental poisoning by strychnine	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E880	Accidental poisoning by alcohol	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E881	Accidental poisoning by petroleum products	M F	1 .	. .	1 .	. .	. .	. .	1 .	. .	. .
E886	Accidental poisoning by arsenic and antimony, and their compounds	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E890	Accidental poisoning by utility (illuminating) gas	M F	8 5	. .	. .	. .	. .	. .	. .	. .	. .
E894	Accidental poisoning by other specified gases and vapours	M F	2 .	. .	. .	. .	. .	. .	. .	. .	1 .
E900	Fall on stairs	M F	6 4	. .	. 1	1 .	. .	. .	1 1	. .	. .
E901	Fall from ladders	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E902	Other falls from one level to another	M F	37 5	. .	1 .	. .	1 .	. .	2 .	. .	1 1
E903	Fall on same level	M F	10 5	. .	. .	. .	1 .	. .	1 .	. .	. .
E904	Unspecified falls	M F	72 116	1 .	. 1	. .	. .	. .	1 1	. .	. .
E910	Blow from falling object	M F	8 .	. .	. .	. .	1 .	1 .	2 .	. .	. .
E911	Accident caused by vehicle	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E912	Accident caused by machinery	M F	14 .	. .	. .	. .	. .	. .	. .	. .	. .
E913	Accident caused by cutting and piercing instruments	M F	4 .	. .	. .	. .	. .	. .	. .	. .	2 .
E914	Accident caused by electric current	M F	9 .	. .	. .	. .	. .	. .	. .	. .	1 .
E916	Accident caused by fire and explosion of combustible material	M F	16 20	. 1	. 1	1 1	1 1	1 1	3 5	2 1	. 2

## DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE.

Death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E842
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E843
1	1	2	3	2	4	1	5	8	4	5	2	2	.	.	E844
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E845
.	.	.	.	2	.	2	1	.	1	.	1	.	.	.	E850
.	.	.	1	1	.	.	1	1	.	.	.	.	.	.	E853
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	E854
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E857
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E863
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	E876
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E880
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E881
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E886
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	E890
1	1	1	.	1	.	.	.	2	1	.	1	.	2	.	E894
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E900
.	.	.	1	.	.	.	.	1	1	1	.	1	1	1	E901
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E902
1	4	1	3	1	2	4	4	1	3	3	1	3	2	1	E903
.	.	1	.	1	.	.	1	.	1	2	1	.	1	1	E904
.	.	.	.	1	.	3	2	4	1	7	7	18	18	10	E910
.	.	.	.	.	.	.	2	.	3	6	14	29	27	34	E911
1	.	2	1	.	.	1	.	.	.	.	1	.	.	.	E912
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E913
3	.	2	2	3	2	.	1	.	.	1	.	.	.	.	E914
.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	E916
1	1	1	.	1	1	.	.	2	.	1	5	2	1	1	E916
.	1	1	.	1	.	.	.	.	.	.	1	2	2	.	E916

TABLE 19.—(contd.)—DEATHS IN 1956 CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]





TABLE 20.—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY, AND COUNTY BOROUGH  
REGISTERED IN 1956, CLASSIFIED BY PLACE OF OCCURRENCE.

Area		Total Deaths	Place of Occurrence			
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere
<b>Total</b>	<b>M</b>	<b>18,269</b>	<b>2,547</b>	<b>598</b>	<b>5,010</b>	<b>10,114</b>
	<b>F</b>	<b>15,641</b>	<b>2,044</b>	<b>576</b>	<b>3,836</b>	<b>9,185</b>
LEINSTER	M	7,602	1,628	251	1,978	3,745
	F	6,557	1,274	254	1,500	3,529
MUNSTER	M	5,941	639	194	1,798	3,310
	F	5,054	585	179	1,407	2,883
CONNACHT	M	3,047	196	116	866	1,875
	F	2,564	131	104	634	1,695
ULSTER	M	1,679	90	37	368	1,184
	F	1,466	54	39	295	1,078
LEINSTER						
Carlow	M	195	30	3	53	109
	F	198	14	4	44	136
Dublin County Borough	M	2,705	967	88	570	1,080
	F	2,641	808	98	552	1,183
Dun Laoghaire Borough	M	285	103	15	35	132
	F	277	67	14	34	162
Dublin County (remainder)	M	504	129	19	100	256
	F	394	81	13	75	225
Kildare	M	370	58	10	103	199
	F	273	37	11	73	152
Kilkenny	M	468	34	19	156	259
	F	330	21	12	112	185
Laois	M	357	23	5	123	206
	F	247	17	7	84	139
Longford	M	245	23	9	94	119
	F	178	15	7	62	94
Louth	M	427	76	17	128	212
	F	344	43	14	82	205
Meath	M	418	43	7	136	232
	F	305	36	11	78	180
Offaly	M	308	16	5	98	189
	F	242	11	9	60	162
Westmeath	M	348	30	20	127	171
	F	257	21	13	71	152
Wexford	M	615	36	17	189	373
	F	537	45	23	121	348
Wicklow	M	357	66	17	66	208
	F	334	58	18	52	206
MUNSTER						
Clare	M	578	23	12	187	356
	F	456	30	18	143	265
Cork County Borough	M	493	128	9	138	218
	F	546	127	14	159	246
Cork County	M	1,814	247	67	489	1,011
	F	1,499	224	54	362	859
Kerry	M	767	60	20	236	451
	F	694	58	24	173	439
Limerick County Borough	M	262	36	8	103	115
	F	258	30	7	124	97
Limerick County	M	637	45	17	167	408
	F	484	30	19	133	302
Tipperary, North Riding	M	402	23	11	158	210
	F	309	19	4	94	192
Tipperary, South Riding	M	496	47	20	168	261
	F	402	37	18	113	234
Waterford County Borough	M	178	9	14	49	106
	F	139	11	11	43	74
Waterford County	M	314	21	16	103	174
	F	267	19	10	63	175
CONNACHT						
Galway	M	927	102	34	265	526
	F	755	70	37	182	466
Leitrim	M	292	10	17	79	186
	F	231	6	9	56	160
Mayo	M	977	46	28	272	631
	F	816	22	33	196	565
Roscommon	M	437	19	14	121	283
	F	376	17	9	108	242
Sligo	M	414	13	23	129	249
	F	386	16	16	92	262
ULSTER (part of)						
Cavan	M	498	30	17	120	331
	F	376	14	17	96	249
Donegal	M	839	39	17	152	631
	F	798	22	14	124	638
Monaghan	M	342	21	3	96	222
	F	292	18	8	75	191





TABLE 21.—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Detailed List Numbers	Abbreviated List Number	Cause of death	Total	Uncertified
001-008	B 1	Tuberculosis of respiratory system M F	362 200	3 .
010-019	B 2	Tuberculosis, other forms M F	72 55	1 .
020-029	B 3	Syphilis and its sequelae M F	12 1	. .
040	B 4	Typhoid fever M F	1 2	. .
045-048	B 6	Dysentery, all forms M F	. .	. .
050	B 7a	Scarlet fever M F	. .	. .
051	B 7b	Streptococcal sore throat M F	3 1	. .
055	B 8	Diphtheria M F	5 10	. .
056	B 9	Whooping cough M F	25 14	3 1
057	B 10	Meningococcal infections M F	12 8	. .
080	B 12	Acute poliomyelitis M F	11 9	. .
085	B 14	Measles M F	7 13	. 2
030-039, 041-042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	B 17	Other infective and parasitic diseases M F	43 38	2 .
151	B 18a	Malignant neoplasms :— of stomach M F	523 370	6 2
150, 152-159	B 18b	of other digestive organs and peritoneum M F	700 594	3 3
160-165	B 18c	of respiratory system M F	435 117	. .
170	B 18d	of breast M F	4 383	. 5
171-181	B 18e	of genito-urinary system M F	274 301	1 .
200-205	B 18f	of lymphatic and haematopoietic tissues M F	133 78	. .
140-148, 190-199	B 18g	other M F	422 236	5 3
210-239	B 19	Benign and unspecified neoplasms M F	43 76	. 1
260	B 20	Diabetes mellitus M F	93 114	. 3
290-293	B 21	Anaemias M F	92 129	. 3
330-334	B 22	Vascular lesions affecting central nervous system M F	1,632 2,013	55 66
340	B 23	Nonmeningococcal meningitis M F	27 20	. .
400-402	B 24	Rheumatic fever M F	21 27	. .
410-416	B 25	Chronic rheumatic heart disease M F	201 205	2 2
421	B 26a	Chronic endocarditis M F	227 197	6 3
420	B 26b	Coronary and arteriosclerotic disease M F	2,055 1,088	83 46
422	B 26c	Other myocardical degeneration M F	2,520 2,445	71 87
430-434	B 27	Other diseases of heart M F	640 634	52 53

NOTE.—No deaths were recorded due to causes B 5 (Cholera), B 11 (Plague), B 13 (Smallpox) or B 16 (Malaria).

## IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed List Numbers	Abbreviated List Number	Cause of death	Total	Uncertified
440-443	B 28	Hypertension with heart disease M F	299 347	. 5
444-447	B 29	Hypertension without mention of heart M F	269 259	5 8
450-468	B 46a	Other diseases of circulatory system M F	514 425	9 3
480-483	B 30	Influenza M F	205 196	24 33
490-493	B 31	Pneumonia M F	501 460	15 16
500-502	B 32	Bronchitis M F	582 356	16 14
526	B 46b	Bronchiectasis M F	34 26	. 2
470-475, 510-525, 527	B 46c	Other diseases of respiratory system M F	162 132	3 2
540, 541	B 33	Ulcer of stomach and duodenum M F	183 56	2 1
550-553	B 34	Appendicitis M F	23 14	. .
560, 561, 570	B 35	Intestinal obstruction and hernia M F	74 85	. .
543, 571, 572	B 36	Gastritis and enteritis (except of newborn) M F	100 74	1 1
764, 571, 0	B 36, 43 parts of	Gastro-enteritis (under 2 years) M F	93 60	. 1
581	B 37	Cirrhosis of liver M F	46 23	. .
530-539, 542, 544, 545, 573-578, 580, 582-587	B 46d	Other diseases of digestive system M F	123 121	. 1
590-594	B 38	Nephritis and nephrosis M F	279 216	9 1
610	B 39	Hyperplasia of prostate M	230	4
640-689	B 40	Complications of pregnancy and childbirth F	52	.
750-759	B 41	Congenital malformations M F	218 211	. 5
760-762	B 42	Birth injuries, asphyxia and atelectasis M F	243 156	2 4
763-768	B 43	Infections of the newborn M F	113 83	2 .
769-776	B 44	Other diseases of early infancy M F	348 231	10 7
794	B 45a	Senility without psychosis M F	1,217 1,410	665 817
780-793, 795	B 45b	Ill-defined and unknown causes M F	332 229	151 115
240-245, 250-254, 270-277, 280-289, 294-326, 341-345, 350-357, 360-398, 600-609, 611-637, 690-716, 720-727, 730-738, 740-749	B 46e	All other diseases M F	864 800	44 45
E810-E835	B 47	<b>External Causes</b> Motor vehicle accidents M F	204 52	. .
E800-E802, E840-E962	B 48	All other accidents M F	440 238	2 4
E963, E970-E979	B 49	Suicide and self-inflicted injury M F	65 11	. .
E964, E965, E980-E999	B 50	Homicide and operations of war M F	6 .	1 .
		<b>Total</b> M F	<b>18,269</b> <b>15,641</b>	<b>1,258</b> <b>1,364</b>

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	178	2	116	.	39	1	29	.
		F	87	.	78	.	21	.	14	.
B 2	Tuberculosis, other forms	M	30	.	22	1	13	.	7	.
		F	31	.	12	.	7	.	5	.
B 3	Syphilis and its sequelae	M	10	.	1	.	.	.	1	.
		F	1	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	2	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	2	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 8	Diphtheria	M	5	.	.	.	.	.	.	.
		F	9	.	1	.	.	.	.	.
B 9	Whooping cough	M	14	.	2	.	7	2	2	1
		F	6	.	4	.	3	1	1	.
B 10	Meningococcal infections	M	4	.	6	.	2	.	.	.
		F	4	.	3	.	1	.	.	.
B 12	Acute poliomyelitis	M	7	.	4	.	.	.	.	.
		F	4	.	4	.	.	.	1	.
B 14	Measles	M	3	.	2	.	2	.	.	.
		F	6	.	4	.	3	2	.	.
B 17	Other infective and parasitic diseases	M	19	.	15	1	6	.	3	1
		F	12	.	13	.	7	.	6	.
B 18a	Malignant neoplasms :— of stomach	M	224	2	154	1	83	3	62	.
		F	155	.	112	.	69	1	34	1
B 18b	of other digestive organs and peritoneum	M	316	.	223	.	108	2	53	1
		F	268	1	196	2	79	.	51	.
B 18c	of respiratory system	M	270	.	113	.	39	.	13	.
		F	62	.	36	.	13	.	6	.
B 18d	of breast	M	3	.	1	.	.	.	.	.
		F	175	1	127	.	51	1	30	3
B 18e	of genito-urinary system	M	119	.	87	1	47	.	21	.
		F	152	.	85	.	37	.	27	.
B 18f	of lymphatic and haematopoietic tissues	M	64	.	37	.	21	.	11	.
		F	25	.	37	.	13	.	3	.
B 18g	other	M	180	.	135	.	70	4	37	1
		F	104	.	75	1	38	2	19	.
B 19	Benign and unspecified neoplasms	M	20	.	16	.	4	.	3	.
		F	30	.	22	1	18	.	6	.
B 20	Diabetes mellitus	M	38	.	36	.	10	.	9	.
		F	59	.	36	2	11	1	8	.
B 21	Anaemias	M	32	.	41	.	11	.	8	.
		F	64	1	40	2	16	.	9	.
B 22	Vascular lesions affecting central nervous system	M	732	8	503	16	230	15	167	16
		F	947	8	613	18	264	19	189	21
B 23	Nonmeningococcal meningitis	M	12	.	7	.	7	.	1	.
		F	7	.	7	.	2	.	4	.
B 24	Rheumatic fever	M	17	.	2	.	2	.	.	.
		F	14	.	9	.	1	.	3	.
B 25	Chronic rheumatic heart disease	M	94	1	74	1	21	.	12	.
		F	96	.	82	1	21	.	6	1
B 26a	Chronic endocarditis	M	92	.	82	5	39	.	14	1
		F	76	.	69	1	35	.	17	2
B 26b	Coronary and arteriosclerotic heart disease	M	960	26	630	33	284	9	181	15
		F	536	16	307	13	171	9	74	8
B 26c	Other myocardial degeneration	M	882	16	916	12	480	23	242	20
		F	948	10	873	26	405	30	219	21
B 27	Other diseases of heart	M	273	10	228	16	73	16	66	10
		F	276	9	229	22	71	16	58	6



IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 28	Hypertension with heart disease	M	129	.	81	.	55	.	34	.
		F	171	1	88	1	50	2	38	1
B 29	Hypertension without mention of heart	M	133	2	72	1	52	1	12	1
		F	134	2	64	.	46	4	15	2
B 46a	Other diseases of circulatory system	M	220	2	170	.	83	6	41	1
		F	211	1	128	.	60	1	26	1
B 30	Influenza	M	29	3	76	6	65	8	35	7
		F	26	1	85	7	48	13	37	12
B 31	Pneumonia	M	229	2	138	1	83	10	51	2
		F	208	2	138	3	67	8	47	3
B 32	Bronchitis	M	279	3	186	6	79	6	38	1
		F	169	.	97	6	53	7	37	1
B 46b	Bronchiectasis	M	15	.	13	.	5	.	1	.
		F	8	.	11	1	4	.	3	1
B 46c	Other diseases of respiratory system	M	61	.	54	1	31	2	16	.
		F	48	.	43	.	22	.	19	2
B 33	Ulcer of stomach and duodenum	M	72	.	65	1	29	.	17	1
		F	26	.	13	.	10	1	7	.
B 34	Appendicitis	M	5	.	13	.	3	.	2	.
		F	6	.	4	.	3	.	1	.
B 35	Intestinal obstruction and hernia	M	25	.	29	.	14	.	6	.
		F	42	.	26	.	10	.	7	.
B 36	Gastritis and enteritis (except of newborn)	M	45	.	35	1	13	.	7	.
		F	45	1	14	.	9	.	6	.
<i>B 36, 43 parts of</i> B 37	<i>Gastro-enteritis (under 2 years)</i>	M	51	.	24	.	14	.	4	.
		F	40	1	11	.	7	.	2	.
B 37	Cirrhosis of liver	M	33	.	10	.	3	.	.	.
		F	10	.	9	.	2	.	2	.
B 46d	Other diseases of digestive system	M	51	.	41	.	27	.	4	.
		F	48	.	48	1	16	.	9	.
B 38	Nephritis and nephrosis	M	117	.	77	.	58	7	27	2
		F	95	.	69	.	29	1	23	.
B 39	Hyperplasia of prostate	M	83	.	87	1	30	2	30	1
B 40	Complications of pregnancy and childbirth	F	22	.	20	.	6	.	4	.
B 41	Congenital malformations	M	135	.	53	.	18	.	12	.
		F	115	2	61	2	27	1	8	.
B 42	Birth injuries, asphyxia and atelectasis	M	123	.	77	.	29	1	14	1
		F	65	2	55	2	25	.	11	.
B 43	Infections of the newborn	M	72	.	23	2	14	.	4	.
		F	54	.	17	.	8	.	4	.
B 44	Other diseases of early infancy	M	143	6	110	3	60	1	35	.
		F	110	2	64	2	37	3	20	.
B 45a	Senility without psychosis	M	251	64	456	233	356	284	154	84
		F	268	68	508	273	446	353	188	123
B 45b	Ill-defined and unknown causes	M	126	48	103	35	72	54	31	14
		F	74	28	73	30	57	41	25	16
B 46e	All other diseases	M	311	8	296	8	159	21	98	7
		F	316	4	257	10	126	15	101	16
External Causes										
B 47	Motor vehicle accidents	M	113	.	48	.	25	.	18	.
		F	40	.	7	.	2	.	3	.
B 48	All other accidents	M	173	1	152	.	72	1	43	.
		F	87	2	77	2	43	.	31	.
B 49	Suicide and self-inflicted injury	M	27	.	19	.	13	.	6	.
		F	4	.	4	.	1	.	2	.
B 50	Homicide and operations of war	M	2	.	3	.	1	1	.	.
		F	.	.	.	.	.	.	.	.
Total			M	7,602	204	5,941	386	3,047	480	1,679
			F	6,557	162	5,054	429	2,564	532	1,486

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	2	.	98	1	10	.	9	.
		F	3	.	36	.	3	.	6	.
B 2	Tuberculosis, other forms	M	.	.	6	.	2	.	3	.
		F	.	.	13	.	.	.	2	.
B 3	Syphilis and its sequelae	M	.	.	7	.	1	.	1	.
		F	.	.	1	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	4	.	.	.	.	.
		F	.	.	8	.	.	.	.	.
B 9	Whooping cough	M	.	.	9	.	.	.	2	.
		F	.	.	4	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	3	.	.	.	.	.
		F	.	.	4	.	.	.	.	.
B 12	Acute poliomyelitis	M	1	.	1	.	.	.	1	.
		F	.	.	1	.	1	.	.	.
B 14	Measles	M	.	.	3	.	.	.	.	.
		F	.	.	5	.	1	.	.	.
B 17	Other infective and parasitic diseases	M	1	.	8	.	1	.	1	.
		F	.	.	6	.	.	.	1	.
B 18a	Malignant neoplasms :— of stomach	M	4	.	69	.	3	.	14	.
		F	2	.	59	.	3	.	7	.
B 18b	of other digestive organs and peritoneum	M	10	.	117	.	11	.	24	.
		F	7	.	122	.	11	.	16	.
B 18c	of respiratory system	M	1	.	160	.	9	.	21	.
		F	.	.	24	.	3	.	2	.
B 18d	of breast	M	.	.	1	.	.	.	.	.
		F	3	.	75	.	8	.	17	.
B 18e	of genito-urinary system	M	2	.	52	.	6	.	9	.
		F	1	.	71	.	9	.	9	.
B 18f	of lymphatic and haematopoietic tissues	M	1	.	31	.	4	.	8	.
		F	.	.	10	.	3	.	1	.
B 18g	other	M	6	.	59	.	5	.	10	.
		F	2	.	29	.	.	.	7	.
B 19	Benign and unspecified neoplasms	M	.	.	12	.	1	.	.	.
		F	.	.	14	.	.	.	3	.
B 20	Diabetes mellitus	M	.	.	14	.	2	.	3	.
		F	4	.	30	.	.	.	7	.
B 21	Anaemias	M	.	.	9	.	1	.	2	.
		F	2	.	19	.	2	.	3	.
B 22	Vascular lesions affecting central nervous system	M	22	.	243	3	35	.	36	.
		F	29	1	372	1	49	.	56	.
B 23	Nonmeningococcal meningitis	M	.	.	7	.	.	.	1	.
		F	.	.	2	.	1	.	1	.
B 24	Rheumatic fever	M	.	.	10	.	.	.	.	.
		F	1	.	4	.	.	.	3	.
B 25	Chronic rheumatic heart disease	M	4	.	28	.	.	.	4	.
		F	.	.	52	.	5	.	6	.
B 26a	Chronic endocarditis	M	4	.	26	.	3	.	2	.
		F	.	.	22	.	1	.	6	.
B 26b	Coronary and arteriosclerotic heart disease	M	17	2	370	9	52	.	65	.
		F	3	2	244	6	37	.	40	.
B 26c	Other myocardial degeneration	M	35	.	179	.	24	.	52	.
		F	61	.	300	1	43	.	45	.
B 27	Other diseases of heart	M	7	1	115	4	5	.	29	.
		F	10	.	131	4	12	.	11	.

IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 28	Hypertension with heart disease	M	2	.	78	.	4	.	10	.
		F	4	.	94	.	9	.	15	.
B 29	Hypertension without mention of heart	M	1	.	43	.	9	.	6	.
		F	2	.	55	.	10	.	8	.
B 46a	Other diseases of circulatory system	M	7	.	55	.	8	.	11	.
		F	2	.	75	.	8	.	9	.
B 30	Influenza	M	1	.	4	.	.	.	2	.
		F	.	.	6	.	1	.	1	.
B 31	Pneumonia	M	4	.	104	.	11	.	20	.
		F	4	.	118	.	3	.	12	.
B 32	Bronchitis	M	3	1	147	1	9	.	26	.
		F	3	.	85	.	8	.	7	.
B 46b	Bronchiectasis	M	.	.	7	.	2	.	3	.
		F	.	.	2	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	1	.	25	.	3	.	5	.
		F	.	.	19	.	2	.	3	.
B 33	Ulcer of stomach and duodenum	M	2	.	31	.	6	.	1	.
		F	.	.	13	.	.	.	3	.
B 34	Appendicitis	M	.	.	1	.	.	.	.	.
		F	.	.	1	.	.	.	1	.
B 35	Intestinal obstruction and hernia	M	.	.	9	.	.	.	1	.
		F	1	.	21	.	2	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	20	.	1	.	5	.
		F	.	.	25	.	.	.	2	.
<i>B 36, 43 parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	.	.	<i>24</i>	.	.	.	<i>4</i>	.
		<i>F</i>	.	.	<i>15</i>	.	<i>1</i>	.	<i>1</i>	.
B 37	Cirrhosis of liver	M	2	.	19	.	1	.	2	.
		F	2	.	5	.	1	.	.	.
B 46d	Other diseases of digestive system	M	2	.	21	.	3	.	1	.
		F	1	.	24	.	.	.	4	.
B 38	Nephritis and nephrosis	M	4	.	46	.	4	.	8	.
		F	1	.	44	.	5	.	2	.
B 39	Hyperplasia of prostate	M	1	.	21	.	6	.	3	.
B 40	Complications of pregnancy and childbirth	F	.	.	5	.	1	.	2	.
B 41	Congenital malformations	M	3	.	51	.	4	.	14	.
		F	2	.	54	.	5	.	10	.
B 42	Birth injuries, asphyxia and atelectasis	M	5	.	43	.	3	.	12	.
		F	2	.	26	.	.	.	9	.
B 43	Infections of the newborn	M	.	.	37	.	1	.	10	.
		F	1	.	29	.	2	.	6	.
B 44	Other diseases of early infancy	M	3	.	40	.	4	.	8	1
		F	7	.	43	.	1	.	6	.
B 45a	Senility without psychosis	M	11	5	24	2	5	.	7	.
		F	18	5	35	.	5	.	9	.
B 45b	Ill-defined and unknown causes	M	3	2	24	11	1	.	5	.
		F	6	.	17	8	1	.	2	.
B 46e	All other diseases	M	9	1	99	1	9	.	19	.
		F	7	.	129	1	13	.	22	.
External Causes										
B 47	Motor vehicle accidents	M	6	.	44	.	7	.	10	.
		F	3	.	21	.	2	.	5	.
B 48	All other accidents	M	6	1	59	.	8	.	15	.
		F	4	.	34	.	5	.	5	.
B 49	Suicide and self-inflicted injury	M	1	.	10	.	.	.	3	.
		F	.	.	3	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
	Total	M	195	13	2,705	32	285	.	504	1
		F	198	8	2,641	21	277	.	394	.



TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	13	.	2	.	8	.	3	.
		F	3	.	2	.	3	.	4	.
B 2	Tuberculosis, other forms	M	.	.	1	.	5	.	1	.
		F	1	.	2	.	2	.	.	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	1	.	.	.	.	.	1	.
		F	2	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	1	.	1	.	.	.
		F	1	.	1	.	.	.	.	.
B 18a	Malignant neoplasms :— of stomach	M	17	.	15	.	12	.	8	2
		F	8	.	7	.	10	.	5	.
B 18b	of other digestive organs and peritoneum	M	13	.	11	.	16	.	6	.
		F	7	.	8	.	11	.	10	1
B 18c	of respiratory system	M	4	.	10	.	.	.	2	.
		F	3	.	3	.	2	.	3	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	3	.	6	.	5	.	4	1
B 18e	of genito-urinary system	M	5	.	7	.	5	.	1	.
		F	6	.	8	.	2	.	4	.
B 18f	of lymphatic and haematopoietic tissues	M	1	.	3	.	1	.	1	.
		F	.	.	.	.	1	.	1	.
B 18g	other	M	10	.	10	.	8	.	6	.
		F	5	.	4	.	3	.	3	.
B 19	Benign and unspecified neoplasms	M	1	.	.	.	1	.	.	.
		F	.	.	1	.	1	.	2	.
B 20	Diabetes mellitus	M	1	.	.	.	1	.	1	.
		F	3	.	3	.	2	.	1	.
B 21	Anaemias	M	3	.	1	.	1	.	3	.
		F	5	.	6	.	1	.	1	.
B 22	Vascular lesions affecting central nervous system	M	25	.	48	.	28	1	17	.
		F	39	.	51	1	31	1	21	2
B 23	Nonmeningococcal meningitis	M	.	.	1	.	1	.	.	.
		F	.	.	1	.	1	.	.	.
B 24	Rheumatic fever	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 25	Chronic rheumatic heart disease	M	10	.	5	1	7	.	1	.
		F	7	.	2	.	8	.	3	.
B 26a	Chronic endocarditis	M	4	.	5	.	4	.	3	.
		F	4	.	5	.	3	.	3	.
B 26b	Coronary and arteriosclerotic heart disease	M	33	2	40	1	35	2	18	1
		F	18	.	19	.	20	1	4	.
B 26c	Other myocardial degeneration	M	50	2	82	1	46	2	72	1
		F	34	.	60	1	35	.	46	2
B 27	Other diseases of heart	M	5	.	16	.	18	.	3	.
		F	11	.	18	2	10	1	2	.

IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 28	Hypertension with heart disease	M	2	.	8	.	2	.	2	.
		F	4	.	5	1	6	.	2	.
B 29	Hypertension without mention of heart	M	6	.	11	.	16	1	3	1
		F	4	.	7	1	8	.	.	.
B 46a	Other diseases of circulatory system	M	11	.	19	.	10	.	1	.
		F	10	.	14	.	14	.	.	.
B 30	Influenza	M	4	.	.	.	1	.	4	2
		F	1	.	2	.	.	.	2	1
B 31	Pneumonia	M	13	.	9	.	4	1	6	.
		F	8	1	9	.	3	.	3	.
B 32	Bronchitis	M	19	.	8	.	15	.	1	1
		F	8	.	5	.	3	.	.	.
B 46b	Bronchiectasis	M	1	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	1	.	2	.	3	.	4	.
		F	2	.	4	.	2	.	3	.
B 33	Ulcer of stomach and duodenum	M	3	.	4	.	2	.	4	.
		F	.	.	1	.	1	.	.	.
B 34	Appendicitis	M	1	.	.	.	1	.	.	.
		F	1	.	.	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	3	.	2	.	2	.
		F	1	.	.	.	.	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	2	.	4	.	1	.
		F	1	.	1	.	2	.	2	.
<i>B 36, 43 parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	M	1	.	2	.	10	.	2	.
		F	.	.	4	.	3	.	2	.
B 37	Cirrhosis of liver	M	2	.	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	4	.	2	.	3	.	3	.
		F	2	.	2	.	2	.	.	.
B 38	Nephritis and nephrosis	M	10	.	3	.	5	.	1	.
		F	6	.	5	.	.	.	4	.
B 39	Hyperplasia of prostate	M	5	.	8	.	3	.	4	.
B 40	Complications of pregnancy and childbirth	F	2	.	.	.	2	.	2	.
B 41	Congenital malformations	M	8	.	6	.	3	.	4	.
		F	7	1	3	.	3	.	3	.
B 42	Birth injuries, asphyxia and atelectasis	M	7	.	6	.	8	.	2	.
		F	9	.	1	.	1	.	1	.
B 43	Infections of the newborn	M	2	.	2	.	9	.	3	.
		F	1	.	5	.	2	.	1	.
B 44	Other diseases of early infancy	M	11	.	11	.	3	.	7	1
		F	6	.	9	.	7	.	3	.
B 45a	Senility without psychosis	M	6	.	42	9	23	10	19	11
		F	5	.	30	6	18	9	23	18
B 45b	Ill-defined and unknown causes	M	6	1	10	1	14	5	10	8
		F	5	1	2	1	6	2	3	3
B 46e	All other diseases	M	23	.	36	2	11	1	7	3
		F	19	.	13	3	12	.	6	.
External Causes										
B 47	Motor vehicle accidents	M	8	.	7	.	8	.	2	.
		F	5	.	1	.	.	.	.	.
B 48	All other accidents	M	12	.	8	.	8	.	7	.
		F	5	.	4	.	1	.	3	.
B 49	Suicide and self-inflicted injury	M	4	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
Total			370	5	468	15	357	23	245	31
F			273	3	330	16	247	14	178	28

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	5	.	2	.	4	.	4	.
		F	5	.	4	.	1	.	7	.
B 2	Tuberculosis, other forms	M	2	.	4	.	2	.	2	.
		F	.	.	1	.	3	.	.	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	1	.	.
B 9	Whooping cough	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	1	.	1	.	2	.	.	.
		F	1	.	.	.	1	.	1	.
B 18a	Malignant neoplasms :— of stomach	M	12	.	22	.	7	.	7	.
		F	12	.	5	.	4	.	7	.
B 18b	of other digestive organs and peritoneum	M	22	.	23	.	11	.	10	.
		F	16	.	10	.	7	.	8	.
B 18c	of respiratory system	M	17	.	8	.	6	.	2	.
		F	1	.	4	.	5	.	3	.
B 18d	of breast	M	1	.	1	.	.	.	.	.
		F	14	.	7	.	5	.	6	.
B 18e	of genito-urinary system	M	6	.	4	.	3	.	6	.
		F	9	.	5	.	7	.	6	.
B 18f	of lymphatic and haematopoietic tissues	M	1	.	1	.	2	.	.	.
		F	4	.	3	.	.	.	.	.
B 18g	other	M	15	.	10	.	7	.	13	.
		F	6	.	10	.	6	.	6	.
B 19	Benign and unspecified neoplasms	M	1	.	1	.	.	.	1	.
		F	1	.	2	.	1	.	.	.
B 20	Diabetes mellitus	M	4	.	1	.	.	.	4	.
		F	.	.	3	.	2	.	1	.
B 21	Anaemias	M	.	.	2	.	1	.	6	.
		F	3	.	3	.	3	1	7	.
B 22	Vascular lesions affecting central nervous system	M	47	.	46	1	41	3	33	.
		F	41	.	60	.	29	.	36	1
B 23	Nonmeningococcal meningitis	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	1	.	.	.
B 24	Rheumatic fever	M	3	.	.	.	1	.	1	.
		F	.	.	1	.	1	.	.	.
B 25	Chronic rheumatic heart disease	M	4	.	4	.	3	.	6	.
		F	.	.	1	.	3	.	.	.
B 26a	Chronic endocarditis	M	10	.	6	.	5	.	2	.
		F	10	.	5	.	.	.	3	.
B 26b	Coronary and arteriosclerotic heart disease	M	47	2	60	3	27	1	57	2
		F	18	1	23	1	20	1	16	2
B 26c	Other myocardial degeneration	M	56	2	49	.	52	3	43	1
		F	57	.	46	1	43	1	42	1
B 27	Other diseases of heart	M	21	2	13	1	15	1	9	1
		F	7	.	10	.	8	.	8	.



IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 28	Hypertension with heart disease	M F	4 2	· ·	7 6	· ·	5 6	· ·	1 2	· ·
B 29	Hypertension without mention of heart	M F	2 4	· 1	1 10	· ·	5 4	· ·	7 8	· ·
B 46a	Other diseases of circulatory system	M F	7 10	· ·	19 11	· ·	6 8	· ·	15 8	1 1
B 30	Influenza	M F	· 1	· ·	4 2	· ·	· 1	· ·	2 1	1 ·
B 31	Pneumonia	M F	13 7	1 ·	14 7	· ·	2 5	· ·	10 3	· ·
B 32	Bronchitis	M F	11 5	· ·	7 7	· ·	8 7	· ·	9 8	· ·
B 46b	Bronchiectasis	M F	1 ·	· ·	· ·	· ·	1 1	· ·	· ·	· ·
B 46c	Other diseases of respiratory system	M F	3 1	· ·	4 2	· ·	2 ·	· ·	4 1	· ·
B 33	Ulcer of stomach and duodenum	M F	4 1	· ·	3 2	· ·	4 1	· ·	2 ·	· ·
B 34	Appendicitis	M F	1 ·	· ·	· ·	· ·	1 2	· ·	· ·	· ·
B 35	Intestinal obstruction and hernia	M F	3 2	· ·	· 1	· ·	2 2	· ·	1 1	· ·
B 36	Gastritis and enteritis (except of newborn)	M F	1 1	· ·	2 ·	· ·	· 4	· ·	1 2	· 1
B 36, 43 parts of	Gastro-enteritis (under 2 years)	M F	1 1	· ·	1 1	· ·	· 2	· ·	3 3	· 1
B 37	Cirrhosis of liver	M F	2 ·	· ·	· ·	· ·	1 1	· ·	2 ·	· ·
B 46d	Other diseases of digestive system	M F	1 ·	· ·	2 1	· ·	3 ·	· ·	2 3	· ·
B 38	Nephritis and nephrosis	M F	5 4	· ·	7 2	· ·	5 8	· ·	8 5	· ·
B 39	Hyperplasia of prostate	M	5	·	5	·	6	·	1	·
B 40	Complications of pregnancy and childbirth	F	·	·	3	·	1	·	1	·
B 41	Congenital malformations	M F	3 5	· ·	6 5	· ·	1 4	· 1	11 5	· ·
B 42	Birth injuries, asphyxia and atelectasis	M F	3 2	· ·	8 2	· ·	9 3	· 1	6 1	· 1
B 43	Infections of the newborn	M F	1 ·	· ·	2 2	· ·	· 1	· ·	3 1	· ·
B 44	Other diseases of early infancy	M F	13 9	1 ·	9 5	1 1	4 4	· 1	10 4	1 ·
B 45a	Senility without psychosis	M F	37 49	5 3	16 13	8 4	23 19	6 7	10 21	4 8
B 45b	Ill-defined and unknown causes	M F	8 10	3 5	12 5	8 3	5 2	2 1	12 3	5 3
B 46e	All other diseases	M F	13 24	· ·	17 8	· ·	14 4	· ·	13 18	· ·
<b>External Causes</b>										
B 47	Motor vehicle accidents	M F	2 ·	· ·	5 2	· ·	3 ·	· ·	1 ·	· ·
B 48	All other accidents	M F	7 2	· ·	8 6	· ·	8 3	· 2	9 3	· ·
B 49	Suicide and self-inflicted injury	M F	· ·	· ·	1 ·	· ·	1 ·	· ·	1 ·	· ·
B 50	Homicide and operations of war	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
<b>Total</b>			<b>M</b>		<b>F</b>					
			427	16	418	22	308	16	348	16
			344	10	305	10	242	16	257	18

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	13	1	5	•	11	•	32	•
		F	5	•	5	•	8	•	13	•
B 2	Tuberculosis, other forms	M	2	•	•	•	1	•	4	•
		F	5	•	2	•	•	•	2	•
B 3	Syphilis and its sequelae	M	•	•	1	•	1	•	•	•
		F	•	•	•	•	•	•	•	•
B 4	Typhoid fever	M	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•
B 6	Dysentery, all forms	M	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•
B 7a	Scarlet fever	M	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•
B 7b	Streptococcal sore throat	M	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•
B 8	Diphtheria	M	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•
B 9	Whooping cough	M	•	•	•	•	•	•	1	•
		F	•	•	•	•	1	•	•	•
B 10	Meningococcal infections	M	•	•	•	•	3	•	1	•
		F	•	•	•	•	1	•	1	•
B 12	Acute poliomyelitis	M	3	•	•	•	2	•	1	•
		F	1	•	•	•	1	•	1	•
B 14	Measles	M	•	•	•	•	•	•	1	•
		F	•	•	•	•	•	•	•	•
B 17	Other infective and parasitic diseases	M	1	•	1	•	•	•	8	•
		F	•	•	•	•	2	•	4	•
B 18a	Malignant neoplasms :— of stomach	M	21	•	13	•	13	•	63	1
		F	18	•	8	•	15	•	33	•
B 18b	of other digestive organs and peritoneum	M	23	•	19	•	22	•	72	•
		F	20	•	15	•	31	•	60	•
B 18c	of respiratory system	M	18	•	12	•	21	•	28	•
		F	8	•	1	•	7	•	11	•
B 18d	of breast	M	•	•	•	•	•	•	•	•
		F	15	•	7	•	18	•	32	•
B 18e	of genito-urinary system	M	11	•	2	•	4	•	24	•
		F	11	•	4	•	7	•	26	•
B 18f	of lymphatic and haematopoietic tissues	M	6	•	4	•	3	•	8	•
		F	1	•	1	•	5	•	15	•
B 18g	other	M	13	•	8	•	14	•	47	•
		F	13	•	10	•	10	•	22	•
B 19	Benign and unspecified neoplasms	M	2	•	•	•	3	•	4	•
		F	3	•	2	•	3	•	6	•
B 20	Diabetes mellitus	M	3	•	4	•	4	•	7	•
		F	2	•	1	•	2	•	7	•
B 21	Anaemias	M	3	•	•	•	4	•	9	•
		F	6	•	3	•	1	•	11	•
B 22	Vascular lesions affecting central nervous system	M	66	•	45	•	43	•	156	5
		F	70	1	63	•	60	•	179	7
B 23	Nonmeningococcal meningitis	M	1	•	•	•	•	•	1	•
		F	•	•	•	•	1	•	1	•
B 24	Rheumatic fever	M	1	•	•	•	1	•	•	•
		F	2	•	1	•	3	•	3	•
B 25	Chronic rheumatic heart disease	M	9	•	9	•	8	•	19	•
		F	2	•	7	•	10	•	24	1
B 26a	Chronic endocarditis	M	18	•	•	•	2	•	19	1
		F	12	•	2	•	10	•	20	•
B 26b	Coronary and arteriosclerotic heart disease	M	81	1	58	•	71	•	196	8
		F	46	1	28	1	40	•	108	5
B 26c	Other myocardial degeneration	M	98	3	44	1	66	1	301	8
		F	96	3	40	•	109	•	314	6
B 27	Other diseases of heart	M	10	•	7	•	16	•	73	8
		F	26	2	12	•	29	•	62	13

IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 28	Hypertension with heart disease	M	1	.	3	.	9	.	24	.
		F	8	.	8	.	5	.	26	.
B 29	Hypertension without mention of heart	M	9	.	14	.	5	.	29	.
		F	12	.	2	.	5	.	27	.
B 46a	Other diseases of circulatory system	M	47	1	4	.	23	.	52	.
		F	38	.	4	.	11	.	39	.
B 30	Influenza	M	7	.	.	.	3	.	12	.
		F	7	.	1	.	9	.	20	2
B 31	Pneumonia	M	10	.	9	.	6	.	34	.
		F	13	.	13	1	30	.	34	.
B 32	Bronchitis	M	11	.	5	.	24	1	61	2
		F	12	.	11	.	14	.	21	2
B 46b	Bronchiectasis	M	.	.	.	.	2	.	4	.
		F	3	.	.	.	1	.	2	.
B 46c	Other diseases of respiratory system	M	1	.	3	.	9	.	17	.
		F	1	.	8	.	6	.	11	.
B 33	Ulcer of stomach and duodenum	M	6	.	.	.	9	.	27	.
		F	1	.	3	.	2	.	3	.
B 34	Appendicitis	M	.	.	.	.	2	.	5	.
		F	.	.	.	.	.	.	2	.
B 35	Intestinal obstruction and hernia	M	1	.	1	.	3	.	11	.
		F	3	.	6	.	6	.	5	.
B 36	Gastritis and enteritis (except of newborn)	M	4	.	.	.	5	.	8	1
		F	4	.	1	.	.	.	3	.
<i>B 36, 43 parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>3</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>3</i>	<i>.</i>	<i>4</i>	<i>.</i>
		<i>F</i>	<i>5</i>	<i>.</i>	<i>2</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>1</i>	<i>.</i>
B 37	Cirrhosis of liver	M	.	.	.	.	1	.	3	.
		F	.	.	1	.	1	.	3	.
B 46d	Other diseases of digestive system	M	2	.	2	.	3	.	13	.
		F	3	.	6	.	6	.	10	.
B 38	Nephritis and nephrosis	M	7	.	4	.	8	.	28	.
		F	6	.	3	.	6	.	26	.
B 39	Hyperplasia of prostate	M	9	.	6	.	13	.	29	1
B 40	Complications of pregnancy and childbirth	F	1	.	2	.	1	.	3	.
B 41	Congenital malformations	M	12	.	9	.	5	.	9	.
		F	4	.	5	.	6	1	23	1
B 42	Birth injuries, asphyxia and atelectasis	M	7	.	4	.	8	.	29	.
		F	2	.	6	.	6	.	22	.
B 43	Infections of the newborn	M	1	.	1	.	2	.	3	.
		F	1	.	2	.	3	.	1	.
B 44	Other diseases of early infancy	M	13	.	7	1	11	.	16	1
		F	5	.	1	.	2	.	19	.
B 45a	Senility without psychosis	M	19	4	9	.	2	.	116	52
		F	16	8	7	.	9	.	129	60
B 45b	Ill-defined and unknown causes	M	4	2	12	.	4	.	31	13
		F	4	.	8	1	4	.	13	7
B 46e	All other diseases	M	23	.	18	.	10	.	97	1
		F	23	.	18	.	28	.	71	4
External Causes										
B 47	Motor vehicle accidents	M	7	.	3	.	6	.	16	.
		F	.	.	1	.	1	.	2	.
B 48	All other accidents	M	8	.	10	.	7	.	54	.
		F	8	.	4	.	10	.	29	2
B 49	Suicide and self-inflicted injury	M	3	.	1	.	.	.	10	.
		F	.	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
Total			615	12	357	2	493	2	1,814	102
F			537	15	334	3	546	1	1,499	110



TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	12	.	8	.	12	.	11	.
		F	11	.	16	.	7	.	8	.
B 2	Tuberculosis, other forms	M	2	.	6	1	1	.	1	.
		F	.	.	.	.	1	.	4	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 9	Whooping cough	M	.	.	.	.	1	.	.	.
		F	1	.	1	.	.	.	.	.
B 10	Meningococcal infections	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	2	.	.	.	.	.
B 14	Measles	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	1	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	3	.	.	.	1	.
		F	.	.	2	.	.	.	2	.
B 18a	Malignant neoplasms :— of stomach	M	10	.	11	.	6	.	15	.
		F	7	.	11	.	5	.	10	.
B 18b	of other digestive organs and peritoneum	M	17	.	25	.	7	.	33	.
		F	13	1	27	1	10	.	15	.
B 18c	of respiratory system	M	5	.	8	.	13	.	8	.
		F	5	.	4	.	2	.	1	.
B 18d	of breast	M	.	.	.	.	.	.	1	.
		F	10	.	15	.	9	.	11	.
B 18e	of genito-urinary system	M	10	.	12	.	6	.	9	1
		F	9	.	12	.	1	.	11	.
B 18f	of lymphatic and haematopoietic tissues	M	4	.	5	.	4	.	5	.
		F	5	.	5	.	.	.	4	.
B 18g	other	M	12	.	16	.	4	.	13	.
		F	6	.	10	1	3	.	10	.
B 19	Benign and unspecified neoplasms	M	1	.	1	.	.	.	3	.
		F	2	.	2	.	.	.	4	1
B 20	Diabetes mellitus	M	5	.	7	.	1	.	3	.
		F	4	.	3	2	6	.	7	.
B 21	Anaemias	M	5	.	6	.	6	.	5	.
		F	.	.	3	.	.	.	8	1
B 22	Vascular lesions affecting central nervous system	M	42	2	59	7	22	.	48	.
		F	44	2	72	5	38	.	60	1
B 23	Nonmeningococcal meningitis	M	.	.	1	.	.	.	1	.
		F	1	.	2	.	.	.	1	.
B 24	Rheumatic fever	M	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	5	.	9	.	.	.	14	1
		F	5	.	11	.	8	.	12	.
B 26a	Chronic endocarditis	M	16	.	11	4	2	.	9	.
		F	10	.	5	1	2	.	6	.
B 26b	Coronary and arteriosclerotic heart disease	M	59	2	73	13	30	7	55	.
		F	25	1	42	5	10	.	22	.
B 26c	Other myocardial degeneration	M	98	.	105	2	20	.	99	1
		F	77	.	98	8	33	1	68	5
B 27	Other diseases of heart	M	24	.	26	3	25	.	16	1
		F	16	.	26	3	30	2	14	2

IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County		
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified	
B 28	Hypertension with heart disease	M	4	.	5	.	5	.	15	.	
		F	9	.	14	1	7	.	10	.	
B 29	Hypertension without mention of heart	M	5	.	15	1	4	.	5	.	
		F	5	.	7	.	3	.	9	.	
B 46a	Other diseases of circulatory system	M	15	.	36	.	3	.	13	.	
		F	11	.	26	.	8	.	6	.	
B 30	Influenza	M	15	.	20	5	.	.	19	1	
		F	8	1	23	4	1	.	15	.	
B 31	Pneumonia	M	10	.	18	.	9	.	20	.	
		F	16	.	14	2	12	.	15	.	
B 32	Bronchitis	M	15	.	16	2	10	1	18	.	
		F	10	1	13	3	5	.	8	.	
B 46b	Bronchiectasis	M	3	.	.	.	1	.	.	.	
		F	2	.	.	.	2	1	1	.	
B 46c	Other diseases of respiratory system	M	2	.	15	1	5	.	2	.	
		F	7	.	9	.	4	.	3	.	
B 33	Ulcer of stomach and duodenum	M	2	.	9	.	2	1	5	.	
		F	1	.	3	.	.	.	.	.	
B 34	Appendicitis	M	.	.	3	.	1	.	1	.	
		F	.	.	.	.	1	.	.	.	
B 35	Intestinal obstruction and hernia	M	1	.	5	.	2	.	1	.	
		F	1	.	4	.	1	.	1	.	
B 36	Gastritis and enteritis (except of newborn)	M	1	.	8	.	2	.	2	.	
		F	3	.	3	.	.	.	1	.	
<i>B 36, 43 parts of</i> B 37	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>1</i>	.	<i>5</i>	.	<i>1</i>	.	<i>3</i>	.	
		<i>F</i>	<i>6</i>	.	<i>1</i>	.	<i>1</i>	.	<i>1</i>	.	
B 37	Cirrhosis of liver	M	.	.	2	.	.	.	2	.	
		F	1	.	.	.	1	.	.	.	
B 46d	Other diseases of digestive system	M	2	.	5	.	2	.	7	.	
		F	6	.	4	.	3	.	6	.	
B 38	Nephritis and nephrosis	M	5	.	8	.	3	.	4	.	
		F	6	.	9	.	2	.	7	.	
B 39	Hyperplasia of prostate	M	8	.	11	.	2	.	6	.	
B 40	Complications of pregnancy and childbirth	F	2	.	6	.	1	.	2	.	
B 41	Congenital malformations	M	2	.	8	.	5	.	6	.	
		F	1	.	4	.	5	.	8	.	
B 42	Birth injuries, asphyxia and atelectasis	M	8	.	5	.	4	.	3	.	
		F	5	1	5	.	3	.	3	.	
B 43	Infections of the newborn	M	1	.	2	1	2	.	6	.	
		F	5	.	4	.	1	.	1	.	
B 44	Other diseases of early infancy	M	22	2	13	.	4	.	15	.	
		F	8	1	7	1	2	.	11	.	
B 45a	Senility without psychosis	M	62	50	94	79	4	1	62	30	
		F	65	51	116	97	7	.	50	26	
B 45b	Ill-defined and unknown causes	M	19	6	19	10	9	2	8	.	
		F	6	5	12	7	10	4	13	1	
B 46e	All other diseases	M	26	2	34	2	10	1	45	1	
		F	17	.	30	3	9	.	31	1	
External Causes											
B 47	Motor vehicle accidents	M	3	.	3	.	5	.	2	.	
		F	.	.	.	.	1	.	1	.	
B 48	All other accidents	M	18	.	19	.	7	.	15	.	
		F	8	.	10	.	2	.	3	.	
B 49	Suicide and self-inflicted injury	M	1	.	2	.	.	.	3	.	
		F	1	.	1	.	.	.	1	.	
B 50	Homicide and operations of war	M	.	.	.	.	.	.	2	.	
		F	.	.	.	.	.	.	.	.	
Total			M	578	64	767	131	262	13	637	36
			F	456	64	694	144	258	8	484	38

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	10	.	13	.	3	.	4	.
		F	2	.	3	.	4	.	6	.
B 2	Tuberculosis, other forms	M	2	.	4	.	.	.	1	.
		F	.	.	3	.	1	.	1	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	1	.	.	.
		F	.	.	1	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	2	.	1	.	.	.
B 17	Other infective and parasitic diseases	M	2	1	.	.	.	.	1	.
		F	1	.	2	.	.	.	.	.
B 18a	Malignant neoplasms :— of stomach	M	14	.	10	.	5	.	7	.
		F	7	.	11	.	6	.	7	.
B 18b	of other digestive organs and peritoneum	M	15	.	18	.	2	.	12	.
		F	6	.	20	.	7	.	7	.
B 18c	of respiratory system	M	8	.	11	.	4	.	7	.
		F	1	.	3	.	2	.	.	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	7	.	14	.	1	.	10	.
B 18e	of genito-urinary system	M	5	.	6	.	4	.	7	.
		F	6	.	6	.	4	.	3	.
B 18f	of lymphatic and haematopoietic tissues	M	2	.	2	.	1	.	3	.
		F	1	.	2	.	.	.	.	.
B 18g	other	M	7	.	12	.	2	.	8	.
		F	5	.	3	.	2	.	4	.
B 19	Benign and unspecified neoplasms	M	2	.	2	.	.	.	.	.
		F	2	.	1	.	1	.	1	.
B 20	Diabetes mellitus	M	3	.	4	.	1	.	1	.
		F	2	.	2	.	1	.	2	.
B 21	Anaemias	M	1	.	2	.	1	.	2	.
		F	4	.	7	.	1	.	5	1
B 22	Vascular lesions affecting central nervous system	M	37	1	40	.	24	.	32	1
		F	42	2	62	1	23	.	33	.
B 23	Nonmeningococcal meningitis	M	1	.	1	.	1	.	1	.
		F	.	.	.	.	.	.	1	.
B 24	Rheumatic fever	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	1	.
B 25	Chronic rheumatic heart disease	M	4	.	4	.	7	.	4	.
		F	3	.	4	.	2	.	3	.
B 26a	Chronic endocarditis	M	4	.	14	.	1	.	4	.
		F	1	.	13	.	1	.	1	.
B 26b	Coronary and arteriosclerotic heart disease	M	53	1	48	.	14	.	31	2
		F	22	.	15	2	5	.	18	.
B 26c	Other myocardial degeneration	M	50	.	82	.	36	.	59	.
		F	34	.	70	4	30	.	40	2
B 27	Other diseases of heart	M	19	3	14	.	4	.	11	1
		F	13	1	13	1	8	.	18	.



IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 28	Hypertension with heart disease	M	7	•	7	•	2	•	3	•
		F	7	•	9	•	•	•	1	•
B 29	Hypertension without mention of heart	M	2	•	4	•	•	•	3	•
		F	1	•	3	•	•	•	4	•
B 46a	Other diseases of circulatory system	M	1	•	10	•	4	•	13	•
		F	8	•	8	•	2	•	9	•
B 30	Influenza	M	2	•	1	•	2	•	2	•
		F	3	•	3	•	•	•	3	•
B 31	Pneumonia	M	13	•	10	1	3	•	15	•
		F	4	•	6	•	•	•	7	1
B 32	Bronchitis	M	11	•	8	•	14	•	9	•
		F	8	•	8	•	5	•	5	•
B 46b	Bronchiectasis	M	1	•	1	•	•	•	1	•
		F	1	•	1	•	•	•	1	•
B 46c	Other diseases of respiratory system	M	•	•	•	•	•	•	4	•
		F	•	•	2	•	•	•	1	•
B 33	Ulcer of stomach and duodenum	M	3	•	4	•	3	•	1	•
		F	1	•	1	•	•	•	2	•
B 34	Appendicitis	M	1	•	•	•	•	•	•	•
		F	1	•	•	•	•	•	•	•
B 35	Intestinal obstruction and hernia	M	•	•	2	•	2	•	2	•
		F	2	•	5	•	•	•	1	•
B 36	Gastritis and enteritis (except of newborn)	M	2	•	6	•	•	•	1	•
		F	•	•	2	•	1	•	1	•
B 36, 43 parts of	Gastro-enteritis (under 2 years)	M	2	•	4	•	•	•	1	•
		F	•	•	1	•	•	•	•	•
B 37	Cirrhosis of liver	M	1	•	•	•	•	•	1	•
		F	2	•	•	•	•	•	1	•
B 46d	Other diseases of digestive system	M	1	•	5	•	1	•	2	•
		F	3	•	2	1	2	•	6	•
B 38	Nephritis and nephrosis	M	8	•	7	•	5	•	1	•
		F	5	•	3	•	3	•	2	•
B 39	Hyperplasia of prostate	M	6	•	4	•	3	•	5	•
B 40	Complications of pregnancy and childbirth	F	1	•	1	•	2	•	1	•
B 41	Congenital malformations	M	4	•	10	•	1	•	3	•
		F	5	•	5	•	3	•	1	•
B 42	Birth injuries, asphyxia and atelectasis	M	5	•	10	•	1	•	4	•
		F	4	1	4	•	•	•	3	•
B 43	Infections of the newborn	M	4	1	2	•	•	•	1	•
		F	2	•	•	•	•	•	•	•
B 44	Other diseases of early infancy	M	6	•	16	•	2	•	5	•
		F	4	•	6	•	2	•	3	•
B 45a	Senility without psychosis	M	53	13	44	5	4	•	15	3
		F	54	20	45	11	6	•	27	8
B 45b	Ill-defined and unknown causes	M	3	2	6	2	2	•	2	•
		F	7	3	4	2	•	•	4	1
B 46e	All other diseases	M	16	•	33	•	12	•	13	1
		F	22	2	20	•	11	•	18	•
	External Causes									
B 47	Motor vehicle accidents	M	6	•	5	•	1	•	1	•
		F	1	•	•	•	1	•	•	•
B 48	All other accidents	M	7	•	12	•	4	•	9	•
		F	4	•	5	•	1	•	5	•
B 49	Suicide and self-inflicted injury	M	•	•	1	•	•	•	2	•
		F	•	•	1	•	•	•	•	•
B 50	Homicide and operations of war	M	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•
	Total	M	402	22	496	8	178	•	314	8
		F	309	29	402	22	139	•	267	13

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	17	1	1	.	16	.	3	.
		F	2	.	3	.	10	.	1	.
B 2	Tuberculosis, other forms	M	9	.	1	.	1	.	1	.
		F	2	.	.	.	2	.	2	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	2	.	.	.	4	2	1	.
		F	.	.	.	.	2	1	1	.
B 10	Meningococcal infections	M	.	.	.	.	2	.	.	.
		F	.	.	.	.	1	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	2	.	.	.
		F	.	.	1	1	2	1	.	.
B 17	Other infective and parasitic diseases	M	2	.	.	.	3	.	.	.
		F	1	.	2	.	2	.	1	.
B 18a	Malignant neoplasms :— of stomach	M	24	1	10	1	24	1	9	.
		F	20	1	6	.	24	.	9	.
B 18b	of other digestive organs and peritoneum	M	35	.	6	.	33	.	19	2
		F	22	.	6	.	24	.	17	.
B 18c	of respiratory system	M	16	.	4	.	12	.	2	.
		F	6	.	1	.	4	.	1	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	19	.	4	.	8	.	9	.
B 18e	of genito-urinary system	M	17	.	1	.	15	.	12	.
		F	10	.	2	.	5	.	12	.
B 18f	of lymphatic and haematopoietic tissues	M	7	.	2	.	6	.	4	.
		F	5	.	1	.	5	.	1	.
B 18g	other	M	20	1	6	.	20	2	11	1
		F	14	.	2	.	9	1	7	1
B 19	Benign and unspecified neoplasms	M	1	.	.	.	2	.	.	.
		F	7	.	1	.	5	.	1	.
B 20	Diabetes mellitus	M	1	.	.	.	5	.	2	.
		F	5	.	.	.	1	1	3	.
B 21	Anaemias	M	5	.	2	.	2	.	1	.
		F	4	.	2	.	7	.	1	.
B 22	Vascular lesions affecting central nervous system	M	76	3	21	.	73	11	28	.
		F	81	8	30	1	67	4	37	3
B 23	Nonmeningococcal meningitis	M	4	.	.	.	3	.	.	.
		F	1	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	.	1	.	.
B 25	Chronic rheumatic heart disease	M	10	.	2	.	6	.	2	.
		F	6	.	2	.	10	.	1	.
B 26a	Chronic endocarditis	M	10	.	3	.	17	.	1	.
		F	3	.	2	.	23	.	1	.
B 26b	Coronary and arteriosclerotic heart disease	M	104	4	23	.	81	3	39	1
		F	64	2	8	1	56	4	20	2
B 26c	Other myocardial degeneration	M	137	9	75	1	107	9	96	4
		F	117	6	50	4	89	10	87	5
B 27	Other diseases of heart	M	20	4	3	.	27	6	19	5
		F	22	6	4	.	28	3	8	5

IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County		
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified	
B 28	Hypertension with heart disease	M	24	.	6	.	16	.	5	.	
		F	15	1	3	.	17	1	9	.	
B 29	Hypertension without mention of heart	M	20	.	2	.	13	1	6	.	
		F	14	2	1	.	21	1	3	.	
B 46a	Other diseases of circulatory system	M	23	1	3	.	28	5	5	.	
		F	11	.	3	.	23	1	6	.	
B 30	Influenza	M	25	1	6	1	21	3	5	1	
		F	12	1	3	.	23	8	6	.	
B 31	Pneumonia	M	19	.	4	.	31	7	12	2	
		F	24	4	4	.	22	3	8	.	
B 32	Bronchitis	M	21	2	9	.	15	2	15	2	
		F	15	2	3	.	16	4	10	.	
B 46b	Bronchiectasis	M	2	.	.	.	3	.	.	.	
		F	4	.	.	.	.	.	.	.	
B 46c	Other diseases of respiratory system	M	9	.	4	.	9	2	4	.	
		F	8	.	4	.	5	.	4	.	
B 33	Ulcer of stomach and duodenum	M	7	.	2	.	13	.	3	.	
		F	2	.	1	.	3	.	2	.	
B 34	Appendicitis	M	1	.	.	.	2	.	.	.	
		F	1	.	1	.	.	.	.	.	
B 35	Intestinal obstruction and hernia	M	2	.	1	.	5	.	4	.	
		F	2	.	.	.	5	.	1	.	
B 36	Gastritis and enteritis (except of newborn)	M	3	.	.	.	8	.	1	.	
		F	2	.	.	.	5	.	2	.	
<i>B 36, 43 parts of</i> B 37	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>2</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>11</i>	<i>.</i>	<i>.</i>	<i>.</i>	
		<i>F</i>	<i>2</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>3</i>	<i>.</i>	<i>2</i>	<i>.</i>	
B 37	Cirrhosis of liver	M	1	.	.	.	1	.	.	.	
		F	.	.	.	.	2	.	.	.	
B 46d	Other diseases of digestive system	M	11	.	1	.	7	.	3	.	
		F	7	.	1	.	4	.	3	.	
B 38	Nephritis and nephrosis	M	9	.	5	.	28	6	11	1	
		F	7	.	2	.	8	.	4	1	
B 39	Hyperplasia of prostate	M	8	1	1	.	11	1	4	.	
B 40	Complications of pregnancy and childbirth	F	2	.	1	.	1	.	2	.	
B 41	Congenital malformations	M	3	.	4	.	5	.	3	.	
		F	11	.	1	.	6	.	3	1	
B 42	Birth injuries, asphyxia and atelectasis	M	11	1	.	.	12	.	5	.	
		F	15	.	.	.	8	.	1	.	
B 43	Infections of the newborn	M	5	.	.	.	7	.	1	.	
		F	4	.	.	.	3	.	1	.	
B 44	Other diseases of early infancy	M	25	.	1	.	27	1	6	.	
		F	10	2	4	.	16	1	2	.	
B 45a	Senility without psychosis	M	87	75	37	35	142	104	50	42	
		F	120	97	45	41	172	130	57	50	
B 45b	Ill-defined and unknown causes	M	11	6	23	19	20	15	8	7	
		F	12	9	14	13	15	9	6	4	
B 46e	All other diseases	M	51	4	16	1	57	15	17	.	
		F	37	5	10	1	38	8	17	1	
External Causes											
B 47	Motor vehicle accidents	M	7	.	1	.	4	.	8	.	
		F	2	.	.	.	.	.	.	.	
B 48	All other accidents	M	19	.	5	.	25	1	9	.	
		F	7	.	3	.	18	.	8	.	
B 49	Suicide and self-inflicted injury	M	5	.	1	.	4	.	2	.	
		F	.	.	.	.	1	.	.	.	
B 50	Homicide and operations of war	M	.	.	.	.	1	1	.	.	
		F	.	.	.	.	.	.	.	.	
Total			M	927	114	292	59	977	198	437	68
			F	755	146	231	62	816	191	376	73



TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	2	.	6	.	20	.	3	.
		F	5	.	5	.	8	.	1	.
B 2	Tuberculosis, other forms	M	1	.	1	.	6	.	.	.
		F	1	.	.	.	4	.	1	.
B 3	Syphilis and its sequelae	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	2	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	1	.	1	1	.	.
		F	.	.	1	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	1	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	1	.	2	.	1	1	.	.
		F	1	.	3	.	1	.	2	.
B 18a	Malignant neoplasms :— of stomach	M	16	.	18	.	29	.	15	.
		F	10	.	8	.	19	1	7	.
B 18b	of other digestive organs and peritoneum	M	15	.	19	.	24	.	10	1
		F	10	.	12	.	24	.	15	.
B 18c	of respiratory system	M	5	.	4	.	3	.	6	.
		F	1	.	2	.	4	.	.	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	11	1	6	.	19	3	5	.
B 18e	of genito-urinary system	M	2	.	4	.	11	.	6	.
		F	8	.	5	.	16	.	6	.
B 18f	of lymphatic and haematopoietic tissues	M	2	.	.	.	8	.	3	.
		F	1	.	.	.	2	.	1	.
B 18g	other	M	13	.	10	.	21	1	6	.
		F	6	.	8	.	6	.	5	.
B 19	Benign and unspecified neoplasms	M	1	.	1	.	2	.	.	.
		F	4	.	2	.	2	.	2	.
B 20	Diabetes mellitus	M	2	.	1	.	4	.	4	.
		F	2	.	1	.	7	.	.	.
B 21	Anaemias	M	1	.	4	.	2	.	2	.
		F	2	.	1	.	4	.	4	.
B 22	Vascular lesions affecting central nervous system	M	32	1	52	1	77	12	38	3
		F	49	3	47	2	105	18	37	1
B 23	Nonmeningococcal meningitis	M	.	.	.	.	1	.	.	.
		F	1	.	1	.	3	.	.	.
B 24	Rheumatic fever	M	.	.	.	.	.	.	.	.
		F	.	.	1	.	2	.	.	.
B 25	Chronic rheumatic heart disease	M	1	.	7	.	2	.	3	.
		F	2	.	2	.	4	1	.	.
B 26a	Chronic endocarditis	M	8	.	10	.	3	1	1	.
		F	6	.	8	.	4	1	5	1
B 26b	Coronary and arteriosclerotic heart disease	M	37	.	59	2	79	13	43	.
		F	23	.	18	.	46	8	10	.
B 26c	Other myocardial degeneration	M	65	.	73	.	125	17	44	3
		F	62	5	63	2	108	15	48	4
B 27	Other diseases of heart	M	4	1	17	3	32	7	17	.
		F	9	2	13	.	35	5	10	1

## IN 1956 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County		
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified	
B 28	Hypertension with heart disease	M	4	.	14	.	15	.	5	.	
		F	6	.	15	.	18	1	5	.	
B 29	Hypertension without mention of heart	M	11	.	3	.	6	.	3	1	
		F	7	1	4	.	4	2	7	.	
B 46a	Other diseases of circulatory system	M	24	.	10	.	29	1	2	.	
		F	17	.	10	1	14	.	2	.	
B 30	Influenza	M	8	2	6	.	27	7	2	.	
		F	4	4	5	.	28	11	4	1	
B 31	Pneumonia	M	17	1	8	.	39	1	4	1	
		F	9	1	8	.	30	3	9	.	
B 32	Bronchitis	M	19	.	16	1	11	.	11	.	
		F	9	1	11	1	19	.	7	.	
B 46b	Bronchiectasis	M	.	.	1	.	.	.	.	.	
		F	.	.	1	.	2	1	.	.	
B 46c	Other diseases of respiratory system	M	5	.	3	.	7	.	6	.	
		F	1	.	6	.	9	2	4	.	
B 33	Ulcer of stomach and duodenum	M	4	.	6	.	9	1	2	.	
		F	2	1	5	.	2	.	.	.	
B 34	Appendicitis	M	.	.	.	.	1	.	1	.	
		F	1	.	1	.	.	.	.	.	
B 35	Intestinal obstruction and hernia	M	2	.	.	.	4	.	2	.	
		F	2	.	1	.	4	.	2	.	
B 36	Gastritis and enteritis (except of newborn)	M	1	.	2	.	4	.	1	.	
		F	.	.	1	.	5	.	.	.	
<i>B 36, 43 parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>1</i>	.	<i>1</i>	.	<i>2</i>	.	<i>1</i>	.	
		<i>F</i>	.	.	<i>2</i>	.	.	.	.	.	
B 37	Cirrhosis of liver	M	1	.	.	.	.	.	.	.	
		F	.	.	.	.	1	.	1	.	
B 46d	Other diseases of digestive system	M	5	.	1	.	1	.	2	.	
		F	1	.	5	.	3	.	1	.	
B 38	Nephritis and nephrosis	M	5	.	7	.	12	2	8	.	
		F	8	.	7	.	8	.	8	.	
B 39	Hyperplasia of prostate	M	6	.	7	.	15	.	8	1	
B 40	Complications of pregnancy and childbirth	F	.	.	1	.	2	.	1	.	
B 41	Congenital malformations	M	3	.	6	.	3	.	3	.	
		F	6	.	1	.	3	.	4	.	
B 42	Birth injuries, asphyxia and atelectasis	M	1	.	9	1	4	.	1	.	
		F	1	.	3	.	6	.	2	.	
B 43	Infections of the newborn	M	1	.	1	.	2	.	1	.	
		F	.	.	2	.	.	.	2	.	
B 44	Other diseases of early infancy	M	1	.	9	.	16	.	10	.	
		F	5	.	6	.	10	.	4	.	
B 45a	Senility without psychosis	M	40	28	60	29	76	48	18	7	
		F	52	35	46	25	118	86	24	12	
B 45b	Ill-defined and unknown causes	M	10	7	10	6	13	8	8	.	
		F	10	6	6	3	13	11	6	2	
B 46e	All other diseases	M	18	1	14	.	57	7	27	.	
		F	24	.	18	1	58	14	25	1	
External Causes											
B 47	Motor vehicle accidents	M	5	.	5	.	8	.	5	.	
		F	.	.	.	.	.	.	3	.	
B 48	All other accidents	M	14	.	9	.	25	.	9	.	
		F	7	.	5	.	18	.	8	.	
B 49	Suicide and self-inflicted injury	M	1	.	2	.	3	.	1	.	
		F	.	.	1	.	.	.	1	.	
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.	
		F	.	.	.	.	.	.	.	.	
Total			M	414	41	498	43	839	128	342	17
			F	386	60	376	35	798	183	292	23

TABLE 22.—DEATHS REGISTERED IN 1956, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED  
AGGREGATE RURAL  
DUBLIN COUNTY

Ab- bre- viated List No.	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 1	Tuberculosis of respiratory system	M F	98 36	• •	• •	• 1	2 1	9 6	12 9	17 8	31 6	25 3	2 2
B 2	Tuberculosis, other forms	M F	6 13	1 1	2 5	• •	• 1	• 1	1 1	1 1	1 1	• 2	• •
B 3	Syphilis and its sequelae	M F	7 1	• •	• •	• •	• •	• •	• •	1 •	5 •	1 1	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	1 •	• •	• •	• •	• •	• •	1 •	• •	• •	• •	• •
B 8	Diphtheria	M F	4 8	• •	1 2	3 6	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	9 4	9 4	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	3 4	2 1	• 1	• 1	• 1	• •	1 •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	1 1	• •	• •	• •	1 •	• •	• 1	• •	• •	• •	• •
B 14	Measles	M F	3 5	1 2	2 3	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	8 6	1 1	• 1	2 •	• •	• •	2 •	1 •	1 •	1 3	• 1
B 18a	Malignant neoplasms :— of stomach	M F	69 59	• •	• •	• •	• •	1 •	3 4	8 5	18 16	26 19	13 15
B 18b	of other digestive organs and peritoneum	M F	117 122	• •	• •	• •	• •	• 3	5 3	9 17	32 32	33 36	38 31
B 18c	of respiratory system	M F	160 24	• •	• •	• •	• •	• •	8 4	43 2	46 7	51 8	12 3
B 18d	of breast	M F	1 75	• •	• •	• •	• 1	1 3	• 9	• 12	• 14	• 21	• 15
B 18e	of genito-urinary system	M F	52 71	• •	• •	2 •	• •	• 2	1 6	3 19	14 10	16 23	16 11
B 18f	of lymphatic and haematopoietic tissues	M F	31 10	• •	4 •	4 2	• •	5 •	4 2	2 3	8 1	3 2	1 •
B 18g	other	M F	59 29	• •	1 •	• •	• 1	2 2	5 4	10 4	12 7	12 6	17 5
B 19	Benign and unspecified neoplasms	M F	12 14	• 1	• •	1 •	• •	2 2	1 1	3 4	• 1	4 2	1 3
B 20	Diabetes mellitus	M F	14 30	• •	• •	• •	• •	2 2	• 2	2 2	1 6	2 10	7 8
B 21	Anaemias	M F	9 19	• •	• •	• •	1 •	• •	• 3	1 •	• 2	3 5	4 9
B 22	Vascular lesions affecting central nervous system	M F	243 372	• •	• 1	1 1	2 •	7 2	6 6	18 21	46 42	74 124	89 175
B 23	Nonmeningococcal meningitis	M F	7 2	4 1	2 •	1 1	• •	• •	• •	• •	• •	• •	• •
B 24	Rheumatic fever	M F	10 4	• •	• 1	4 2	3 •	2 •	1 1	• •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	28 52	• •	• •	• •	• 1	1 5	5 7	6 6	5 13	8 15	3 5
B 26a	Chronic endocarditis	M F	26 22	• •	• •	• •	• •	1 1	1 •	2 2	7 3	9 5	6 11
B 26b	Coronary and arteriosclerotic heart disease	M F	370 244	• •	• •	• •	• •	• •	18 2	59 13	85 56	133 75	75 98
B 26c	Other myocardial degeneration	M F	179 300	• •	• •	• •	• •	• •	3 1	3 2	15 12	53 60	105 225
B 27	Other diseases of heart	M F	115 131	• •	• •	• •	1 •	1 1	6 1	5 10	21 14	41 34	40 71



LIST), SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS, AND DISTRICTS.  
BOROUGH.

Ab- brev- iated List No.	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 28	Hypertension with heart disease	M F	78 94	. .	. .	. .	. .	. .	3 1	6 2	13 8	24 29	32 54
B 29	Hypertension without mention of heart	M F	43 55	. .	. .	. .	. .	1 .	4 1	5 5	11 2	9 20	13 27
B 46a	Other diseases of circulatory system	M F	55 75	. .	. .	. .	. .	. .	. .	2 2	5 7	16 22	32 44
B 30	Influenza	M F	4 6	. .	. .	. .	1 .	. .	. .	. .	1 2	. 1	2 3
B 31	Pneumonia	M F	104 118	35 28	13 8	. 2	3 2	. 1	2 1	7 9	10 6	13 17	21 44
B 32	Bronchitis	M F	147 85	1 1	. 1	. .	1 .	. .	5 2	13 2	27 6	50 23	50 50
B 46b	Bronchiectasis	M F	7 2	. .	. .	. .	. 1	. 1	. .	. .	1 .	6 .	. .
B 46c	Other diseases of respiratory system	M F	25 19	3 2	. 2	. 1	. 1	2 .	1 1	5 .	2 3	6 2	6 7
B 33	Ulcer of stomach and duodenum	M F	31 13	. .	. .	. .	. .	2 .	. 2	6 .	4 2	13 6	6 3
B 34	Appendicitis	M F	1 1	. .	. .	. .	. .	. .	1 .	. .	. .	. 1	. .
B 35	Intestinal obstruction and hernia	M F	9 21	. 1	1 .	. .	. .	. 2	. 1	1 .	. 7	2 2	5 8
B 36	Gastritis and enteritis (except of newborn)	M F	20 25	9 9	5 1	. .	. .	. 1	1 1	. .	. .	4 6	1 7
B 36, B 43 partsof	Gastro-enteritis (under 2 years)	M F	24 15	19 14	5 1	. .	. .	. .	. .	. .	. .	. .	. .
B 37	Cirrhosis of liver	M F	19 5	. .	. 1	. .	. .	. .	1 .	5 .	6 3	6 .	1 1
B 46d	Other diseases of digestive system	M F	21 24	1 .	3 2	. .	. .	. 1	1 1	3 4	3 4	3 7	7 5
B 38	Nephritis and nephrosis	M F	46 44	1 .	1 .	. 1	3 1	2 1	3 4	8 5	6 9	11 15	11 8
B 39	Hyperplasia of prostate	M	21	. .	. .	. .	. .	. .	. .	1 .	. .	8 .	12 .
B 40	Complications of pregnancy and childbirth	F	5	. .	. .	. .	1 .	1 .	3 .	. .	. .	. .	. .
B 41	Congenital malformations	M F	51 54	46 48	1 2	1 1	1 .	. .	1 1	1 1	. 1	. .	. .
B 42	Birth injuries, asphyxia and atelectasis	M F	43 26	43 26	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 43	Infections of the newborn	M F	37 29	37 29	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 44	Other diseases of early infancy	M F	40 43	40 43	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 45a	Senility without psychosis	M F	24 35	. .	. .	. .	. .	. .	. .	. .	. .	1 2	23 33
B 45b	Ill-defined and unknown causes	M F	24 17	. .	. 1	. .	. .	. .	. .	1 1	8 1	7 5	8 9
B 46e	All other diseases	M F	99 129	9 6	2 2	1 4	2 3	2 4	10 10	7 15	12 21	31 33	23 31
<b>External Causes</b>													
B 47	Motor vehicle accidents	M F	44 21	. .	2 3	4 3	8 4	8 .	1 3	9 1	3 1	5 3	4 3
B 48	All other accidents	M F	59 34	5 5	5 1	2 1	8 3	5 1	8 .	6 1	7 3	4 3	9 16
B 49	Suicide and self-inflicted injury	M F	10 3	. .	. .	. .	1 1	4 .	2 1	. .	. 1	3 .	. .
B 50	Homicide and operations of war	M F	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .
<b>Total</b>		<b>M F</b>	<b>2,705 2,641</b>	<b>248 209</b>	<b>45 38</b>	<b>26 27</b>	<b>39 23</b>	<b>60 43</b>	<b>128 100</b>	<b>280 179</b>	<b>467 330</b>	<b>717 651</b>	<b>695 1,041</b>

TABLE 22.—(continued)—DEATHS REGISTERED IN 1956, CLASSIFIED BY  
URBAN

Ab- brev- iated List No.	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 1	Tuberculosis of respiratory system	M F	80 47	1 .	1 .	. .	1 2	4 12	13 13	16 4	26 8	13 7	5 1
B 2	Tuberculosis, other forms	M F	12 10	1 2	4 5	1 .	1 .	. .	. 1	2 1	2 1	. .	1 .
B 3	Syphilis and its sequelae	M F	3 .	. .	. .	. .	. .	. .	. .	1 .	2 .	. .	. .
B 4	Typhoid fever	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. 1
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. 2	. .	. .	. 1	. .	. .	. 1	. .	. .	. .	. .
B 9	Whooping cough	M F	1 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	4 1	. .	2 1	2 .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	5 2	. .	. .	1 2	1 .	3 .	. .	. .	. .	. .	. .
B 14	Measles	M F	1 5	. 1	. 3	. 1	. .	. .	. .	. .	1 .	. .	. .
B 17	Other infective and parasitic diseases	M F	4 7	. 1	. 2	1 1	. .	. .	1 2	. .	1 .	1 1	. .
B 18a	Malignant neoplasms :— of stomach	M F	75 62	. .	. .	. .	. .	. 1	2 1	17 4	21 12	19 28	16 16
B 18b	of other digestive organs and peritoneum	M F	107 119	. .	. .	. .	1 .	2 1	3 8	9 15	21 31	43 38	28 26
B 18c	of respiratory system	M F	97 32	. .	. .	. .	. .	. .	1 .	26 6	37 10	29 12	4 4
B 18d	of breast	M F	. 71	. .	. .	. .	. .	. 1	. 8	. 14	. 18	. 15	. 15
B 18e	of genito-urinary system	M F	32 55	. .	. 2	. 1	1 .	2 1	. 6	3 12	6 18	12 11	8 4
B 18f	of lymphatic and haematopoietic tissues	M F	23 19	. .	2 1	5 1	2 1	3 1	1 3	. 2	3 6	6 3	1 1
B 18g	other	M F	63 31	. .	1 .	1 1	1 2	2 .	1 2	7 4	12 5	19 9	19 8
B 19	Benign and unspecified neoplasms	M F	8 9	. .	. .	1 .	1 1	. .	. 2	1 1	4 3	1 1	. 1
B 20	Diabetes mellitus	M F	21 14	. .	. .	. .	1 .	2 1	1 .	2 .	2 5	6 4	7 4
B 21	Anaemias	M F	20 28	. .	1 .	. 1	. 1	1 .	1 .	1 .	1 2	11 8	4 16
B 22	Vascular lesions affecting central nervous system	M F	270 367	. .	2 .	1 .	3 .	2 3	3 13	16 19	40 60	107 115	96 157
B 23	Nonmeningococcal meningitis	M F	4 3	1 2	2 .	. .	. .	1 .	. .	. .	. .	. 1	. .
B 24	Rheumatic fever	M F	4 6	. .	1 .	2 3	1 1	. .	. .	. 1	. .	. 1	. .
B 25	Chronic rheumatic heart disease	M F	29 41	. .	. .	. 2	. 2	2 6	3 3	3 4	8 8	3 9	10 7
B 26a	Chronic endocarditis	M F	36 46	. .	. .	. .	. .	. 1	1 1	6 3	10 10	13 20	6 11
B 26b	Coronary and arteriosclerotic heart disease	M F	387 200	. .	. .	. .	. 1	2 .	11 2	46 13	97 46	130 68	101 70
B 26c	Other myocardial degeneration	M F	335 435	. .	. .	. .	. .	. .	. 2	8 7	22 33	97 100	208 293
B 27	Other diseases of heart	M F	92 136	. .	. .	. .	1 .	1 .	2 3	7 2	15 18	32 53	34 60

## CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX, AND AGE.

## DISTRICTS.

Ab- bre- viated List No.	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 28	Hypertension with heart disease	M F	40 56	· ·	· ·	· ·	· ·	· ·	2 1	2 2	10 6	17 22	9 25
B 29	Hypertension without mention of heart	M F	53 43	· ·	· ·	· ·	1 ·	1 ·	3 ·	3 3	13 5	14 16	18 19
B 46a	Other diseases of circulatory system	M F	79 76	· ·	· ·	· ·	· 1	· ·	· 2	4 3	7 2	27 18	41 50
B 30	Influenza	M F	16 26	1 1	· ·	· ·	· ·	1 ·	· 1	1 1	1 2	2 6	10 15
B 31	Pneumonia	M F	64 70	24 16	6 7	1 1	1 ·	· 1	· 2	6 2	4 7	7 12	15 22
B 32	Bronchitis	M F	98 64	2 1	2 1	· ·	· 1	· ·	· ·	5 1	25 6	35 16	29 38
B 46b	Bronchiectasis	M F	9 6	· ·	1 ·	· ·	· ·	· ·	· 1	1 ·	3 1	4 1	· 3
B 46c	Other diseases of respiratory system	M F	30 26	1 1	· ·	· 1	· ·	1 ·	1 2	1 1	8 ·	10 8	8 13
B 33	Ulcer of stomach and duodenum	M F	45 8	· ·	· ·	· ·	1 ·	· ·	4 1	11 2	14 1	9 2	6 2
B 34	Appendicitis	M F	6 2	· ·	· ·	1 ·	1 ·	· 1	· 1	· ·	2 ·	· ·	2 ·
B 35	Intestinal obstruction and hernia	M F	10 16	· ·	· 1	1 ·	· ·	· 2	· ·	1 2	1 1	2 5	5 5
B 36	Gastritis and enteritis (except of newborn)	M F	14 9	8 6	1 1	· ·	· ·	2 ·	· ·	· ·	1 2	1 ·	1 ·
B 36, B 43 parts of	Gastro-enteritis (under 2 years)	M F	12 13	12 12	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 37	Cirrhosis of liver	M F	10 4	· ·	· ·	· ·	· ·	· ·	· ·	2 ·	4 1	3 2	1 1
B 46d	Other diseases of digestive system	M F	20 24	2 3	1 1	· 1	· 1	1 ·	· 1	· 2	7 4	5 6	4 5
B 38	Nephritis and nephrosis	M F	43 38	· ·	1 ·	1 ·	3 ·	1 1	4 5	7 1	6 8	6 11	14 12
B 39	Hyperplasia of prostate	M	38	·	·	·	·	·	·	·	3	14	21
B 40	Complications of pregnancy and childbirth	F	10	·	·	·	3	4	3	·	·	·	·
B 41	Congenital malformations	M F	45 40	39 32	3 3	2 1	· 2	1 ·	· 2	· ·	· ·	· ·	· ·
B 42	Birth injuries, asphyxia and atelectasis	M F	45 20	45 20	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 43	Infections of the newborn	M F	12 13	12 13	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 44	Other diseases of early infancy	M F	61 32	61 32	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 45a	Senility without psychosis	M F	75 125	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	5 15	70 110
B 45b	Ill-defined and unknown causes	M F	35 27	7 4	· 1	· 1	· ·	· ·	· ·	2 2	1 3	10 8	15 8
B 46e	All other diseases	M F	116 153	4 3	5 1	3 3	5 1	2 8	3 12	10 14	27 31	34 32	23 48
<b>External Causes</b>													
B 47	Motor vehicle accidents	M F	38 8	· ·	2 2	3 1	3 ·	8 ·	6 1	4 ·	4 1	4 2	4 1
B 48	All other accidents	M F	55 40	3 6	5 2	5 2	3 ·	7 ·	3 2	9 2	7 1	3 9	10 16
B 49	Suicide and self-inflicted injury	M F	6 ·	· ·	· ·	· ·	· ·	· ·	1 ·	3 ·	1 ·	1 ·	· ·
B 50	Homicide and operations of war	M F	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·
<b>Total</b>		<b>M F</b>	<b>2,778 2,687</b>	<b>213 145</b>	<b>44 34</b>	<b>32 25</b>	<b>33 20</b>	<b>52 45</b>	<b>71 108</b>	<b>243 150</b>	<b>480 376</b>	<b>756 696</b>	<b>854 1,088</b>



TABLE 22.—(continued)—DEATHS REGISTERED IN 1956, CLASSIFIED BY

RURAL

Ab- brev- iated List No.	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 1	Tuberculosis of respiratory system	M	184	.	.	.	3	17	36	35	41	40	12
		F	117	2	.	.	9	18	27	20	23	13	5
B 2	Tuberculosis, other forms	M	54	5	8	3	6	5	8	6	5	5	3
		F	32	3	2	6	2	4	2	6	3	2	2
B 3	Syphilis and its sequelae	M	2	.	.	.	.	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	1	.	.	.	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	1	1	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	1	.	.
B 8	Diphtheria	M	1	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	15	14	1	.	.	.	.	.	.	.	.
		F	9	6	3	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	5	2	3	.	.	.	.	.	.	.	.
		F	3	.	2	.	.	.	.	.	1	.	.
B 12	Acute poliomyelitis	M	5	.	.	2	1	.	.	1	.	1	.
		F	6	1	1	2	1	.	1	.	.	.	.
B 14	Measles	M	3	2	.	1	.	.	.	.	.	.	.
		F	3	.	2	1	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	31	5	2	3	.	2	7	7	3	1	1
		F	24	4	6	2	1	1	1	1	.	4	4
B 18a	Malignant neoplasms :— of stomach	M	379	.	.	.	1	2	9	26	93	138	110
		F	249	.	.	.	.	.	4	20	53	85	87
B 18b	of other digestive organs and peritoneum	M	476	.	.	.	1	1	13	39	90	177	155
		F	353	.	.	.	1	3	10	23	70	131	115
B 18c	of respiratory system	M	178	.	.	.	1	2	4	34	66	44	27
		F	61	.	.	.	.	1	5	9	14	19	13
B 18d	of breast	M	3	.	.	.	.	.	.	1	1	1	.
		F	237	.	.	.	.	5	24	51	46	58	53
B 18e	of genito-urinary system	M	190	.	.	.	1	.	7	7	28	67	80
		F	175	.	2	.	.	2	13	32	54	38	34
B 18f	of lymphatic and haematopoietic tissues	M	79	.	6	8	2	8	7	14	18	10	6
		F	49	.	.	5	4	4	4	11	9	10	2
B 18g	other	M	300	.	1	3	2	4	17	32	37	70	134
		F	176	2	3	3	2	4	5	26	35	46	50
B 19	Benign and unspecified neoplasms	M	23	.	1	1	.	1	3	5	2	5	5
		F	53	1	1	1	.	4	8	10	8	12	8
B 20	Diabetes mellitus	M	58	.	.	1	.	1	3	2	11	17	23
		F	70	.	.	1	2	.	1	1	7	28	30
B 21	Anaemias	M	63	1	1	1	3	.	2	3	7	22	23
		F	82	.	4	.	1	2	4	5	11	30	25
B 22	Vascular lesions affecting central nervous system	M	1,119	.	.	2	3	9	17	58	138	352	540
		F	1,274	.	2	.	5	9	17	59	180	379	623
B 23	Nonmeningococcal meningitis	M	16	5	4	4	1	.	2	.	.	.	.
		F	15	4	2	4	2	.	.	1	1	1	.
B 24	Rheumatic fever	M	7	.	.	.	.	.	3	3	.	1	.
		F	17	.	.	2	3	2	1	6	.	2	1
B 25	Chronic rheumatic heart disease	M	144	.	.	.	2	7	12	18	29	33	43
		F	112	.	.	.	1	6	12	15	24	20	34
B 26a	Chronic endocarditis	M	165	.	.	1	1	.	1	5	30	67	60
		F	129	.	.	.	.	1	5	9	22	31	61
B 26b	Coronary and arteriosclerotic heart disease	M	1,298	.	.	.	1	1	29	118	305	453	391
		F	644	.	.	.	.	3	13	50	117	247	214
B 26c	Other myocardial degeneration	M	2,006	.	.	.	1	1	10	43	110	487	1,354
		F	1,710	.	.	.	1	2	8	27	98	348	1,226
B 27	Other diseases of heart	M	433	.	.	.	2	3	6	18	61	143	200
		F	367	1	.	3	1	2	8	12	43	94	203

CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX, AND AGE.  
DISTRICTS.

Ab- brev- iated List No.	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 28	Hypertension with heart disease	M	181	.	.	.	2	.	.	2	23	63	91
		F	197	.	.	.	.	.	2	10	26	71	88
B 29	Hypertension without mention of heart	M	173	.	.	1	1	5	6	9	35	46	70
		F	161	.	.	.	.	1	4	8	26	53	69
B 46a	Other diseases of circulatory system	M	380	.	.	.	.	2	2	9	24	94	249
		F	274	.	.	.	1	4	5	6	10	63	185
B 30	Influenza	M	185	4	.	3	1	1	1	7	10	44	114
		F	164	5	2	.	.	.	3	5	11	33	105
B 31	Pneumonia	M	333	68	29	5	1	3	11	15	31	63	107
		F	272	51	19	5	2	4	11	5	23	49	103
B 32	Bronchitis	M	337	8	2	1	1	.	5	15	39	94	172
		F	207	6	1	1	2	.	.	3	16	53	125
B 46b	Bronchiectasis	M	18	.	.	1	1	2	1	3	4	4	2
		F	18	.	.	.	.	2	1	.	2	7	6
B 46c	Other diseases of respiratory system	M	107	5	1	2	2	2	3	5	14	24	49
		F	87	2	7	.	2	1	2	9	8	13	43
B 33	Ulcer of stomach and duodenum	M	107	.	.	.	.	3	5	13	34	28	24
		F	35	.	.	.	1	.	7	2	7	7	11
B 34	Appendicitis	M	16	.	3	1	1	.	2	.	3	3	3
		F	11	.	.	3	1	.	.	1	1	2	3
B 35	Intestinal obstruction and hernia	M	55	1	.	.	1	.	3	6	8	9	27
		F	48	.	.	1	.	1	4	1	6	18	17
B 36	Gastritis and enteritis (except of newborn)	M	66	35	4	.	.	2	.	3	3	8	11
		F	40	12	5	1	1	.	.	.	5	8	8
<i>B 36, B 43 parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>57</i>	<i>54</i>	<i>3</i>	.	.	.	.	.	.	.	.
		<i>F</i>	<i>32</i>	<i>28</i>	<i>4</i>	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	17	.	.	.	1	.	.	3	7	3	3
		F	14	.	.	.	.	.	1	9	2	.	2
B 46d	Other diseases of digestive system	M	82	4	5	2	1	2	7	10	10	16	25
		F	73	3	1	1	1	3	5	9	8	20	22
B 38	Nephritis and nephrosis	M	190	1	1	5	7	6	8	17	32	43	70
		F	134	1	1	4	3	6	11	11	21	35	41
B 39	Hyperplasia of prostate	M	171	.	.	.	.	.	.	1	10	36	124
B 40	Complications of pregnancy and childbirth	F	38	.	.	.	6	20	10	2	.	.	.
B 41	Congenital malformations	M	123	109	7	3	2	.	.	1	1	.	.
		F	117	98	13	2	1	1	2	.	.	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	155	155	.	.	.	.	.	.	.	.	.
		F	110	110	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	63	63	.	.	.	.	.	.	.	.	.
		F	41	41	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	247	247	.	.	.	.	.	.	.	.	.
		F	156	156	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	1,118	.	.	.	.	.	.	.	.	63	1,055
		F	1,250	.	.	.	.	.	.	.	1	73	1,176
B 45b	Ill-defined and unknown causes	M	273	20	4	.	1	.	1	9	24	70	144
		F	185	15	2	1	2	.	2	6	14	35	108
B 46e	All other diseases	M	649	14	16	19	13	16	42	58	101	145	225
		F	518	20	8	9	11	19	31	59	83	109	169
External Causes													
B 47	Motor vehicle accidents	M	122	.	7	7	27	12	11	20	16	17	5
		F	23	.	3	4	3	2	2	1	4	1	3
B 48	All other accidents	M	326	19	12	14	22	28	40	39	37	53	62
		F	164	15	11	7	1	1	7	3	8	26	85
B 49	Suicide and self-inflicted injury	M	49	.	.	1	1	4	11	11	10	9	2
		F	8	.	.	.	2	1	2	.	2	1	.
B 50	Homicide and operations of war	M	4	.	.	.	.	.	1	.	2	1	.
		F	.	.	.	.	.	.	.	.	.	.	.
Total		M	12,786	788	118	95	119	153	356	731	1,553	3,071	5,802
		F	10,313	559	103	69	76	139	285	544	1,104	2,275	5,159

Table 23.—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1956 WHICH WERE NOT MEDICALLY CERTIFIED.

Area	Age at Death											Percent- age of Deaths un- certified
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
<b>Total</b> ... ..	<b>2,622</b>	<b>54</b>	<b>7</b>	<b>5</b>	<b>2</b>	<b>7</b>	<b>15</b>	<b>42</b>	<b>95</b>	<b>331</b>	<b>2,064</b>	<b>7.7</b>
LEINSTER ... ..	366	18	2	.	.	1	6	15	30	76	218	2.6
MUNSTER ... ..	815	13	3	1	2	3	2	12	39	100	640	7.4
CONNACHT ... ..	1,012	21	1	4	.	2	2	6	15	102	859	18.0
ULSTER (part of) ...	429	2	1	.	.	1	5	9	11	53	347	13.6
Carlow ... ..	21	2	.	.	.	.	.	.	2	3	14	5.3
Dublin County Borough ...	53	.	.	.	.	.	2	6	11	20	14	1.0
Dun Laoghaire Borough ...	.	.	.	.	.	.	.	.	.	.	.	.
Dublin County (remainder)	1	1	.	.	.	.	.	.	.	.	.	0.1
Kildare ... ..	8	1	.	.	.	.	.	3	1	1	2	1.2
Kilkenny ... ..	31	.	.	.	.	1	.	1	1	5	23	3.9
Laois ... ..	37	1	.	.	.	.	1	1	4	5	25	6.1
Longford ... ..	59	2	.	.	.	.	.	2	3	8	44	13.9
Louth ... ..	26	2	1	.	.	.	.	1	2	6	14	3.4
Meath ... ..	32	2	.	.	.	.	1	.	2	7	20	4.4
Offaly ... ..	32	2	1	.	.	.	1	1	2	5	20	5.8
Westmeath ... ..	34	3	.	.	.	.	1	.	2	7	21	5.6
Wexford ... ..	27	.	.	.	.	.	.	.	.	6	21	2.3
Wicklow ... ..	5	2	.	.	.	.	.	.	.	3	.	0.7
Clare ... ..	128	4	.	.	.	.	.	.	3	11	110	12.4
Cork County Borough ...	3	.	1	.	.	.	.	.	.	2	.	0.3
Cork County ... ..	212	1	.	1	1	2	.	1	12	31	163	6.4
Kerry ... ..	275	2	1	.	1	1	1	9	10	35	215	18.8
Limerick County Borough	21	1	.	.	.	.	.	1	8	4	7	4.0
Limerick County ...	74	.	.	.	.	.	.	.	3	4	67	6.6
Tipperary, North Riding	51	4	.	.	.	.	.	.	1	5	41	7.2
Tipperary, South Riding	30	1	1	.	.	.	.	.	2	3	23	3.3
Waterford County Borough	.	.	.	.	.	.	.	.	.	.	.	.
Waterford County ...	21	.	.	.	.	.	1	1	.	5	14	3.6
Galway ... ..	260	7	.	.	.	.	.	3	1	27	222	15.5
Leitrim ... ..	121	2	.	1	.	.	1	1	3	14	99	23.1
Mayo ... ..	389	10	1	1	.	1	1	.	9	39	327	21.7
Roscommon ... ..	141	2	.	1	.	1	.	1	.	14	122	17.3
Sligo ... ..	101	.	.	1	.	.	.	1	2	8	89	12.6
Cavan ... ..	78	1	.	.	.	.	.	2	1	7	67	8.9
Donegal ... ..	311	1	1	.	.	1	5	7	7	41	248	19.0
Monaghan ... ..	40	.	.	.	.	.	.	.	3	5	32	6.3



TABLE 24.—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis of respiratory system	M	362	1	1	.	6	30	61	68	98	78	19
	F	200	2	.	1	12	36	49	32	37	23	8
Tuberculosis, other forms	M	72	7	14	4	7	5	9	9	8	5	4
	F	55	6	12	6	3	5	4	8	5	4	2
Other infective and parasitic diseases	M	119	38	12	15	4	6	12	11	13	6	2
	F	95	22	27	17	3	1	6	1	2	10	6
Malignant neoplasms	M	2,491	.	15	23	13	35	91	290	563	776	685
	F	2,079	2	8	13	12	34	125	291	468	618	508
Vascular lesions affecting central nervous system	M	1,632	.	2	4	8	18	26	92	224	533	725
	F	2,013	.	3	1	5	14	36	99	282	618	955
Diseases of the heart	M	5,643	.	.	1	9	20	108	347	820	1,702	2,636
	F	4,569	1	.	5	7	28	68	175	517	1,179	2,589
Other diseases of the circulatory system	M	1,103	.	1	7	8	11	24	45	141	311	555
	F	1,058	.	1	7	6	7	18	48	92	317	562
Diseases of the respiratory system	M	1,484	152	54	13	12	12	30	84	180	362	585
	F	1,170	114	48	11	11	10	27	38	93	241	577
Senility	M	1,217	.	.	.	.	.	.	.	.	69	1,148
	F	1,410	.	.	.	.	.	.	.	1	90	1,319
Other diseases	M	3,431	1,024	75	50	50	52	110	207	366	601	896
	F	2,691	740	54	42	46	87	142	173	292	477	638
Accidents and other external causes	M	715	27	33	36	74	76	84	101	87	101	96
	F	301	26	22	18	14	5	18	8	21	45	124
All causes	M	18,269	1,249	207	153	191	265	555	1,254	2,500	4,544	7,351
	F	15,641	913	175	121	119	227	493	873	1,810	3,622	7,288
LEINSTER												
Tuberculosis of respiratory system	M	178	.	.	.	4	14	27	35	45	47	6
	F	87	.	.	1	3	18	20	18	15	8	4
Tuberculosis, other forms	M	30	4	6	2	3	1	3	3	6	.	2
	F	31	2	8	4	1	3	2	4	2	4	1
Other infective and parasitic diseases	M	64	21	4	8	3	2	5	7	9	4	1
	F	42	11	10	9	2	.	2	.	1	5	2
Malignant neoplasms	M	1,176	.	9	13	4	19	46	148	293	358	286
	F	941	.	3	7	6	19	61	140	211	275	219
Vascular lesions affecting central nervous system	M	732	.	.	3	4	10	14	40	123	242	296
	F	947	.	2	1	4	4	13	55	121	301	446
Diseases of the heart	M	2,301	.	.	1	5	7	58	180	382	717	951
	F	1,932	1	.	.	1	11	31	80	233	506	1,069
Other diseases of the circulatory system	M	499	.	.	6	5	3	15	24	63	128	255
	F	530	.	1	5	3	2	6	25	42	160	286
Diseases of the respiratory system	M	613	74	32	6	6	2	14	42	86	150	201
	F	459	54	25	5	7	5	8	14	35	94	212
Senility	M	251	.	.	.	.	.	.	.	.	16	235
	F	268	.	.	.	.	.	.	.	.	23	245
Other diseases	M	1,443	514	38	18	22	25	46	92	132	236	320
	F	1,189	372	24	24	23	35	64	76	132	204	235
Accidents and other external causes	M	315	14	19	16	37	41	38	37	36	46	31
	F	131	16	13	11	10	3	8	3	10	17	40
All causes	M	7,602	627	108	73	93	124	266	608	1,175	1,944	2,584
	F	6,557	456	86	67	60	100	215	415	802	1,597	2,759

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
MUNSTER												
Tuberculosis of respiratory system	M	116	1	1	.	2	9	18	16	37	22	10
	F	78	1	.	.	6	13	21	7	16	12	2
Tuberculosis, other forms	M	22	.	5	1	3	2	3	5	.	2	1
	F	12	2	4	1	2	.	.	2	.	.	1
Other infective and parasitic diseases	M	31	6	5	5	1	4	2	3	4	1	.
	F	29	5	11	5	.	1	4	.	1	2	.
Malignant neoplasms	M	750	.	4	4	4	9	22	80	165	239	223
	F	668	2	2	3	4	7	41	93	147	201	168
Vascular lesions affecting central nervous system	M	503	.	2	.	3	4	7	34	64	158	231
	F	613	.	.	.	1	9	16	27	100	197	263
Diseases of the heart	M	1,930	.	.	.	1	7	31	103	274	592	922
	F	1,560	.	.	4	3	12	22	58	166	429	866
Other diseases of the circulatory system	M	325	.	1	1	1	6	3	12	47	105	149
	F	289	.	.	1	3	3	6	12	29	78	157
Diseases of the respiratory system	M	467	32	14	3	3	6	6	26	64	115	198
	F	374	32	11	3	1	2	16	16	34	66	193
Senility	M	456	.	.	.	.	.	.	.	.	18	438
	F	508	.	.	.	.	.	.	.	1	37	470
Other diseases	M	1,119	302	21	17	12	15	33	69	154	204	292
	F	835	218	18	13	14	31	39	41	97	151	213
Accidents and other external causes	M	222	5	7	12	22	21	27	38	27	30	33
	F	88	9	4	6	3	1	5	4	5	14	37
All causes	M	5,941	346	60	43	52	83	152	386	836	1,486	2,497
	F	5,054	269	50	36	37	79	170	260	596	1,187	2,370
CONNACHT												
Tuberculosis of respiratory system	M	39	.	.	.	.	4	7	9	10	6	3
	F	21	1	.	.	1	3	7	3	4	1	1
Tuberculosis, other forms	M	13	2	2	1	.	2	.	1	2	2	1
	F	7	2	.	1	.	.	1	.	3	.	.
Other infective and parasitic diseases	M	17	9	3	2	.	.	2	1	.	.	.
	F	14	3	5	2	1	.	.	1	.	.	2
Malignant neoplasms	M	368	.	2	4	1	3	17	35	73	119	114
	F	300	.	2	3	1	4	12	30	79	92	77
Vascular lesions affecting central nervous system	M	230	.	.	1	1	2	2	14	22	80	108
	F	264	.	1	.	.	.	4	11	39	72	137
Diseases of the heart	M	897	.	.	.	1	5	16	38	92	254	491
	F	703	.	.	.	2	5	15	25	79	162	415
Other diseases of the circulatory system	M	192	.	.	.	2	1	6	9	23	50	101
	F	157	.	.	.	.	2	3	8	12	51	81
Diseases of the respiratory system	M	263	27	6	4	3	3	7	14	21	55	123
	F	194	16	8	2	2	2	2	7	16	45	94
Senility	M	356	.	.	.	.	.	.	.	.	27	329
	F	446	.	.	.	.	.	.	.	.	20	426
Other diseases	M	561	134	13	11	12	6	24	28	52	94	187
	F	412	100	8	2	6	13	24	30	43	63	123
Accidents and other external causes	M	111	3	4	5	8	6	14	13	20	19	19
	F	46	1	2	1	.	.	2	1	1	8	30
All causes	M	3,047	175	30	28	28	32	95	162	315	706	1,476
	F	2,564	123	26	11	13	29	70	116	276	514	1,386

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
ULSTER (part of)												
Tuberculosis of respiratory system	M	29	.	.	.	.	3	9	8	6	3	.
	F	14	.	.	.	2	2	1	4	2	2	1
Tuberculosis, other forms	M	7	1	1	.	1	.	3	.	.	1	.
	F	5	.	.	.	.	2	1	2	.	.	.
Other infective and parasitic diseases	M	7	2	.	.	.	.	3	.	.	1	1
	F	10	3	1	1	.	.	.	.	.	3	2
Malignant neoplasms	M	197	.	.	2	4	4	6	27	32	60	62
	F	170	.	1	.	1	4	11	28	31	50	44
Vascular lesions affecting central nervous system	M	167	.	.	.	.	2	3	4	15	53	90
	F	189	.	.	.	.	1	3	6	22	48	109
Diseases of the heart	M	515	.	.	.	2	1	3	26	72	139	272
	F	374	.	.	1	1	.	.	12	39	82	239
Other diseases of the circulatory system	M	87	.	.	.	.	1	.	.	8	28	50
	F	82	.	.	1	.	.	3	3	9	28	38
Diseases of the respiratory system	M	141	19	2	.	.	1	3	2	9	42	63
	F	143	12	4	1	1	1	1	1	8	36	78
Senility	M	154	.	.	.	.	.	.	.	.	8	146
	F	188	.	.	.	.	.	.	.	.	10	178
Other diseases	M	308	74	3	4	4	6	7	18	28	67	97
	F	255	50	4	3	3	8	15	26	20	59	67
Accidents and other external causes	M	67	5	3	3	7	8	5	13	4	6	13
	F	36	.	3	.	1	1	3	.	5	6	17
All causes	M	1,679	101	9	9	18	26	42	98	174	408	794
	F	1,466	65	13	7	9	19	38	82	136	324	773
COUNTY CARLOW												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	1	.	1	.	.
	F	3	.	.	.	.	2	.	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	.	.	1	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	24	.	1	.	.	.	.	3	3	10	7
	F	15	.	.	.	.	.	.	2	2	4	7
Vascular lesions affecting central nervous system	M	22	.	.	.	.	.	.	.	3	8	11
	F	29	.	.	.	.	.	.	2	5	14	8
Diseases of the heart	M	67	.	.	.	.	.	1	7	9	21	29
	F	74	.	.	.	.	.	.	.	5	16	53
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	.	1	2	7
	F	9	.	.	.	.	.	.	1	1	5	2
Diseases of the respiratory system	M	9	1	1	.	.	.	.	.	2	3	2
	F	7	1	.	.	.	.	.	.	1	2	3
Senility	M	11	.	.	.	.	.	.	.	.	6	5
	F	18	.	.	.	.	.	.	.	.	2	16
Other diseases	M	35	14	.	.	.	.	.	5	4	9	3
	F	36	13	2	2	.	.	.	3	2	7	7
Accidents and other external causes	M	13	2	2	2	1	2	2	.	1	.	1
	F	7	3	1	1	1	.	.	.	1	.	.
All causes	M	195	17	4	2	1	2	4	15	25	60	65
	F	198	17	3	3	1	2	.	8	17	51	96



TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	98	.	.	.	2	9	12	17	31	25	2
	F	36	.	.	1	1	6	9	8	6	3	2
Tuberculosis, other forms	M	6	1	2	.	.	.	1	1	1	.	.
	F	13	1	5	.	1	1	1	1	1	2	.
Other infective and parasitic diseases	M	36	13	3	5	1	.	4	2	6	2	.
	F	29	8	7	7	1	.	1	.	.	4	1
Malignant neoplasms	M	489	.	5	6	.	9	26	75	130	141	97
	F	390	.	.	2	2	10	32	62	87	115	80
Vascular lesions affecting central nervous system	M	243	.	.	1	2	7	6	18	46	74	89
	F	372	.	1	1	.	2	6	21	42	124	175
Diseases of the heart	M	718	.	.	.	1	3	33	75	133	244	229
	F	749	.	.	.	1	7	11	33	98	189	410
Other diseases of the circulatory system	M	186	.	.	4	3	3	8	13	29	49	77
	F	228	.	1	2	.	.	3	9	17	71	125
Diseases of the respiratory system	M	287	39	13	.	5	2	8	25	41	75	79
	F	230	31	11	3	4	2	4	11	17	43	104
Senility	M	24	.	.	.	.	.	.	.	.	1	23
	F	35	.	.	.	.	.	.	.	.	2	33
Other diseases	M	504	190	15	4	7	10	19	39	40	94	86
	F	501	164	9	7	5	14	29	32	57	92	92
Accidents and other external causes	M	114	5	7	6	18	17	11	15	10	12	13
	F	58	5	4	4	8	1	4	2	5	6	19
All causes	M	2,705	248	45	26	39	60	128	280	467	717	695
	F	2,641	209	38	27	23	43	100	179	330	651	1,041
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	10	.	.	.	.	.	2	2	3	2	1
	F	3	.	.	.	.	1	1	.	1	.	.
Tuberculosis, other forms	M	2	.	.	.	.	.	.	.	2	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	.	.	2	.	.
	F	2	.	1	1	.	.	.	.	.	.	.
Malignant neoplasms	M	38	.	.	1	.	2	1	5	7	11	11
	F	37	.	.	.	.	.	3	6	11	12	5
Vascular lesions affecting central nervous system	M	35	.	.	1	1	.	.	1	4	13	15
	F	49	.	.	.	.	.	1	3	8	14	23
Diseases of the heart	M	84	.	.	.	.	1	.	9	15	25	34
	F	98	.	.	.	.	.	1	2	12	25	58
Other diseases of the circulatory system	M	21	.	.	.	.	.	.	1	3	7	10
	F	27	.	.	.	.	.	1	2	2	5	17
Diseases of the respiratory system	M	25	6	.	1	.	.	.	3	6	6	3
	F	15	.	.	.	1	.	.	.	2	3	9
Senility	M	5	.	.	.	.	.	.	.	.	2	3
	F	5	.	.	.	.	.	.	.	.	.	5
Other diseases	M	47	12	.	.	1	.	1	4	8	9	12
	F	34	8	1	1	.	1	1	1	4	5	12
Accidents and other external causes	M	16	1	2	1	.	3	1	1	3	3	1
	F	7	2	.	.	.	.	1	.	1	3	.
All causes	M	285	19	2	4	2	6	5	26	53	78	90
	F	277	10	2	2	1	2	9	14	41	67	129

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY DUBLIN (remainder)												
Tuberculosis of respiratory system	M	9	.	.	.	.	1	1	3	.	3	1
	F	6	.	.	.	1	1	2	2	.	.	.
Tuberculosis, other forms	M	3	.	.	1	.	.	1	.	.	.	1
	F	2	.	.	1	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	5	2	.	1	.	1	.	1	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	86	.	1	1	1	2	4	10	22	21	24
	F	59	.	.	.	.	1	4	10	11	19	14
Vascular lesions affecting central nervous system	M	36	.	.	.	.	.	1	1	7	13	14
	F	56	.	.	.	.	.	1	7	4	18	26
Diseases of the heart	M	152	.	.	.	.	.	2	20	29	41	60
	F	108	.	.	.	.	.	1	12	13	30	52
Other diseases of the circulatory system	M	27	.	.	.	.	.	1	.	3	9	14
	F	35	.	.	1	.	1	1	1	1	10	20
Diseases of the respiratory system	M	56	3	3	2	.	.	2	3	6	10	27
	F	23	2	2	1	.	1	.	.	3	5	9
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	95	44	5	2	2	1	1	7	4	11	18
	F	85	31	2	2	5	2	5	4	10	14	10
Accidents and other external causes	M	28	2	4	2	4	3	4	2	2	2	3
	F	10	1	3	2	.	1	.	.	.	.	3
All causes	M	504	51	13	9	7	8	17	47	73	110	169
	F	394	35	7	7	6	7	14	37	42	96	143
COUNTY KILDARE												
Tuberculosis of respiratory system	M	13	.	.	.	.	1	5	3	.	3	1
	F	3	.	.	.	.	.	1	.	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	2	.	.	.	.	.	.	.	.	.
	F	3	1	2	.	.	.	.	.	.	.	.
Malignant neoplasms	M	50	.	.	.	.	.	3	6	11	14	16
	F	32	.	.	.	.	.	1	5	5	10	11
Vascular lesions affecting central nervous system	M	25	.	.	.	.	.	.	2	6	10	7
	F	39	.	.	.	.	.	2	3	6	12	16
Diseases of the heart	M	102	.	.	.	.	.	2	6	23	30	41
	F	74	.	.	.	.	.	3	2	8	21	40
Other diseases of the circulatory system	M	20	.	.	.	.	.	1	.	2	5	12
	F	18	.	.	.	.	.	.	2	2	5	9
Diseases of the respiratory system	M	38	4	3	.	.	.	1	1	6	9	14
	F	20	2	1	.	.	1	1	.	1	3	11
Senility	M	6	.	.	.	.	.	.	.	.	.	6
	F	5	.	.	.	.	.	.	.	.	.	5
Other diseases	M	90	31	1	.	1	4	4	.	7	16	26
	F	68	25	2	.	1	2	3	3	10	7	15
Accidents and other external causes	M	24	1	1	.	1	2	4	2	6	4	3
	F	10	1	1	1	1	.	1	1	.	3	1
All causes	M	370	38	5	.	2	7	20	20	61	91	126
	F	273	29	7	1	2	3	12	16	33	62	108

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	.	2	.
	F	2	.	.	.	.	.	1	.	1	.	.
Tuberculosis, other forms	M	1	1	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	1	1	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	1	.	.	.	1	.
	F	1	.	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	56	.	.	1	.	.	.	1	15	20	19
	F	36	.	.	.	.	.	2	3	13	9	9
Vascular lesions affecting central nervous system	M	48	.	.	.	.	1	1	2	2	17	25
	F	51	.	.	.	.	.	.	4	10	14	23
Diseases of the heart	M	148	.	.	.	1	.	2	11	19	45	70
	F	104	.	.	.	.	.	3	3	14	33	51
Other diseases of the circulatory system	M	38	.	.	.	.	.	.	2	6	9	21
	F	26	.	.	.	.	.	.	2	2	9	13
Diseases of the respiratory system	M	19	2	2	.	.	.	.	.	2	8	5
	F	20	3	1	.	1	.	.	1	1	5	8
Senility	M	42	.	.	.	.	.	.	.	.	.	42
	F	30	.	.	.	.	.	.	.	.	1	29
Other diseases	M	96	28	.	4	1	2	3	9	10	11	28
	F	53	20	1	1	1	3	3	6	4	10	4
Accidents and other external causes	M	16	.	.	1	2	3	3	.	2	3	2
	F	5	1	.	.	.	1	.	.	.	1	2
All causes	M	468	31	2	6	4	7	9	25	56	116	212
	F	330	24	2	1	2	4	10	20	45	83	139
COUNTY LAOIS												
Tuberculosis of respiratory system	M	8	.	.	.	1	1	2	.	2	2	.
	F	3	.	.	.	.	1	2	.	.	.	.
Tuberculosis, other forms	M	5	1	.	.	2	.	1	1	.	.	.
	F	2	.	.	.	.	2	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	42	.	.	1	.	.	.	2	12	15	12
	F	34	.	.	.	.	.	2	6	7	11	8
Vascular lesions affecting central nervous system	M	28	.	.	1	.	.	.	1	6	9	11
	F	31	.	.	.	.	.	2	2	1	8	18
Diseases of the heart	M	110	.	.	.	.	.	1	7	14	26	62
	F	76	.	.	.	.	1	2	4	6	22	41
Other diseases of the circulatory system	M	28	.	.	.	.	.	.	1	4	7	16
	F	29	.	.	.	.	.	.	.	2	10	17
Diseases of the respiratory system	M	23	2	2	.	.	.	.	.	4	6	9
	F	8	1	2	.	.	.	1	.	1	2	1
Senility	M	23	.	.	.	.	.	.	.	.	.	23
	F	18	.	.	.	.	.	.	.	.	2	16
Other diseases	M	72	29	1	1	2	.	1	2	13	11	12
	F	44	14	1	1	2	.	5	1	4	7	9
Accidents and other external causes	M	17	.	.	1	3	2	2	1	3	5	.
	F	1	.	.	.	.	.	.	.	.	.	1
All causes	M	357	33	3	4	8	3	7	15	58	81	145
	F	247	15	3	1	2	4	14	13	22	62	111



TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	1	1	.
	F	4	.	.	.	1	.	.	1	.	1	1
Tuberculosis, other forms	M	1	.	1	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	24	.	.	.	.	.	3	2	2	7	10
	F	30	.	1	1	.	.	3	1	4	13	7
Vascular lesions affecting central nervous system	M	17	.	.	.	.	.	1	.	.	7	9
	F	21	.	.	.	1	.	.	2	1	7	10
Diseases of the heart	M	97	.	.	.	.	.	.	3	12	24	58
	F	58	.	.	.	.	.	.	6	3	9	40
Other diseases of the circulatory system	M	6	.	.	.	.	.	.	1	1	2	2
	F	2	.	.	.	.	.	.	.	.	1	1
Diseases of the respiratory system	M	15	1	1	1	.	.	.	1	2	1	8
	F	8	.	1	.	.	.	.	.	2	1	4
Senility	M	19	.	.	.	.	.	.	.	.	.	19
	F	23	.	.	.	.	.	.	.	.	3	20
Other diseases	M	53	17	.	.	2	.	3	2	4	9	16
	F	29	9	1	.	.	3	1	2	4	3	6
Accidents and other external causes	M	9	.	1	1	.	.	1	1	.	3	2
	F	3	.	.	1	.	.	.	.	.	.	2
All causes	M	245	19	3	2	2	.	8	11	22	54	124
	F	178	9	3	2	2	3	4	12	14	38	91
COUNTY LOUTH												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	.	2	2	.	.
	F	5	.	.	.	.	.	1	3	.	1	.
Tuberculosis, other forms	M	2	.	1	.	.	1	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	1	.	1	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	74	.	1	.	1	1	2	10	11	29	19
	F	62	.	.	.	.	2	2	7	19	18	14
Vascular lesions affecting central nervous system	M	47	.	.	.	1	.	1	2	13	19	11
	F	41	.	.	.	.	1	.	3	7	13	17
Diseases of the heart	M	138	.	.	.	1	.	4	8	24	47	54
	F	92	.	.	.	.	.	2	3	8	28	51
Other diseases of the circulatory system	M	16	.	.	1	.	.	2	.	2	6	5
	F	16	.	.	.	.	1	.	2	1	3	9
Diseases of the respiratory system	M	28	2	2	.	.	.	1	2	7	2	12
	F	14	3	1	1	.	.	.	1	1	1	6
Senility	M	37	.	.	.	.	.	.	.	.	3	34
	F	49	.	.	.	.	.	.	.	.	6	43
Other diseases	M	68	22	1	.	.	2	1	7	8	10	17
	F	62	18	1	1	2	.	2	5	9	11	13
Accidents and other external causes	M	9	1	.	.	2	1	2	2	.	1	.
	F	2	.	.	.	.	.	.	.	.	1	1
All causes	M	427	26	5	1	6	6	14	33	67	117	152
	F	344	22	2	2	2	4	7	24	45	82	154

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY MEATH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	.	.	1
	F	4	.	.	.	.	2	1	.	1	.	.
Tuberculosis, other forms	M	4	.	.	.	1	.	.	1	2	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	2	1	1	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	69	.	.	.	1	1	1	6	17	24	19
	F	44	.	1	2	3	2	1	5	10	13	7
Vascular lesions affecting central nervous system	M	46	.	.	.	.	1	.	2	5	16	22
	F	60	.	1	.	1	1	.	1	11	19	26
Diseases of the heart	M	132	.	.	.	.	1	2	6	23	44	56
	F	85	1	.	.	.	.	3	4	13	26	38
Other diseases of the circulatory system	M	27	.	.	.	.	.	.	1	2	6	18
	F	28	.	.	1	1	.	1	1	3	10	11
Diseases of the respiratory system	M	29	2	.	1	1	.	.	1	3	11	10
	F	18	1	1	.	1	.	.	.	2	5	8
Senility	M	16	.	.	.	.	.	.	.	.	.	16
	F	13	.	.	.	.	.	.	.	.	.	13
Other diseases	M	77	28	2	1	1	.	2	.	7	14	22
	F	44	16	.	.	1	.	2	3	3	12	7
Accidents and other external causes	M	14	.	.	.	1	3	4	2	2	1	1
	F	8	1	1	1	.	.	1	.	.	1	3
All causes	M	418	31	3	2	5	6	9	20	61	116	165
	F	305	19	4	4	7	5	9	14	44	86	113
COUNTY OFFALY												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	1	1	1	1	.
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	2	.	1	.	.	.	.	.	1	.	.
	F	3	.	.	.	.	.	.	.	.	2	1
Other infective and parasitic diseases	M	2	.	.	.	.	.	.	1	.	.	1
	F	1	.	.	.	1	.	.	.	.	.	.
Malignant neoplasms	M	36	.	1	.	.	.	.	2	13	11	9
	F	34	.	.	.	.	1	4	2	9	7	11
Vascular lesions affecting central nervous system	M	41	.	.	.	.	.	.	.	7	12	22
	F	29	.	.	.	1	.	.	2	6	6	14
Diseases of the heart	M	102	.	.	.	.	.	3	.	12	38	49
	F	74	.	.	.	.	1	.	3	10	18	42
Other diseases of the circulatory system	M	17	.	.	.	.	.	.	1	2	6	8
	F	19	.	.	.	.	.	.	4	1	4	10
Diseases of the respiratory system	M	13	1	1	.	.	.	.	1	1	3	6
	F	14	.	.	.	.	.	1	.	2	5	6
Senility	M	23	.	.	.	.	.	.	.	.	2	21
	F	19	.	.	.	.	.	.	.	.	1	18
Other diseases	M	56	14	2	1	1	.	2	3	13	3	17
	F	45	14	.	1	.	3	3	4	6	8	6
Accidents and other external causes	M	12	.	.	.	2	.	2	3	2	2	1
	F	3	1	1	.	.	.	.	.	.	.	1
All causes	M	308	15	5	1	3	.	8	12	52	78	134
	F	242	15	1	1	2	5	8	16	34	51	109

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	1	.	1	2	.
	F	7	.	.	.	.	2	.	1	3	.	1
Tuberculosis, other forms	M	2	1	.	.	.	.	.	.	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	1	.	.	.	1
Malignant neoplasms	M	38	.	.	.	.	1	2	3	8	17	7
	F	36	.	1	1	.	.	1	4	9	9	11
Vascular lesions affecting central nervous system	M	33	.	.	.	.	.	2	3	5	8	15
	F	36	.	.	.	1	.	.	3	13	19	19
Diseases of the heart	M	117	.	.	.	1	1	2	7	13	46	47
	F	69	.	.	.	.	.	1	2	8	21	37
Other diseases of the circulatory system	M	24	.	.	1	1	.	2	.	.	4	16
	F	18	.	.	.	.	.	.	.	2	3	13
Diseases of the respiratory system	M	25	5	1	.	.	.	1	2	2	5	9
	F	13	1	2	.	.	.	.	.	.	4	6
Senility	M	10	.	.	.	.	.	.	.	.	1	9
	F	21	.	.	.	.	.	.	.	.	4	17
Other diseases	M	84	29	5	2	3	1	1	2	5	17	19
	F	52	14	.	2	1	3	3	3	5	6	15
Accidents and other external causes	M	11	.	1	1	.	2	.	4	1	2	.
	F	3	.	.	.	.	.	.	.	1	1	1
All causes	M	348	35	7	4	5	5	11	21	35	102	123
	F	257	15	3	3	2	5	6	10	31	61	121
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	13	.	.	.	1	1	2	3	2	4	.
	F	5	.	.	.	.	1	2	1	1	.	.
Tuberculosis, other forms	M	2	.	1	1	.	.	.	.	.	.	.
	F	5	1	2	2	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	.	.	2	1	.	.	1	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	92	.	.	2	.	2	2	12	26	25	23
	F	86	.	.	.	.	2	3	15	16	25	25
Vascular lesions affecting central nervous system	M	66	.	.	.	.	.	2	4	12	24	24
	F	70	.	.	.	.	.	1	4	8	20	37
Diseases of the heart	M	216	.	.	1	1	.	2	18	30	55	109
	F	182	.	.	.	.	1	3	4	17	52	105
Other diseases of the circulatory system	M	58	.	.	.	.	.	.	3	5	10	40
	F	60	.	.	.	2	.	.	.	7	16	35
Diseases of the respiratory system	M	29	2	2	1	.	.	1	3	3	9	8
	F	36	4	2	.	.	1	1	1	1	9	17
Senility	M	19	.	.	.	.	.	.	.	.	1	18
	F	16	.	.	.	.	.	.	.	.	1	15
Other diseases	M	98	35	4	3	.	2	5	8	6	13	22
	F	68	13	2	4	3	2	4	7	5	8	20
Accidents and other external causes	M	18	1	.	1	1	1	2	3	3	4	2
	F	8	1	2	.	.	.	.	.	2	1	2
All causes	M	615	38	7	11	4	6	16	55	87	145	246
	F	537	19	8	7	5	7	14	32	57	132	256



TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	.	2	1	2	.
	F	5	.	.	.	.	2	.	1	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	.	2	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	58	.	.	1	1	1	2	11	16	13	13
	F	46	.	.	1	1	1	3	12	8	10	10
Vascular lesions affecting central nervous system	M	45	.	.	.	.	1	.	4	7	12	21
	F	63	.	.	.	.	.	.	1	9	19	34
Diseases of the heart	M	118	.	.	.	.	1	4	3	26	31	53
	F	89	.	.	.	.	1	1	2	18	16	51
Other diseases of the circulatory system	M	21	.	.	.	1	.	1	1	3	6	9
	F	15	.	.	1	.	.	.	1	1	8	4
Diseases of the respiratory system	M	17	4	1	.	.	.	.	.	1	2	9
	F	33	5	1	.	.	.	.	.	1	6	20
Senility	M	9	.	.	.	.	.	.	.	.	.	9
	F	7	.	.	.	.	.	.	.	.	1	6
Other diseases	M	68	21	2	.	1	3	3	4	3	9	22
	F	68	13	2	2	2	2	3	2	9	14	19
Accidents and other external causes	M	14	1	1	.	2	2	.	1	1	4	2
	F	6	.	.	1	.	.	1	.	.	.	4
All causes	M	357	26	4	1	5	8	10	28	58	79	138
	F	334	18	3	6	3	6	8	20	47	75	148
COUNTY CLARE												
Tuberculosis of respiratory system	M	12	.	.	.	1	.	2	2	4	2	1
	F	11	.	.	.	.	2	4	.	2	2	1
Tuberculosis, other forms	M	2	.	.	1	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	58	.	.	1	1	1	1	5	13	15	21
	F	55	.	.	.	1	.	3	7	13	17	14
Vascular lesions affecting central nervous system	M	42	.	1	.	.	1	.	2	7	18	13
	F	44	.	.	.	.	1	2	.	6	17	18
Diseases of the heart	M	202	.	.	.	.	1	8	7	23	54	109
	F	133	.	.	.	.	.	1	1	14	38	79
Other diseases of the circulatory system	M	24	.	.	.	.	.	.	.	4	5	15
	F	26	.	.	.	.	.	3	1	2	6	14
Diseases of the respiratory system	M	45	1	.	1	.	.	.	5	6	14	18
	F	43	.	1	1	1	.	2	1	6	8	23
Senility	M	62	.	.	.	.	.	.	.	.	3	59
	F	65	.	.	.	.	.	.	.	.	3	62
Other diseases	M	108	36	.	1	.	.	3	7	13	18	30
	F	69	23	1	1	1	4	4	2	9	8	16
Accidents and other external causes	M	22	1	1	2	2	4	2	3	3	1	3
	F	9	.	.	1	1	.	.	.	.	3	4
All causes	M	578	38	3	6	4	7	16	32	73	130	269
	F	456	23	3	3	4	7	19	12	52	102	231

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	11	.	.	.	.	1	3	.	4	2	1
	F	8	.	.	.	.	1	3	1	2	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	6	.	1	2	1	1	.	.	1	.	.
	F	5	1	2	1	.	.	1	.	.	.	.
Malignant neoplasms	M	77	.	.	1	.	1	1	14	22	27	11
	F	93	.	1	.	1	1	6	14	24	25	21
Vascular lesions affecting central nervous system	M	43	.	.	.	.	.	.	2	9	16	16
	F	60	.	.	.	.	.	4	3	8	20	25
Diseases of the heart	M	163	.	.	.	.	2	3	9	25	49	75
	F	198	.	.	.	1	2	2	8	29	54	102
Other diseases of the circulatory system	M	38	.	1	.	.	.	.	4	7	11	15
	F	24	.	.	1	.	.	.	1	1	10	11
Diseases of the respiratory system	M	44	1	2	.	.	1	.	.	10	19	11
	F	60	5	1	1	.	.	3	2	7	14	27
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	9	.	.	.	.	.	.	.	.	1	8
Other diseases	M	95	28	2	2	2	2	2	5	17	18	17
	F	78	17	3	1	1	4	2	3	10	18	19
Accidents and other external causes	M	13	.	.	.	2	2	1	2	2	1	3
	F	11	.	1	1	.	.	.	.	1	2	6
All causes	M	493	29	6	5	5	10	10	36	97	143	152
	F	546	23	8	5	3	8	21	32	82	145	219
COUNTY CORK												
Tuberculosis of respiratory system	M	32	.	.	.	.	2	2	8	10	7	3
	F	13	.	.	.	1	2	1	2	4	3	.
Tuberculosis, other forms	M	4	.	1	.	.	.	1	1	.	1	.
	F	2	1	.	1	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	12	3	1	1	.	1	1	2	2	1	.
	F	6	.	2	1	.	.	1	.	1	1	.
Malignant neoplasms	M	242	.	1	1	.	4	5	22	46	84	79
	F	199	.	.	1	.	1	11	17	36	78	55
Vascular lesions affecting central nervous system	M	156	.	.	.	.	1	.	11	17	51	76
	F	179	.	.	.	.	3	3	9	28	56	80
Diseases of the heart	M	608	.	.	.	1	.	7	35	86	191	288
	F	528	.	.	3	1	3	4	20	42	151	304
Other diseases of the circulatory system	M	105	.	.	1	.	2	.	4	16	28	54
	F	95	.	.	.	1	1	1	5	12	25	50
Diseases of the respiratory system	M	128	6	1	.	1	2	3	11	20	34	50
	F	88	4	2	1	.	.	3	4	8	12	54
Senility	M	116	.	.	.	.	.	.	.	.	5	111
	F	129	.	.	.	.	.	.	.	1	8	120
Other diseases	M	330	62	3	3	4	8	8	26	49	64	103
	F	229	69	4	6	1	7	8	8	30	39	57
Accidents and other external causes	M	81	.	1	4	8	4	16	17	10	11	10
	F	31	5	2	2	.	.	2	1	1	5	13
All causes	M	1,814	71	8	10	14	24	43	137	256	477	774
	F	1,499	79	10	15	4	17	34	66	163	378	733

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis of respiratory system	M	8	.	.	.	.	1	2	.	3	1	1
	F	16	1	.	.	4	2	4	.	4	1	.
Tuberculosis, other forms	M	6	.	1	.	.	1	1	2	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	1	1	.	.	.
	F	5	1	2	.	.	1	1	.	.	.	.
Malignant neoplasms	M	77	.	.	.	1	.	3	7	15	24	27
	F	84	1	.	1	1	1	5	16	16	20	23
Vascular lesions affecting central nervous system	M	59	.	.	.	.	.	1	5	7	17	29
	F	72	.	.	.	.	2	3	4	13	20	30
Diseases of the heart	M	224	.	.	.	.	.	3	16	41	74	90
	F	182	.	.	.	1	.	3	8	22	45	103
Other diseases of the circulatory system	M	56	.	.	.	.	1	1	1	4	25	24
	F	48	.	.	.	.	1	1	2	2	15	27
Diseases of the respiratory system	M	69	7	2	.	.	.	.	2	3	19	36
	F	59	5	2	.	.	1	2	2	4	9	34
Senility	M	94	.	.	.	.	.	.	.	.	6	88
	F	116	.	.	.	.	.	.	.	.	7	109
Other diseases	M	147	34	3	2	1	1	6	11	23	29	37
	F	101	22	.	2	3	6	7	3	10	19	29
Accidents and other external causes	M	24	.	.	2	1	2	3	1	6	5	4
	F	11	1	.	.	.	1	.	1	1	1	6
All causes	M	767	42	6	4	3	6	21	46	102	201	338
	F	694	31	4	3	9	15	26	36	72	137	361
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	12	1	1	.	.	1	3	2	4	.	.
	F	7	.	.	.	1	2	1	.	1	1	1
Tuberculosis, other forms	M	1	.	.	.	1	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	.	.	.	.	.	1	.	.
	F	2	.	1	1	.	.	.	.	.	.	.
Malignant neoplasms	M	40	.	2	.	2	3	.	7	13	7	6
	F	30	.	.	.	.	.	4	4	7	9	6
Vascular lesions affecting central nervous system	M	22	.	.	.	.	.	.	4	2	9	7
	F	38	.	.	.	.	.	.	2	7	17	12
Diseases of the heart	M	77	.	.	.	.	.	2	10	11	21	33
	F	83	.	.	1	.	1	1	6	12	22	40
Other diseases of the circulatory system	M	12	.	.	.	.	.	1	1	1	7	2
	F	18	.	.	.	.	.	.	.	4	3	11
Diseases of the respiratory system	M	25	4	3	.	1	1	1	1	4	4	6
	F	24	4	2	.	.	.	2	2	1	4	9
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	7	.	.	.	.	.	.	.	.	1	6
Other diseases	M	55	18	3	1	.	.	1	6	6	12	8
	F	45	14	.	1	.	3	2	1	6	8	10
Accidents and other external causes	M	12	.	.	2	2	.	.	2	1	2	3
	F	3	.	.	1	.	.	.	.	.	1	1
All causes	M	262	24	9	3	6	5	8	33	43	62	69
	F	258	18	4	4	1	6	10	15	38	66	96



TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	11	.	.	.	.	1	.	1	4	5	.
	F	8	.	.	.	.	3	2	1	1	1	.
Tuberculosis, other forms	M	1	.	.	.	1	.	.	.	.	.	.
	F	4	1	.	.	2	.	.	1	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	84	.	.	.	.	.	3	3	18	25	35
	F	62	.	.	.	1	.	3	15	17	12	14
Vascular lesions affecting central nervous system	M	48	.	.	.	.	.	1	1	7	11	28
	F	60	.	.	.	.	1	1	3	10	21	24
Diseases of the heart	M	193	.	.	.	.	.	4	9	19	64	97
	F	122	.	.	.	.	4	4	7	15	26	66
Other diseases of the circulatory system	M	33	.	.	.	.	2	.	.	5	13	13
	F	25	.	.	.	.	.	.	.	6	6	13
Diseases of the respiratory system	M	59	6	1	1	.	1	1	2	7	10	30
	F	42	7	1	.	.	.	1	2	1	5	24
Senility	M	62	.	.	.	.	.	.	.	.	2	60
	F	50	.	.	.	.	.	.	.	.	6	44
Other diseases	M	123	35	3	1	1	1	8	6	18	18	32
	F	104	27	2	1	.	4	2	7	9	21	31
Accidents and other external causes	M	22	2	2	1	3	.	4	3	.	4	3
	F	5	1	.	.	.	.	2	1	.	.	1
All causes	M	637	43	6	4	5	5	21	25	78	152	298
	F	484	37	3	1	3	12	15	38	59	99	217
COUNTY TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	10	.	.	.	.	2	1	1	2	3	1
	F	2	.	.	.	.	.	1	.	.	1	.
Tuberculosis, other forms	M	2	.	1	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	1	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	51	.	.	1	.	.	3	9	8	19	11
	F	33	.	.	.	.	2	5	6	9	6	5
Vascular lesions affecting central nervous system	M	37	.	.	.	2	2	1	2	3	13	14
	F	42	.	.	.	.	.	.	1	5	16	20
Diseases of the heart	M	130	.	.	.	.	.	2	5	22	42	59
	F	73	.	.	.	.	1	2	2	11	22	35
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	.	1	5	4
	F	16	.	.	.	.	.	1	1	2	4	8
Diseases of the respiratory system	M	27	3	1	.	.	.	1	1	3	2	16
	F	16	3	.	.	.	.	.	1	5	5	2
Senility	M	53	.	.	.	.	.	.	.	.	.	53
	F	54	.	.	.	.	.	.	.	.	7	47
Other diseases	M	67	23	1	2	3	1	.	2	8	13	14
	F	67	18	4	1	2	.	4	7	9	11	11
Accidents and other external causes	M	13	.	.	.	1	3	.	4	2	1	2
	F	5	.	1	.	2	.	.	.	.	2	.
All causes	M	402	27	3	4	6	8	9	24	49	98	174
	F	309	22	5	1	4	3	13	18	41	74	128

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	13	.	.	.	1	.	3	1	5	1	2
	F	3	.	.	.	.	.	2	.	.	1	.
Tuberculosis, other forms	M	4	.	2	.	1	.	.	1	.	.	.
	F	3	.	1	.	.	.	.	1	.	.	1
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	6	.	3	2	.	.	1	.	.	.	.
Malignant neoplasms	M	59	.	1	.	.	.	3	8	14	19	14
	F	59	1	.	.	.	2	2	8	12	15	19
Vascular lesions affecting central nervous system	M	40	.	.	.	1	.	3	4	4	11	17
	F	62	.	.	.	1	2	1	2	13	16	27
Diseases of the heart	M	162	.	.	.	.	2	.	8	25	45	82
	F	115	.	.	.	.	1	2	4	12	38	58
Other diseases of the circulatory system	M	21	.	.	.	.	.	1	2	3	3	12
	F	20	.	.	.	1	.	.	.	.	5	14
Diseases of the respiratory system	M	20	2	2	.	1	.	.	.	3	5	7
	F	20	4	.	.	.	.	1	.	2	4	9
Senility	M	44	.	.	.	.	.	.	.	.	2	42
	F	45	.	.	.	.	.	.	.	.	3	42
Other diseases	M	114	45	4	3	1	2	3	3	11	18	24
	F	63	16	2	.	2	.	7	3	5	10	18
Accidents and other external causes	M	18	.	1	1	1	4	.	4	2	2	3
	F	6	.	.	1	.	.	.	1	2	.	2
All causes	M	496	47	11	4	6	8	13	31	67	106	203
	F	402	21	6	3	4	5	16	19	46	92	190
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	1	1	1	.	.
	F	4	.	.	.	.	.	.	1	2	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	18	.	.	.	.	.	1	2	4	6	5
	F	22	.	.	1	.	.	1	3	6	8	3
Vascular lesions affecting central nervous system	M	24	.	1	.	.	.	1	.	3	7	12
	F	23	.	.	.	.	.	.	2	6	4	11
Diseases of the heart	M	62	.	.	.	.	1	.	4	6	18	33
	F	46	.	.	.	.	.	3	1	1	8	33
Other diseases of the circulatory system	M	7	.	.	.	1	.	.	.	1	2	3
	F	2	.	.	.	.	.	.	.	.	1	1
Diseases of the respiratory system	M	19	1	2	.	.	.	.	2	3	2	9
	F	5	.	.	.	.	.	.	.	.	3	2
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	35	6	1	1	.	.	.	1	5	4	17
	F	27	4	1	.	2	1	2	3	4	4	6
Accidents and other external causes	M	5	1	1	.	.	1	1	.	.	.	1
	F	2	.	.	.	.	.	1	.	.	.	1
All causes	M	178	8	6	1	1	2	4	10	23	39	84
	F	139	5	2	1	2	1	7	10	19	29	63

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at Death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	4	.	.	.	.	1	1	.	.	1	1
	F	6	.	.	.	.	1	3	2	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	1	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	2	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	44	.	.	.	.	.	2	3	12	13	14
	F	31	.	1	.	.	.	1	3	7	11	8
Vascular lesions affecting central nervous system	M	32	.	.	.	.	.	.	3	5	5	19
	F	33	.	.	.	.	.	2	1	4	10	16
Diseases of the heart	M	109	.	.	.	.	1	2	.	16	34	56
	F	80	.	.	.	.	.	.	1	8	25	46
Other diseases of the circulatory system	M	19	.	.	.	.	1	.	.	5	6	7
	F	15	.	.	.	1	1	.	2	.	3	8
Diseases of the respiratory system	M	31	1	.	1	.	1	.	2	5	6	15
	F	17	.	2	.	.	1	2	1	.	2	9
Senility	M	15	.	.	.	.	.	.	.	.	.	15
	F	27	.	.	.	.	.	.	.	.	1	26
Other diseases	M	45	15	1	1	.	.	2	2	4	10	10
	F	52	8	1	.	2	2	1	4	5	13	16
Accidents and other external causes	M	12	1	1	.	2	1	.	2	1	3	1
	F	5	2	.	.	.	.	.	.	.	.	3
All causes	M	314	17	2	2	2	8	7	12	48	78	138
	F	267	10	5	.	3	5	9	14	24	65	132
COUNTY GALWAY												
Tuberculosis of respiratory system	M	17	.	.	.	.	2	3	2	7	2	1
	F	2	.	.	.	.	.	1	1	.	.	.
Tuberculosis, other forms	M	9	2	1	1	.	1	.	1	.	2	1
	F	2	2	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	2	.	1	.	.	.	1	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	119	.	1	1	.	.	2	14	26	34	41
	F	96	.	.	2	.	2	5	8	28	33	18
Vascular lesions affecting central nervous system	M	76	.	.	.	.	1	.	4	5	25	41
	F	81	.	.	.	.	.	2	2	16	20	41
Diseases of the heart	M	281	.	.	.	.	2	7	12	26	80	154
	F	212	.	.	.	1	1	3	9	24	47	127
Other diseases of the circulatory system	M	68	.	.	.	2	1	3	3	5	13	41
	F	40	.	.	.	.	.	1	1	5	15	18
Diseases of the respiratory system	M	76	6	1	2	1	1	1	3	6	11	44
	F	63	5	4	.	2	2	.	3	6	11	30
Senility	M	87	.	.	.	.	.	.	.	.	8	79
	F	120	.	.	.	.	.	.	.	.	7	113
Other diseases	M	159	48	5	2	5	1	6	6	14	28	44
	F	129	42	4	1	1	3	6	12	12	17	31
Accidents and other external causes	M	31	1	3	1	3	1	2	6	5	4	5
	F	9	1	.	.	.	.	.	.	.	1	7
All causes	M	927	59	11	8	11	10	24	52	94	207	451
	F	755	50	8	3	4	8	18	36	91	151	386



TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	1	.	.	.	.	.	.	.	.	.	1
	F	3	.	.	.	.	1	1	.	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	3	.	2	1	.	.	.	.	.	.	.
Malignant neoplasms	M	29	.	.	.	.	2	5	5	7	7	3
	F	22	.	.	.	.	1	2	3	6	5	5
Vascular lesions affecting central nervous system	M	21	.	.	.	.	.	1	1	4	9	6
	F	30	.	.	.	.	.	1	3	2	13	11
Diseases of the heart	M	106	.	.	.	.	.	1	4	12	26	63
	F	66	.	.	.	.	.	.	2	6	19	39
Other diseases of the circulatory system	M	11	.	.	.	.	.	.	1	1	7	2
	F	7	.	.	.	.	.	.	.	1	2	4
Diseases of the respiratory system	M	23	2	.	.	.	1	.	1	4	4	11
	F	14	.	.	.	.	.	1	1	3	5	4
Senility	M	37	.	.	.	.	.	.	.	.	.	37
	F	45	.	.	.	.	.	.	.	.	2	43
Other diseases	M	56	5	.	1	.	1	2	4	5	13	25
	F	38	7	.	.	1	1	4	2	6	4	13
Accidents and other external causes	M	7	.	.	.	.	1	.	.	1	3	2
	F	3	.	.	.	.	.	1	.	.	.	2
All causes	M	292	7	.	1	.	5	9	16	35	69	150
	F	231	7	2	1	1	3	10	11	25	50	121
COUNTY MAYO												
Tuberculosis of respiratory system	M	16	.	.	.	.	1	2	5	3	4	1
	F	10	.	.	.	1	1	3	.	3	1	1
Tuberculosis, other forms	M	1	.	1	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	1	.	1	.	.
Other infective and parasitic diseases	M	11	7	2	1	.	.	1	.	.	.	.
	F	7	2	3	1	.	.	.	.	.	.	1
Malignant neoplasms	M	110	.	.	2	.	.	3	7	23	45	30
	F	79	.	1	.	.	1	2	9	24	19	23
Vascular lesions affecting central nervous system	M	73	.	.	.	.	.	.	4	7	27	35
	F	67	.	1	.	.	.	1	1	11	18	35
Diseases of the heart	M	238	.	.	.	.	1	4	10	32	63	128
	F	206	.	.	.	1	3	8	8	25	51	110
Other diseases of the circulatory system	M	58	.	.	.	.	.	2	3	9	14	30
	F	61	.	.	.	.	1	1	2	2	17	38
Diseases of the respiratory system	M	79	9	2	1	.	1	3	4	4	21	34
	F	66	6	1	.	.	.	1	3	4	17	34
Senility	M	142	.	.	.	.	.	.	.	.	13	129
	F	172	.	.	.	.	.	.	.	.	8	164
Other diseases	M	215	58	5	7	5	3	9	11	16	32	69
	F	127	33	.	1	4	6	5	9	10	19	40
Accidents and other external causes	M	34	2	.	3	3	1	8	3	5	3	6
	F	19	.	1	.	.	.	.	1	1	3	13
All causes	M	977	76	10	14	8	7	32	47	99	222	462
	F	816	41	7	2	6	12	22	33	81	153	459

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	2	1	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	2	.	.	.	.	.	.	.	2	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	2	1	.	.	1	.	.	.	.	.	.
Malignant neoplasms	M	57	.	1	.	.	1	5	5	8	16	21
	F	56	.	1	.	1	.	1	5	12	18	18
Vascular lesions affecting central nervous system	M	28	.	.	1	1	1	1	2	2	9	11
	F	37	.	.	.	.	.	.	1	4	8	24
Diseases of the heart	M	157	.	.	.	.	2	2	9	12	43	89
	F	117	.	.	.	.	.	3	2	14	17	81
Other diseases of the circulatory system	M	16	.	.	.	.	.	.	1	4	4	7
	F	19	.	.	.	.	1	1	2	.	9	6
Diseases of the respiratory system	M	36	5	1	1	1	.	1	3	2	7	15
	F	28	3	2	1	.	.	.	.	2	4	16
Senility	M	50	.	.	.	.	.	.	.	.	3	47
	F	57	.	.	.	.	.	.	.	.	.	57
Other diseases	M	69	15	.	1	1	1	6	4	8	8	25
	F	49	7	3	.	.	2	2	3	5	11	16
Accidents and other external causes	M	19	.	1	.	.	1	1	1	5	6	4
	F	8	.	.	1	.	.	1	.	.	1	5
All causes	M	437	20	4	3	3	6	18	26	42	96	219
	F	376	11	6	2	2	3	8	14	39	68	223
COUNTY SLIGO												
Tuberculosis of respiratory system	M	2	.	.	.	.	1	.	1	.	.	.
	F	5	1	.	.	.	1	2	1	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	1	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	53	.	.	1	1	.	2	4	9	17	19
	F	47	.	.	1	.	.	2	5	9	17	13
Vascular lesions affecting central nervous system	M	32	.	.	.	.	.	.	3	4	10	15
	F	49	.	.	.	.	.	.	4	6	13	26
Diseases of the heart	M	115	.	.	.	1	.	2	3	10	42	57
	F	102	.	.	.	.	1	1	4	10	28	58
Other diseases of the circulatory system	M	39	.	.	.	.	.	1	1	4	12	21
	F	30	.	.	.	.	.	.	3	4	8	15
Diseases of the respiratory system	M	49	5	2	.	1	.	2	3	5	12	19
	F	23	2	1	1	.	.	.	.	1	8	10
Senility	M	40	.	.	.	.	.	.	.	.	3	37
	F	52	.	.	.	.	.	.	.	.	3	49
Other diseases	M	62	8	3	.	1	.	1	3	9	13	24
	F	69	11	1	.	.	1	7	4	10	12	23
Accidents and other external causes	M	20	.	.	1	2	2	3	3	4	3	2
	F	7	.	1	.	.	.	.	.	.	3	3
All causes	M	414	13	5	2	6	4	12	21	45	112	194
	F	386	14	3	3	.	3	12	22	40	92	197

TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY CAVAN												
Tuberculosis of respiratory system	M	6	.	.	.	.	1	3	.	2	.	.
	F	5	.	.	.	1	2	.	1	.	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	2	.	.	.	.
	F	4	2	1	1	.	.	.	.	.	.	.
Malignant neoplasms	M	55	.	.	.	.	.	3	5	11	13	23
	F	41	.	1	.	.	.	3	10	5	13	9
Vascular lesions affecting central nervous system	M	52	.	.	.	.	.	1	1	7	16	27
	F	47	.	.	.	.	.	1	.	5	11	30
Diseases of the heart	M	166	.	.	.	.	.	.	9	23	50	84
	F	104	.	.	.	.	.	.	5	8	24	67
Other diseases of the circulatory system	M	27	.	.	.	.	.	.	.	1	8	18
	F	30	.	.	1	.	.	1	.	4	12	12
Diseases of the respiratory system	M	34	2	.	.	.	1	1	.	4	13	13
	F	31	3	.	.	1	.	1	.	3	7	16
Senility	M	60	.	.	.	.	.	.	.	.	2	58
	F	46	.	.	.	.	.	.	.	.	3	43
Other diseases	M	78	25	1	1	1	1	2	5	8	16	18
	F	62	13	2	1	2	1	5	7	6	16	9
Accidents and other external causes	M	16	.	2	.	4	.	1	.	1	5	3
	F	6	.	1	.	1	.	1	.	.	1	2
All causes	M	498	28	3	1	5	3	14	20	57	123	244
	F	376	18	5	3	5	3	12	23	31	88	188
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	20	.	.	.	.	2	5	7	4	2	.
	F	8	.	.	.	1	.	1	3	1	1	1
Tuberculosis, other forms	M	6	1	1	.	1	.	2	.	.	1	.
	F	4	.	.	.	.	2	.	2	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	1	.	.	1	.
	F	1	.	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	96	.	.	2	4	3	2	12	15	29	29
	F	90	.	.	.	1	2	7	11	18	23	28
Vascular lesions affecting central nervous system	M	77	.	.	.	.	1	2	1	4	23	46
	F	105	.	.	.	.	1	2	3	13	26	60
Diseases of the heart	M	241	.	.	.	1	.	2	10	35	56	137
	F	197	.	.	.	1	.	.	6	20	45	125
Other diseases of the circulatory system	M	50	.	.	.	.	.	.	.	5	17	28
	F	38	.	.	.	.	.	2	2	3	10	21
Diseases of the respiratory system	M	84	14	1	.	.	.	2	2	5	22	38
	F	88	7	3	.	.	1	.	1	3	21	52
Senility	M	76	.	.	.	.	.	.	.	.	5	71
	F	118	.	.	.	.	.	.	.	.	6	112
Other diseases	M	150	32	2	2	1	1	2	6	16	33	55
	F	131	22	2	1	1	4	8	14	11	32	36
Accidents and other external causes	M	36	3	1	3	1	5	3	9	3	1	7
	F	18	.	1	.	.	.	2	.	3	2	10
All causes	M	839	51	5	7	8	12	21	47	87	190	411
	F	798	29	6	1	4	10	22	42	72	167	445



TABLE 24.—(continued)—DEATHS IN 1956 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH.

Causes of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	1	1	.	1	.
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	.	1
	F	5	1	.	.	.	.	.	.	.	2	2
Malignant neoplasms	M	46	.	.	.	.	1	1	10	6	18	10
	F	39	.	.	.	.	2	1	7	8	14	7
Vascular lesions affecting central nervous system	M	38	.	.	.	.	1	.	2	4	14	17
	F	37	.	.	.	.	.	.	3	4	11	19
Diseases of the heart	M	108	.	.	.	1	1	1	7	14	33	51
	F	73	.	.	1	.	.	.	1	11	13	47
Other diseases of the circulatory system	M	10	.	.	.	.	1	.	.	2	3	4
	F	14	.	.	.	.	.	.	1	2	6	5
Diseases of the respiratory system	M	23	3	1	.	.	.	.	.	.	7	12
	F	24	2	1	1	.	.	.	.	2	8	10
Senility	M	18	.	.	.	.	.	.	.	.	1	17
	F	24	.	.	.	.	.	.	.	.	1	23
Other diseases	M	80	17	.	1	2	4	3	7	4	18	24
	F	62	15	.	1	.	3	2	5	3	11	22
Accidents and other external causes	M	15	2	.	.	2	3	1	4	.	.	3
	F	12	.	1	.	.	1	.	.	2	3	5
All causes	M	342	22	1	1	5	11	7	31	30	95	139
	F	292	18	2	3	.	6	4	17	33	69	140



Days				Total under 4 weeks	Months											Detailed Inter- national List Nos.
Total under 7	7-13	14-20	21-27		4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	
564 387	97 83	84 69	60 36	805 575	138 75	82 65	61 54	40 29	25 28	26 26	26 10	15 9	16 15	8 11	7 16	
.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	1	010
.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	001-008 011-019
.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2	020-029
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	.	.	.	.	3 1	5 1	4 2	.	2 1	3 1	2 1	3 .	2 3	.	.	030-055 057-138
.	.	1 1	1	1 2	4 1	.	3 1	.	1 1	1 2	1 2	1 .	1 .	1 2	1 .	030-055 057-138
.	2	.	1	2 1	1 1	.	.	1	2	1 3	2 1	.	1 .	.	.	340
1	1	1	1	1 3	.	1	3	.	.	1 3	.	.	.	.	1	330-334 341-398
.	.	.	1	1	2	2	1	.	.	.	.	.	.	.	.	480-483
.	.	.	.	.	37 18	24 19	20 16	14 9	4 9	10 3	7 4	5 6	5 4	1 2	.	490-493
.	.	.	1	1	4 1	.	2 1	1 3	1 1	.	2 .	.	.	.	2	500-502
1	.	.	.	1	1 1	2 1	1 1	2 1	1 .	.	.	.	.	.	1	470-475 510-527
1	8 7	15 15	10 4	33 27	18 5	13 5	3 5	6 4	2 3	3 3	2 .	2 .	3 1	.	.	571, 764
1	.	1	.	1 1	3 2	.	.	1 1	.	1 .	1 .	.	1 1	.	1	530-570 523-587
7 21	.	.	.	7 21	.	.	.	.	.	.	.	.	.	.	.	750
16 10	5 11	3 3	6 6	30 30	2 7	3 3	2 3	1 2	1 3	1 4	.	.	.	1	1	751
8 8	.	1	1 2	10 12	.	2 1	.	1 2	.	.	1 .	1 .	.	1 2	1	752
1	.	.	.	1	.	1	1	.	1	.	.	.	.	1	.	753
30 15	6 7	4 3	1	41 25	7 5	6 3	5 5	2 3	5 1	.	1 1	.	2 .	.	1	754
2	.	1	.	3	1	.	2	.	1	.	.	.	.	.	.	755
8 3	2 3	6 2	4 1	20 9	7 2	2	2	1	2	.	.	.	.	1	.	756
3 1	1	.	.	3 2	1	.	1	.	1	.	.	.	.	.	.	757
2 1	1	.	.	3 1	1	.	.	.	.	.	.	1	.	.	.	758
5 8	.	1 2	1 1	7 11	2 2	.	1	2	.	.	.	1	.	.	1	759



TABLE 25.—(continued)—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF

Detailed Inter- national List Nos.	Causes of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day						
							1	2	3	4	5	6
760·0	Intracranial and spinal injury at birth :—											
	Without mention of immaturity	M	72	4	10	14	8	12	10	5	3	1
		F	39	3	12	15	3	3	3	7		2
760·5	With immaturity	M	24	1	7	8	5	3	1	1	1	
		F	10		4	4	2	1	2			
761·0	Other birth injury :—											
	Without mention of immaturity	M	17	5	4	9	4	1			1	2
		F	8	1	2	3	2		1			
761·5	With immaturity	M	12	1	5	6	5		1			
		F	7		1	1	5					
762·0	Post-natal asphyxia and atelectasis :—											
	Without mention of immaturity	M	67	6	23	29	14	8	3			2
		F	61	11	17	28	10	3	8			
762·5	With immaturity	M	51	3	14	17	15	7	2	2	1	
		F	31	1	8	9	12	2	1	2		1
763·0	Pneumonia of newborn :—											
	Without mention of immaturity	M	57	1		1		2	4	2	2	
		F	36		1	1	4	1	2			
763·5	With immaturity	M	17		1	1	4			2		
		F	11		1	1	2			1	1	
765·0	Ophthalmia neonatorum :—											
	Without mention of immaturity	M	1									1
		F										
766·0	Pemphigus neonatorum :—											
	Without mention of immaturity	M	1									
		F	1									
767·0	Umbilical sepsis :—											
	Without mention of immaturity	M	1									
		F										
768·0	Other sepsis of newborn :—											
	Without mention of immaturity	M	3									
		F	7									
768·5	With immaturity	M										
		F	1									
769·0— 769·4	Neonatal disorders arising from Maternal toxæmia :—											
	Without mention of immaturity	M	2				1	1				
		F										
769·5— 769·9	With immaturity	M	4				2		1	1		
		F	6	1	2	3	1					1
770·0— 770·3	Haemolytic disease of newborn (erythroblastosis) :—											
	Without mention of immaturity	M	22		8	8	4	2	3	1	1	
		F	17	2	5	7	2	2	1	1		2
770·5— 770·7	With immaturity	M	8		1	1	1	1	1			1
		F	5				1		1			
771·0	Haemorrhagic disease of newborn :—											
	Without mention of immaturity	M	9		2	2		2	1	1		1
		F	7		1	1	3		2			
771·5	With immaturity	M	2					1		1		
		F	2									
772·0	Nutritional maladjustment :—											
	Without mention of immaturity	M	5		1	1						
		F	3									
773·0	Ill-defined diseases of early infancy :—											
	Without mention of immaturity	M	55	4	4	8	1	3	2	2		1
		F	36		2	2	2	2	2		2	1
773·5	With immaturity	M	30	4	10	14	2	2			1	
		F	17		5	5		1			1	
774	Immaturity with mention of any other subsidiary condition	M	3		1	1						
		F	2								1	
776	Immaturity unqualified	M	208	13	90	103	37	13	5	8	4	2
		F	136	16	46	62	22	13	7	8	4	
780·2	Convulsions	M	22		1	1			2		1	
		F	16									
	Other causes	M	59	6	1	7	1			2	1	
		F	50	4	1	5			1	1	1	

## AGE IN 1956, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Days				Total under 4 weeks	Months											Detailed Inter- national List Nos.
Total under 7	7-13	14-20	21-27		4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	
53	7	1	4	65	3	2	1	.	.	1	.	.	.	.	.	760.0
33	3	.	.	36	2	1	.	.	.	.	.	.	.	.	.	
19	3	1	.	23	1	.	.	.	.	.	.	.	.	.	.	760.5
9	.	1	.	10	.	.	.	.	.	.	.	.	.	.	.	
17	.	.	.	17	.	.	.	.	.	.	.	.	.	.	.	761.0
6	1	.	.	7	1	.	.	.	.	.	.	.	.	.	.	
12	.	.	.	12	.	.	.	.	.	.	.	.	.	.	.	761.5
6	.	.	.	6	1	.	.	.	.	.	.	.	.	.	.	
56	5	2	.	63	1	2	1	.	.	.	.	.	.	.	.	762.0
49	3	3	2	57	2	1	1	.	.	.	.	.	.	.	.	
44	6	1	.	51	.	.	.	.	.	.	.	.	.	.	.	762.5
27	2	.	.	29	2	.	.	.	.	.	.	.	.	.	.	
11	20	14	12	57	.	.	.	.	.	.	.	.	.	.	.	763.0
8	11	14	3	36	.	.	.	.	.	.	.	.	.	.	.	
7	6	3	1	17	.	.	.	.	.	.	.	.	.	.	.	763.5
5	3	3	.	11	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	765.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	766.0
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	767.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	768.0
.	.	4	1	5	.	1	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.5
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	769.0-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769.4
4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	769.5-
5	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	769.9
19	.	1	2	22	.	.	.	.	.	.	.	.	.	.	.	770.0-
15	1	1	.	17	.	.	.	.	.	.	.	.	.	.	.	770.3
5	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	770.5-
2	2	.	.	4	1	.	.	.	.	.	.	.	.	.	.	770.7
7	1	.	.	8	1	.	.	.	.	.	.	.	.	.	.	771.0
6	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	771.5
.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	1	3	1	1	.	.	.	.	.	.	.	.	.	772.0
.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	
17	4	10	3	34	11	4	1	2	1	1	1	.	.	.	.	773.0
11	4	4	2	21	4	3	1	2	2	1	.	.	1	.	1	
19	1	2	3	25	5	.	.	.	.	.	.	.	.	.	.	773.5
7	6	2	1	16	1	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	774
1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	
172	12	11	5	200	6	1	1	.	.	.	.	.	.	.	.	776
116	7	5	5	133	2	1	.	.	.	.	.	.	.	.	.	
4	2	1	.	7	2	3	3	2	.	1	1	.	1	2	2	780.2
.	1	.	1	2	2	5	2	2	.	1	.	.	.	.	.	
11	2	1	3	17	12	7	7	4	2	1	5	2	.	2	.	
8	3	2	3	16	5	12	4	3	3	3	.	.	.	2	2	

TABLE 26.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1956, CLASSIFIED BY SEX, AND CAUSE, FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter- national List Nos.	Causes of Death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	805	444	166	101	37	24	35	16	57	25	510	278
		F	575	338	132	87	24	22	27	17	21	24	371	188
010	Tuberculosis of	M	.	6	.	1	.	.	.	1	.	.	.	4
	meninges and central	F	.	3	.	1	.	.	.	.	.	.	.	2
	nervous system													
001-008	Tuberculosis,	M	.	2	.	.	.	1	.	.	.	.	.	1
011-019	other forms	F	.	5	.	.	.	.	.	1	.	1	.	3
020-029	Syphilis and its	M	.	.	.	.	.	.	.	.	.	.	.	.
	sequelae	F	.	.	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	24	.	9	.	1	.	.	.	.	.	14
		F	.	11	.	4	.	1	.	.	.	.	.	6
030-055	Other infective and	M	1	13	.	4	.	.	.	.	.	.	1	9
057-138	parasitic diseases	F	2	9	.	4	.	1	.	1	.	.	2	3
340	Meningitis except	M	2	8	1	3	.	.	.	.	.	1	1	4
	meningococcal and	F	1	6	.	1	1	.	.	.	.	1	.	4
	tuberculous													
330-334	Other diseases of the	M	1	2	.	.	.	.	.	1	.	.	1	1
341-398	nervous system and	F	3	10	.	.	.	1	.	.	.	.	3	9
	sense organs													
480-483	Influenza	M	.	5	.	.	.	.	.	.	.	1	.	4
		F	1	5	.	.	.	1	.	.	.	.	1	4
490-493	Pneumonia	M	.	127	.	40	.	6	.	6	.	7	.	68
		F	.	95	.	28	.	8	.	4	.	4	.	51
500-502	Bronchitis	M	1	10	.	1	.	.	.	.	.	2	1	7
		F	.	8	.	1	.	.	.	1	.	.	.	6
470-475	Other diseases of the	M	1	8	.	4	.	.	.	.	.	.	1	4
510-527	respiratory system	F	.	5	.	2	.	.	.	1	.	.	.	2
571, 764	Gastro-enteritis and	M	33	52	10	9	1	3	1	1	2	4	19	35
	colitis, and diarrhoea	F	27	27	6	9	1	.	2	4	2	2	16	12
	of newborn													
530-570	Other diseases of the	M	1	7	1	.	.	.	.	1	.	1	.	5
572-587	digestive system	F	1	7	.	1	.	1	.	.	.	2	1	3
750-759	Congenital	M	121	72	31	19	3	7	5	3	12	4	70	39
	malformations	F	115	63	31	22	5	4	8	1	3	6	68	30
760-761	Birth injuries	M	117	8	19	1	6	.	4	1	13	.	75	6
		F	59	5	11	.	4	.	1	.	2	1	41	4
762	Post-natal asphyxia	M	114	4	26	.	7	.	5	.	6	.	70	4
	and atelectasis	F	86	6	13	2	5	.	3	.	3	1	62	3
763	Pneumonia of	M	74	.	25	.	3	.	2	.	3	.	41	.
	newborn	F	47	.	21	.	2	.	1	.	2	.	21	.
765-768	Other infections of	M	5	1	3	.	.	.	.	.	.	.	2	1
	newborn	F	7	2	3	1	1	.	.	.	.	.	3	1
	Other and ill-defined dis- eases of early infancy:—													
769·0- 773·0	Without mention of immaturity	M	69	24	7	.	4	.	5	.	4	1	49	23
		F	45	18	6	2	.	2	1	.	1	2	37	12
769·5- 773·5	With mention of immaturity	M	39	5	5	.	2	.	.	.	4	.	28	5
		F	28	2	3	.	2	.	3	1	3	.	17	1
774	Immaturity with	M	2	1	.	.	.	.	.	.	.	.	2	1
	mention of any other	F	2	.	.	.	.	.	1	.	.	.	1	.
	subsidiary condition													
776	Immaturity	M	200	8	31	1	11	.	13	.	13	.	132	7
	unqualified	F	133	3	33	.	2	.	7	1	5	.	86	2
780·2	Convulsions	M	7	15	.	.	.	3	.	1	.	3	7	8
		F	2	14	.	.	.	3	.	.	.	1	2	10
	Other causes	M	17	42	7	9	.	3	.	1	.	1	10	28
		F	16	34	5	9	1	.	.	2	.	3	10	20



TABLE 27.—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN IN 1956 UNDER ONE YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Causes of Death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		3 weeks and under 3 months	3 and and under 6 months	6 and and under 12 months
	<b>All causes</b>	<b>M</b>	<b>61</b>	<b>17</b>	<b>10</b>	<b>12</b>	<b>39</b>	<b>7</b>	<b>8</b>	<b>7</b>
		<b>F</b>	<b>30</b>	<b>11</b>	<b>7</b>	<b>4</b>	<b>22</b>	<b>3</b>	<b>4</b>	<b>1</b>
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
056	Whooping cough	M	1	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.
057-138		F	.	.	.	.	.	.	.	.
340	Meningitis except mening- ococcal and tuberculous	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
330-334	Diseases of the nervous system and sense organs	M	.	.	.	.	.	.	.	.
341-398		F	.	.	.	.	.	.	.	.
480-483	Influenza	M	1	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	7	.	.	.	.	3	2	2
		F	4	.	.	.	.	1	2	1
500-502	Bronchitis	M	1	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
470-475	Other diseases of the respiratory system	M	3	.	.	.	.	1	1	1
510-527		F	.	.	.	.	.	.	.	.
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M	3	.	.	1	1	.	1	1
		F	2	.	.	2	2	.	.	.
530-570	Other diseases of the digestive system	M	.	.	.	.	.	.	.	.
572-587		F	.	.	.	.	.	.	.	.
750-759	Congenital malformations	M	5	.	2	.	2	1	1	1
		F	4	2	.	1	3	1	.	.
760-761	Birth injuries	M	6	2	1	3	6	.	.	.
		F	4	3	1	.	4	.	.	.
762	Post-natal asphyxia and atelectasis	M	5	3	2	.	5	.	.	.
		F	4	2	1	.	3	1	.	.
763	Pneumonia of newborn	M	5	.	.	5	5	.	.	.
		F	5	1	3	1	5	.	.	.
765-768	Other infections of the newborn	M	2	.	.	1	1	1	.	.
		F	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:—									
769·0- 773·0	Without mention of immaturity	M	3	.	.	2	2	1	.	.
		F	2	.	.	.	.	.	2	.
769·5- 773·5	With mention of im- maturity	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
776	Immaturity, unqualified	M	12	8	4	.	12	.	.	.
		F	3	1	2	.	3	.	.	.
780·0	Convulsions	M	1	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.
	Other causes	M	6	4	1	.	5	.	1	.
		F	2	2	.	.	2	.	.	.

TABLE 28.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER

Detailed Inter- national List Nos.	Causes of Death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	805 575	444 338	410 290	217 166	222 165	124 104	111 83	64 40	62 37	39 28
010	Tuberculosis of meninges and central nervous system	M F	· ·	6 3	· ·	3 1	· ·	1 1	· ·	2 1	· ·	1 ·
001-008 011-019	Tuberculosis, other forms	M F	· ·	2 5	· ·	1 1	· ·	1 2	· ·	· 2	· ·	· ·
020-029	Syphilis and its sequelae	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
056	Whooping cough	M F	· ·	24 11	· ·	14 5	· ·	2 2	· ·	6 3	· ·	2 1
030-055 057-138	Other infective and parasitic diseases	M F	1 2	13 9	· 1	7 5	· 1	4 2	1 ·	2 ·	· ·	· 2
340	Meningitis except mening- ococcal and tuberculous	M F	2 1	8 6	1 ·	4 3	· 1	2 2	1 ·	1 ·	· ·	1 1
330-334 341-398	Other diseases of the nervous system and sense organs	M F	1 3	2 10	1 ·	1 2	· 1	1 7	· 1	· 1	· 1	· ·
480-483	Influenza	M F	· 1	5 5	· ·	· 1	· 1	1 2	· ·	2 1	· ·	2 1
490-493	Pneumonia	M F	· ·	127 95	· ·	66 47	· ·	27 25	· ·	20 13	· ·	14 10
500-502	Bronchitis	M F	1 ·	10 8	· ·	2 4	· ·	4 3	· ·	3 ·	1 ·	1 1
470-475 510-527	Other diseases of the respiratory system	M F	1 ·	8 5	· ·	6 2	· ·	· 1	· ·	2 2	1 ·	· ·
571, 764	Gastro-enteritis, colitis and diarrhoea of the newborn	M F	33 27	52 27	22 16	23 20	5 5	18 5	6 4	7 2	· 2	4 ·
530-570 572-587	Other diseases of the digestive system	M F	1 1	7 7	1 1	1 3	· ·	5 3	· ·	1 ·	· ·	· 1
750-759	Congenital malformations	M F	121 115	72 63	76 66	44 33	25 33	21 19	12 13	4 7	8 3	3 4
760, 761	Birth injuries	M F	117 59	8 5	61 22	3 1	29 23	3 3	21 11	1 ·	6 3	1 1
762	Postnatal asphyxia and atelectasis	M F	114 86	4 6	59 36	· 6	44 29	1 ·	5 14	2 ·	6 7	1 ·
763	Pneumonia of newborn	M F	74 47	· ·	45 33	· ·	18 9	· ·	8 4	· ·	3 1	· ·
765-768	Other infections of newborn	M F	5 7	1 2	4 4	1 1	· 2	· 1	· ·	· ·	1 1	· ·
769-0- 773-0	Other and ill-defined diseases of early infancy :— Without mention of immaturity	M F	69 45	24 18	33 16	11 8	22 13	8 6	9 11	4 2	5 5	1 2
769-5- 773-5	With mention of immaturity	M F	39 28	5 2	14 11	1 ·	19 7	4 2	5 6	· ·	1 4	· ·
774	Immaturity with mention of any other subsidiary condition	M F	2 2	1 ·	· 1	· ·	1 ·	1 ·	1 1	· ·	· ·	· ·
776	Immaturity unqualified	M F	200 133	8 3	81 72	3 2	53 35	2 1	38 17	3 ·	28 9	· ·
780-2	Convulsions	M F	7 2	15 14	2 ·	3 4	2 1	9 5	3 1	1 3	· ·	2 2
	Other causes	M F	17 16	42 34	10 11	23 17	4 4	10 12	1 ·	3 3	2 1	6 2

## 1 YEAR IN 1956, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

CARLOW COUNTY		DUBLIN CO. BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN CO. (remainder of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIS COUNTY		Detailed Inter-national List Nos.
Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
7 9	10 8	155 127	93 82	11 5	8 5	39 27	12 8	25 21	13 8	23 16	8 8	20 12	13 3	
.	.	.	1	.	.	.	.	.	.	.	1	.	1	010
.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	001-008
.	.	.	.	.	.	.	.	.	.	.	.	.	.	011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	9	.	.	.	2	.	1	.	.	.	.	056
.	.	.	4	.	.	.	.	.	1	.	.	.	.	
.	.	.	4	.	.	.	.	.	1	.	.	.	1	030-055
.	.	.	4	.	.	1	.	.	.	.	.	.	.	057-138
.	.	1	3	.	.	.	.	.	.	.	.	.	.	340
.	.	.	1	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	330-334
.	.	.	.	.	.	.	.	.	1	.	.	.	.	341-398
.	.	.	.	.	.	.	.	.	.	.	.	.	.	480-483
.	1	.	35	.	5	.	3	.	4	.	2	.	1	490-493
.	1	.	28	.	.	.	1	.	2	.	2	.	1	
.	.	.	1	.	.	.	.	.	.	.	.	.	1	500-502
.	.	.	1	.	.	.	1	.	.	.	1	.	.	
.	.	.	3	.	1	.	.	.	.	.	.	.	.	470-475
.	.	.	2	.	.	.	.	.	.	.	.	.	.	510-527
.	.	10	9	.	.	2	2	.	1	1	1	6	4	571, 764
.	.	5	9	1	.	.	.	.	.	3	1	2	1	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	530-570
.	.	.	1	.	.	.	1	.	.	.	.	.	.	572-587
1	2	29	17	2	2	9	3	5	3	3	3	2	1	750-759
.	2	29	19	2	3	7	2	7	.	1	1	2	.	
2	1	17	1	2	.	9	.	3	.	4	.	1	1	760,761
1	.	11	.	.	.	3	1	3	.	.	.	.	.	
2	.	25	.	1	.	3	.	4	.	2	.	6	.	762
1	.	13	2	.	.	5	.	4	2	1	.	1	.	
.	.	24	.	1	.	7	.	2	.	1	.	2	.	763
1	.	20	.	1	.	6	.	1	.	2	.	.	.	
.	.	3	.	.	.	1	.	.	.	.	.	.	1	765-768
.	.	3	1	.	.	.	.	.	.	.	.	.	.	
1	1	6	.	1	.	2	.	3	.	2	1	1	1	769·0-773·0
1	2	6	2	.	.	1	1	1	.	1	1	1	1	
1	.	5	.	.	.	.	.	2	.	1	.	.	.	769·5-773·5
2	.	2	.	1	.	.	.	.	.	.	.	2	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	28	1	3	.	6	.	5	1	7	.	1	.	776
2	.	33	.	.	.	4	.	4	.	6	1	3	.	
.	1	.	.	.	.	.	.	1	.	.	.	.	.	780·2
.	1	.	.	.	.	.	.	.	1	.	.	.	.	
.	4	6	9	1	.	.	2	.	2	1	.	1	1	
1	2	5	7	.	2	.	1	.	1	2	.	1	.	



TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed Inter- national List Nos.	Causes of Death		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WEST- MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	13 7	6 2	19 15	7 7	25 13	6 6	11 10	4 5	21 11	14 4
010	Tuberculosis of meninges and central nervous system	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
001-008 011-019	Tuberculosis, other forms	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·
020-029	Syphilis and its sequelae	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
056	Whooping cough	M F	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·
030-055 057-138	Other infective and parasitic diseases	M F	· ·	· ·	· ·	· 1	· ·	1 ·	· ·	· ·	· ·	· ·
340	Meningitis except mening- ococcal and tuberculous	M F	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	1 ·
330-334 341-398	Other diseases of the nervous system and sense organs	M F	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·
480-483	Influenza	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
490-493	Pneumonia	M F	· ·	· ·	· ·	2 2	· 2	· 1	· ·	1 ·	· ·	4 1
500-502	Bronchitis	M F	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·
470-475 510-527	Other diseases of the respiratory system	M F	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·
571, 764	Gastro-enteritis, colitis and diarrhoea of the newborn	M F	1 1	1 ·	· ·	1 1	· 1	1 ·	· ·	· 2	2 1	1 2
530-570 572-587	Other diseases of the digestive system	M F	· ·	· ·	· ·	1 ·	· 1	· ·	· ·	· ·	· 1	· ·
750-759	Congenital malformation	M F	3 2	1 1	2 4	1 ·	6 3	· 2	· 3	1 ·	2 4	4 1
760-761	Birth injuries	M F	1 ·	· ·	1 ·	· ·	7 ·	· ·	4 1	· ·	3 ·	· ·
762	Postnatal asphyxia and atelectasis	M F	1 1	· ·	2 2	· ·	1 2	· ·	5 2	· ·	3 1	· ·
763	Pneumonia of newborn	M F	2 ·	· ·	1 ·	· ·	2 1	· ·	· 1	· ·	1 ·	· ·
765-768	Other infections of newborn	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
	Other and ill-defined diseases of early infancy :—											
769·0- 773·0	Without mention of immaturity	M F	1 1	1 ·	4 1	· ·	5 ·	1 ·	· 1	1 1	2 ·	· ·
769·5- 773·5	With mention of immaturity	M F	1 ·	1 ·	· 2	· ·	· ·	· ·	1 2	· ·	1 ·	· ·
774	Immaturity with mention of any other subsidiary condition	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
776	Immaturity unqualified	M F	3 2	· ·	9 6	· ·	3 5	· ·	1 ·	1 ·	7 4	· ·
780·2	Convulsions	M F	· ·	· 1	· ·	· 1	· ·	1 ·	· ·	· ·	· ·	1 ·
	Other causes	M F	· ·	· ·	· ·	1 1	1 1	· 1	· ·	· 1	· ·	1 ·

UNDER 1 YEAR IN 1956, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK CO. BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK CO. BOROUGH		Detailed International List Nos.
Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
26 9	12 10	15 8	11 10	28 19	10 4	23 12	6 11	50 54	21 25	24 16	18 15	11 9	13 9	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	010
.	1	.	.	.	.	.	.	.	.	.	1	.	1	001-008 011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	.	.	.	.	1	.	.	.	1	056
.	.	.	.	.	.	.	1	.	.	.	1	.	.	030-055 057-138
.	.	.	.	.	.	.	.	.	2	.	1	.	.	340
.	.	.	.	.	1	1	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	1	.	.	330-334 341-398
.	.	.	.	.	.	.	1	.	2	.	1	.	.	
.	1	.	.	.	.	.	1	.	.	.	1	.	.	480-483
.	2 3	.	4 5	.	1	.	1 4	.	5 4	.	5 4	.	4 4	490-493
.	.	.	.	.	.	.	.	.	1	.	1	.	.	500-502
.	.	.	.	.	.	.	.	.	.	.	.	.	.	470-475 510-527
.	2 1	.	.	1 4	.	1	2	2	2 1	.	4 1	.	1	571, 764
.	.	.	.	.	1	.	1	.	1	.	.	.	.	530-570 572-587
8 2	3	4	3 2	1 1	1	2	3 3	5 13	3 8	3 3	4 1	1 5	3	750-759
5 2	.	2 1	.	5 3	.	2 1	.	8 10	.	2 1	.	3 3	.	760-761
2	.	2 3	.	3 2	.	6 5	.	21 10	.	3 3	.	1	.	762
1	.	1	.	.	.	1 2	.	1 1	.	2 3	.	2	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-768
.	.	1	.	.	.	1	.	.	.	.	1	.	.	
3 2	3	2	2	1 2	3	2	.	3 4	2 1	4 1	.	1	2	769·0-773·0
2	.	.	.	3 1	2	1 2	.	5 2	.	6 1	.	1	.	769·5-773·5
.	.	.	.	1	.	.	.	.	.	.	.	.	.	774
5 2	.	3 1	.	12 5	.	8	.	5 12	1	3 4	.	2 1	.	776
.	.	1	.	1	1	.	.	.	1	.	1	.	3 3	780·2
.	1 1	.	2	.	2	.	.	.	2 6	1	2	.	.	

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List Nos.	Causes of Death		LIMERICK COUNTY		TIPPERARY CO., N.R.		TIPPERARY CO., S.R.		WATER-FORD CO. BOROUGH		WATER-FORD COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	27 19	16 18	14 15	13 7	32 11	15 10	3 3	5 2	10 7	7 3
010	Tuberculosis of meninges and central nervous system	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
001-008 011-019	Tuberculosis, other forms	M F	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
020-029	Syphilis and its sequelae	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
056	Whooping cough	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
030-055 057-138	Other infective and parasitic diseases	M F	· 1	· ·	· ·	1 1	· ·	· ·	· ·	· 1	· ·	· ·
340	Meningitis except meningococcal and tuberculous	M F	· ·	· 1	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·
330-334 341-398	Other diseases of the nervous system and sense organs	M F	· ·	· 2	· 1	· 1	· ·	· ·	· ·	· ·	· ·	· ·
480-483	Influenza	M F	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
490-493	Pneumonia	M F	· ·	4 5	· ·	3 2	· ·	2 2	· ·	1 ·	· ·	1 ·
500-502	Bronchitis	M F	· ·	2 ·	· ·	· 1	· ·	· 2	· ·	· ·	· ·	· ·
470-475 510-527	Other diseases of the respiratory system	M F	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
571, 764	Gastro-enteritis, colitis and diarrhoea of the newborn	M F	1 ·	2 1	· ·	2 ·	· ·	4 1	· ·	· ·	· ·	1 ·
530-570 572-587	Other diseases of the digestive system	M F	· ·	2 1	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	1 ·
750-759	Congenital malformations	M F	4 4	1 3	2 3	1 1	6 3	2 2	· ·	1 1	1 1	2 ·
760, 761	Birth injuries	M F	1 ·	1 ·	2 1	· ·	3 2	2 ·	1 ·	· ·	2 2	· ·
762	Postnatal asphyxia and atelectasis	M F	1 3	· ·	2 3	1 ·	5 2	· ·	· ·	· ·	2 1	· ·
763	Pneumonia of newborn	M F	5 1	· ·	4 1	· ·	2 ·	· ·	· ·	· ·	1 ·	· ·
765-768	Other infections of newborn	M F	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·
769-0- 773-0	Other and ill-defined diseases of early infancy :— Without mention of immaturity	M F	5 4	· 3	1 2	2 ·	4 ·	· ·	1 ·	· ·	· ·	1 ·
769-5- 773-5	With mention of immaturity	M F	· ·	2 ·	· ·	· ·	3 1	· 2	· ·	· ·	· ·	· ·
774	Immaturity with mention of any other subsidiary condition	M F	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
776	Immaturity unqualified	M F	7 4	· ·	3 2	· ·	8 3	1 ·	1 2	· ·	4 3	· ·
780-2	Convulsions	M F	· ·	1 ·	· 1	· 1	1 ·	2 ·	· ·	· ·	· ·	· ·
	Other causes	M F	3 1	· ·	· ·	2 ·	· ·	· 1	· 1	3 ·	· ·	1 3



UNDER 1 YEAR IN 1956, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROS-COMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed International List Nos.
Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
41 34	18 16	4 6	3 1	46 29	30 12	13 5	7 6	7 9	6 5	21 12	7 6	25 16	26 13	16 9	6 9	
.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	010
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	001-008 011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	2	.	.	.	4	.	.	.	.	.	1	.	1	.	.	056
.	.	.	.	.	2	.	1	.	.	.	1	.	.	.	.	
.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	030-055 057-138
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	340
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	330-334 341-398
.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	.	.	.	1	.	1	.	1	480-483
.	3	.	2	.	7	.	4	.	4	.	1	.	12	.	1	490-493
.	4	.	.	.	4	.	3	.	2	.	2	.	6	.	2	
.	1	.	.	.	2	.	.	.	.	.	1	1	.	.	.	500-502
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	470-475 510-527
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	5	5	.	.	.	1	.	1	.	2	.	1	571, 764
2	.	.	.	2	1	.	1	.	.	2	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	530-570 572-587
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	2	1	3	1	3	.	3	.	3	2	3	.	2	1	750-759
6	2	1	.	2	3	1	.	3	2	1	.	.	3	2	1	
8	.	.	.	8	1	4	.	1	.	4	1	2	.	.	.	760, 761
6	.	.	.	5	.	.	.	.	.	1	1	2	.	.	.	
2	1	.	.	3	.	.	1	.	.	4	.	1	1	1	.	762
9	.	.	.	3	.	1	.	1	.	1	.	4	.	2	.	
4	.	.	.	2	.	1	.	1	.	1	.	1	.	1	.	763
2	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	765-768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
5	1	.	.	3	2	1	1	.	.	1	.	3	1	1	.	769·0- 773·0
3	1	3	.	5	.	.	1	.	.	2	.	3	1	.	1	
1	.	.	.	2	.	2	.	.	.	.	.	.	.	1	.	769·5- 773·5
1	.	1	.	2	.	.	.	2	.	1	.	2	.	1	.	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
17	.	1	.	17	3	2	.	1	.	8	.	12	.	8	.	776
5	.	.	.	9	.	1	.	2	.	3	.	4	.	2	.	
.	1	1	.	1	.	.	.	1	.	.	.	.	1	.	1	780·2
.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	
.	1	.	.	1	2	.	.	.	.	.	.	1	5	1	1	
.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	

TABLE 29.—DEATHS REGISTERED IN 1956, CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
Under 14 years	1,609	1,610	.	.	1,209	1,209	.	.
15-19	71	71	.	.	38	38	.	.
20-24	120	110	10	.	81	65	16	.
25-29	116	97	19	.	87	41	46	.
30-34	149	106	41	2	140	65	74	1
35-39	233	136	96	1	209	57	150	2
40-44	322	151	168	3	284	103	165	16
45-49	474	184	283	7	329	113	193	23
50-54	780	282	466	32	544	163	317	64
55-59	1,097	353	681	63	727	192	399	136
60-64	1,403	471	813	119	1,083	306	477	300
65-69	1,941	621	1,055	265	1,374	364	466	544
70-74	2,603	869	1,224	510	2,248	580	631	1,037
75-79	3,037	870	1,253	914	2,687	641	491	1,555
80-84	2,594	619	953	1,022	2,562	604	305	1,653
85 and over	1,720	358	463	898	2,039	429	123	1,487
<b>Total</b>	<b>18,269</b>	<b>6,908</b>	<b>7,525</b>	<b>3,836</b>	<b>15,641</b>	<b>4,970</b>	<b>3,853</b>	<b>6,818</b>

TABLE 30.—DEATHS REGISTERED IN 1956 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
<b>Total</b> ... ..	<b>5,668</b>	<b>4,851</b>	<b>4,619</b>	<b>3,999</b>	<b>3,743</b>	<b>3,325</b>	<b>4,239</b>	<b>3,466</b>	<b>18,269</b>	<b>15,641</b>
Carlow ... ..	63	50	49	47	47	50	36	51	195	198
Dublin Co. Borough	782	783	676	614	547	589	700	655	2,705	2,641
Dun Laoghaire Boro'	88	77	67	70	58	56	72	74	285	277
Dublin Co. (remainder)	168	111	118	100	105	90	113	93	504	394
Kildare ... ..	122	94	87	71	78	56	83	52	370	273
Kilkenny ... ..	141	89	125	98	85	64	117	79	468	330
Laois ... ..	95	64	88	81	88	52	86	50	357	247
Longford ... ..	70	64	63	42	53	36	59	36	245	178
Louth ... ..	139	114	99	87	79	66	110	77	427	344
Meath ... ..	137	101	80	67	84	65	117	72	418	305
Offaly ... ..	91	70	76	64	65	50	76	58	308	242
Westmeath ... ..	105	71	88	87	69	45	86	54	348	257
Wexford ... ..	199	149	157	144	128	119	131	125	615	537
Wicklow ... ..	107	112	102	79	67	64	81	79	357	334
<b>Leinster</b> ... ..	<b>2,307</b>	<b>1,949</b>	<b>1,875</b>	<b>1,651</b>	<b>1,553</b>	<b>1,402</b>	<b>1,867</b>	<b>1,555</b>	<b>7,602</b>	<b>6,557</b>
Clare ... ..	177	136	141	120	115	98	145	102	578	456
Cork County Borough	169	195	125	136	98	98	101	117	493	546
Cork ... ..	571	468	464	364	380	318	399	349	1,814	1,499
Kerry ... ..	230	239	185	167	167	125	185	163	767	694
Limerick Co. Borough	99	88	64	64	51	45	48	61	262	258
Limerick ... ..	205	154	181	127	105	97	146	106	637	484
Tipperary, N.R. ...	126	99	100	78	69	67	107	65	402	309
Tipperary, S.R. ...	152	129	128	99	88	82	128	92	496	402
Waterford County Borough	63	46	36	33	28	34	51	26	178	139
Waterford ... ..	100	80	81	61	68	66	65	60	314	267
<b>Munster</b> ... ..	<b>1,892</b>	<b>1,634</b>	<b>1,505</b>	<b>1,249</b>	<b>1,169</b>	<b>1,030</b>	<b>1,375</b>	<b>1,141</b>	<b>5,941</b>	<b>5,054</b>
Galway ... ..	287	248	233	194	212	153	195	160	927	755
Leitrim ... ..	81	86	71	51	65	54	75	40	292	231
Mayo ... ..	299	242	265	257	215	171	198	146	977	816
Roscommon ... ..	137	117	113	107	92	74	95	78	437	376
Sligo ... ..	116	123	112	88	88	94	98	81	414	386
<b>Connacht</b> ... ..	<b>920</b>	<b>816</b>	<b>794</b>	<b>697</b>	<b>672</b>	<b>546</b>	<b>661</b>	<b>505</b>	<b>3,047</b>	<b>2,564</b>
Cavan ... ..	162	115	139	104	101	93	96	64	498	376
Donegal ... ..	278	262	224	213	170	181	167	142	839	798
Monaghan ... ..	109	75	82	85	78	73	73	59	342	292
<b>Ulster (part of)</b> ...	<b>549</b>	<b>452</b>	<b>445</b>	<b>402</b>	<b>349</b>	<b>347</b>	<b>336</b>	<b>265</b>	<b>1,679</b>	<b>1,466</b>



TABLE 31.—BIRTHS REGISTERED IN 1956 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
<b>Total ...</b>	<b>7,391</b>	<b>6,895</b>	<b>8,587</b>	<b>8,131</b>	<b>7,941</b>	<b>7,464</b>	<b>7,338</b>	<b>6,993</b>	<b>31,257</b>	<b>29,483</b>
Carlow ...	114	92	128	116	96	106	99	95	437	409
Dublin County Boro'	1,557	1,441	1,803	1,814	1,564	1,531	1,517	1,430	6,441	6,216
Dun Laoghaire Boro'	137	117	147	148	119	128	99	126	502	519
Dublin County (rem.)	355	303	436	403	430	368	370	348	1,591	1,422
Kildare ...	180	180	236	242	207	161	160	156	783	739
Kilkenny ...	161	154	169	178	159	161	140	147	629	640
Laois ...	118	98	142	135	145	125	118	107	523	465
Longford ...	89	72	69	91	97	96	72	83	327	342
Louth ...	185	165	214	195	197	190	188	169	784	719
Meath ...	161	158	204	168	198	175	193	158	756	659
Offaly ...	129	141	167	156	145	150	157	151	598	598
Westmeath ...	175	161	207	184	175	156	153	158	710	659
Wexford ...	217	215	280	231	242	185	217	206	956	837
Wicklow ...	151	127	170	163	167	159	180	149	668	598
<b>Leinster ...</b>	<b>3,729</b>	<b>3,424</b>	<b>4,372</b>	<b>4,224</b>	<b>3,941</b>	<b>3,691</b>	<b>3,663</b>	<b>3,483</b>	<b>15,705</b>	<b>14,822</b>
Clare ...	151	171	202	194	204	179	189	166	746	710
Cork County Borough	210	200	260	226	208	209	218	207	896	842
Cork ...	578	577	724	650	646	580	583	574	2,531	2,381
Kerry ...	293	254	320	326	274	266	262	270	1,149	1,116
Limerick County Boro'	142	145	175	165	197	165	160	144	674	619
Limerick ...	234	192	241	196	230	218	198	194	903	800
Tipperary, N.R. ...	171	155	138	139	181	174	142	137	632	605
Tipperary, S.R. ...	183	173	208	189	204	198	199	167	794	727
Waterford Co. Boro'	74	78	96	96	87	94	72	67	329	335
Waterford ...	113	85	123	89	98	106	104	118	438	398
<b>Munster ...</b>	<b>2,149</b>	<b>2,030</b>	<b>2,487</b>	<b>2,270</b>	<b>2,329</b>	<b>2,189</b>	<b>2,127</b>	<b>2,044</b>	<b>9,092</b>	<b>8,533</b>
Galway ...	365	357	435	405	460	408	403	373	1,663	1,543
Leitrim ...	79	74	94	103	83	72	75	71	331	320
Mayo ...	301	299	329	300	320	311	291	294	1,241	1,204
Roscommon ...	125	116	140	152	133	134	134	117	532	519
Sligo ...	114	121	158	160	125	128	137	121	534	530
<b>Connacht ...</b>	<b>984</b>	<b>967</b>	<b>1,156</b>	<b>1,120</b>	<b>1,121</b>	<b>1,053</b>	<b>1,040</b>	<b>976</b>	<b>4,301</b>	<b>4,116</b>
Cavan ...	118	122	151	135	155	147	144	126	568	530
Donegal ...	264	241	276	251	260	260	249	236	1,049	988
Monaghan ...	147	111	145	131	135	124	115	128	542	494
<b>Ulster (part of) ...</b>	<b>529</b>	<b>474</b>	<b>572</b>	<b>517</b>	<b>550</b>	<b>531</b>	<b>508</b>	<b>490</b>	<b>2,159</b>	<b>2,012</b>

TABLE 32.—BIRTHS REGISTERED IN 1956 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND SEX AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS.

Age of Mother at Maternity	Total Births (including illegitimate)			Illegitimate Births		
	Total	Male	Female	Total	Male	Female
<b>All ages</b> ... ..	<b>60,740</b>	<b>31,257</b>	<b>29,483</b>	<b>1,173</b>	<b>608</b>	<b>565</b>
15 and under	19	9	10	16	7	9
16	67	32	35	40	15	25
17	144	68	76	57	22	35
18	278	159	119	73	42	31
19	554	281	273	111	61	50
Under 20	1,062	549	513	297	147	150
20	884	455	429	89	45	44
21	1,165	579	586	99	61	38
22	1,525	793	732	100	58	42
23	2,092	1,060	1,032	63	33	30
24	2,390	1,257	1,133	46	27	19
20—24	8,056	4,144	3,912	397	224	173
25	2,699	1,362	1,337	58	33	25
26	3,026	1,555	1,471	56	25	31
27	3,158	1,665	1,493	37	23	14
28	3,280	1,676	1,604	35	18	17
29	3,538	1,823	1,715	37	19	18
25—29	15,701	8,081	7,620	223	118	105
30	3,614	1,853	1,761	25	9	16
31	3,450	1,803	1,647	31	16	15
32	3,519	1,824	1,695	21	10	11
33	3,493	1,807	1,686	21	11	10
34	3,326	1,680	1,646	17	6	11
30—34	17,402	8,967	8,435	115	52	63
35	3,192	1,645	1,547	12	7	5
36	2,883	1,464	1,419	12	8	4
37	2,505	1,284	1,221	9	1	8
38	2,223	1,133	1,090	5	1	4
39	2,107	1,088	1,019	6	3	3
35—39	12,910	6,614	6,296	44	20	24
40	1,697	868	829	7	4	3
41	1,282	650	632	1	.	1
42	962	490	472	4	3	1
43	558	299	259	.	.	.
44	385	215	170	2	1	1
40—44	4,884	2,522	2,362	14	8	6
45	203	111	92	.	.	.
46	61	37	24	1	1	.
47	35	19	16	1	.	1
48	13	8	5	.	.	.
49	5	1	4	.	.	.
45—49	317	176	141	2	1	1
50	1	.	1	.	.	.
51	1	.	1	.	.	.
52	3	3	.	.	.	.
53	.	.	.	.	.	.
54	.	.	.	.	.	.
50—54	5	3	2	.	.	.
Age not stated	403	201	202	81	38	43

TABLE 33.—BIRTHS REGISTERED IN 1956, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of Mother at Maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW							DUBLIN COUNTY BOROUGH					
Under 20 years ...	33	16	17	4	1	3	204	98	106	45	22	23
20-24 years ...	136	57	79	11	5	6	2,115	1,089	1,026	71	38	33
25-29 years ...	217	117	100	4	1	3	3,789	1,907	1,882	45	22	23
30-34 years ...	234	114	120	3	1	2	3,377	1,743	1,634	26	11	15
35-39 years ...	155	89	66	.	.	.	2,315	1,179	1,136	10	5	5
40-44 years ...	60	39	21	.	.	.	774	380	394	5	3	2
45 years and over ...	4	3	1	.	.	.	49	30	19	.	.	.
Age not stated ...	7	2	5	.	.	.	34	15	19	9	4	5
<b>All ages ...</b>	<b>846</b>	<b>437</b>	<b>409</b>	<b>22</b>	<b>8</b>	<b>14</b>	<b>12,657</b>	<b>6,441</b>	<b>6,216</b>	<b>211</b>	<b>105</b>	<b>106</b>
DUN LAOGHAIRE BOROUGH							DUBLIN COUNTY (remainder)					
Under 20 years ...	21	10	11	6	4	2	28	13	15	5	1	4
20-24 years ...	158	74	84	5	3	2	379	204	175	9	2	7
25-29 years ...	324	148	176	5	3	2	927	481	446	9	5	4
30-34 years ...	273	136	137	2	1	1	931	502	429	2	1	1
35-39 years ...	177	92	85	3	2	1	557	285	272	.	.	.
40-44 years ...	62	36	26	.	.	.	170	94	76	1	.	1
45 years and over ...	4	4	.	.	.	.	11	6	5	.	.	.
Age not stated ...	2	2	.	.	.	.	10	6	4	2	1	1
<b>All ages ...</b>	<b>1,021</b>	<b>502</b>	<b>519</b>	<b>21</b>	<b>13</b>	<b>8</b>	<b>3,013</b>	<b>1,591</b>	<b>1,422</b>	<b>28</b>	<b>10</b>	<b>18</b>
KILDARE							KILKENNY					
Under 20 years ...	50	29	21	11	6	5	29	11	18	9	4	5
20-24 years ...	262	137	125	7	4	3	139	66	73	11	5	6
25-29 years ...	402	207	195	8	5	3	328	171	157	3	3	.
30-34 years ...	436	212	224	6	1	5	357	168	189	.	.	.
35-39 years ...	280	146	134	1	.	1	289	156	133	2	.	2
40-44 years ...	74	42	32	1	1	.	102	47	55	.	.	.
45 years and over ...	5	2	3	1	.	1	7	3	4	.	.	.
Age not stated ...	13	8	5	5	3	2	18	7	11	5	2	3
<b>All ages ...</b>	<b>1,522</b>	<b>783</b>	<b>739</b>	<b>40</b>	<b>20</b>	<b>20</b>	<b>1,269</b>	<b>629</b>	<b>640</b>	<b>30</b>	<b>14</b>	<b>16</b>
LAOIS							LONGFORD					
Under 20 years ...	32	20	12	12	8	4	9	3	6	5	2	3
20-24 years ...	134	72	62	9	5	4	66	38	28	7	5	2
25-29 years ...	248	130	118	5	4	1	150	66	84	4	2	2
30-34 years ...	283	148	135	3	.	3	193	93	100	.	.	.
35-39 years ...	203	99	104	.	.	.	171	87	84	.	.	.
40-44 years ...	75	46	29	1	1	.	73	35	38	.	.	.
45 years and over ...	6	3	3	.	.	.	5	3	2	.	.	.
Age not stated ...	7	5	2	.	.	.	2	2	.	.	.	.
<b>All ages ...</b>	<b>988</b>	<b>523</b>	<b>465</b>	<b>30</b>	<b>18</b>	<b>12</b>	<b>669</b>	<b>327</b>	<b>342</b>	<b>16</b>	<b>9</b>	<b>7</b>



TABLE 33.—(continued)—BIRTHS REGISTERED IN 1956, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at Maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years ...	24	12	12	6	3	3	29	19	10	12	8	4
20-24 years ...	214	97	117	10	7	3	200	109	91	14	7	7
25-29 years ...	407	224	183	2	1	1	342	176	166	11	6	5
30-34 years ...	438	221	217	2	1	1	398	222	176	2	.	2
35-39 years ...	304	161	143	.	.	.	315	174	141	.	.	.
40-44 years ...	110	64	46	.	.	.	119	52	67	.	.	.
45 years and over ...	6	5	1	.	.	.	6	3	3	.	.	.
Age not stated ...	.	.	.	.	.	.	6	1	5	1	1	.
All ages ...	1,503	784	719	20	12	8	1,415	756	659	40	22	18
OFFALY							WESTMEATH					
Under 20 years ...	29	15	14	5	2	3	23	10	13	4	1	3
20-24 years ...	159	83	76	12	9	3	201	96	105	12	7	5
25-29 years ...	307	153	154	7	5	2	335	164	171	6	4	2
30-34 years ...	344	160	184	1	1	.	420	234	186	3	2	1
35-39 years ...	249	132	117	.	.	.	267	143	124	1	1	.
40-44 years ...	94	46	48	.	.	.	100	52	48	.	.	.
45 years and over ...	6	4	2	.	.	.	9	6	3	.	.	.
Age not stated ...	8	5	3	4	3	1	14	5	9	3	1	2
All ages ...	1,196	598	598	29	20	9	1,369	710	659	29	16	13
WEXFORD							WICKLOW					
Under 20 years ...	68	35	33	18	8	10	30	15	15	9	5	4
20-24 years ...	292	154	138	15	10	5	176	102	74	11	9	2
25-29 years ...	439	241	198	11	6	5	385	200	185	6	.	6
30-34 years ...	499	265	234	5	2	3	352	187	165	4	2	2
35-39 years ...	333	178	155	1	1	.	224	113	111	2	.	2
40-44 years ...	124	63	61	.	.	.	81	41	40	.	.	.
45 years and over ...	14	7	7	.	.	.	6	5	1	.	.	.
Age not stated ...	24	13	11	17	10	7	12	5	7	3	2	1
All ages ...	1,793	956	837	67	37	30	1,266	668	598	35	18	17
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years ...	25	12	13	3	2	1	62	32	30	22	11	11
20-24 years ...	277	140	137	8	5	3	544	285	259	26	15	11
25-29 years ...	486	262	224	4	1	3	1,179	602	577	20	13	7
30-34 years ...	509	251	258	3	2	1	1,464	755	709	8	4	4
35-39 years ...	320	168	152	1	1	.	1,160	591	569	5	4	1
40-44 years ...	114	59	55	.	.	.	428	226	202	2	1	1
45 years and over ...	2	1	1	.	.	.	25	15	10	.	.	.
Age not stated ...	5	3	2	2	.	2	50	25	25	3	1	2
All ages ...	1,738	896	842	21	11	10	4,912	2,531	2,381	86	49	37

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1956, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at Maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE							KERRY					
Under 20 years ...	30	15	15	15	4	11	24	15	9	4	2	2
20-24 years ...	127	63	64	5	4	1	201	97	104	6	3	3
25-29 years ...	316	148	168	5	1	4	465	245	220	5	4	1
30-34 years ...	451	251	200	1	1	1	672	336	336	3	2	1
35-39 years ...	379	180	199	1	1	1	605	296	309	2	1	1
40-44 years ...	132	80	52	1	1	1	261	139	122	1	1	1
45 years and over ...	7	1	6	1	1	1	20	13	7	1	1	1
Age not stated ...	14	8	6	3	1	2	17	8	9	2	1	2
All ages ...	1,456	746	710	30	12	18	2,265	1,149	1,116	22	12	10
LIMERICK COUNTY BOROUGH							LIMERICK COUNTY					
Under 20 years ...	22	10	12	4	1	4	42	26	16	20	12	8
20-24 years ...	228	113	115	4	1	3	188	84	104	26	15	11
25-29 years ...	383	217	166	1	1	1	386	219	167	6	6	1
30-34 years ...	355	174	181	2	1	2	468	250	218	7	2	5
35-39 years ...	231	121	110	1	1	1	400	212	188	5	1	5
40-44 years ...	69	35	34	1	1	1	179	91	88	1	1	1
45 years and over ...	2	2	1	1	1	1	20	10	10	1	1	1
Age not stated ...	3	2	1	1	1	1	20	11	9	1	1	1
All ages ...	1,293	674	619	11	2	9	1,703	903	800	65	35	30
TIPPERARY, NORTH RIDING							TIPPERARY, SOUTH RIDING					
Under 20 years ...	16	5	11	3	2	1	40	20	20	11	2	9
20-24 years ...	145	79	66	9	4	5	207	100	107	14	10	4
25-29 years ...	291	146	145	4	3	1	395	221	174	5	2	3
30-34 years ...	375	198	177	2	1	1	433	225	208	3	2	1
35-39 years ...	277	142	135	1	1	1	299	151	148	1	1	1
40-44 years ...	109	50	59	1	1	1	131	68	63	1	1	1
45 years and over ...	8	2	6	1	1	1	4	3	1	1	1	1
Age not stated ...	16	10	6	1	1	1	12	6	6	3	1	2
All ages ...	1,237	632	605	20	12	8	1,521	794	727	37	17	20
WATERFORD COUNTY BOROUGH							WATERFORD COUNTY					
Under 20 years ...	15	8	7	4	4	1	31	15	16	9	3	6
20-24 years ...	118	58	60	3	2	1	140	84	56	11	7	4
25-29 years ...	190	104	86	1	1	1	212	117	95	6	1	6
30-34 years ...	177	89	88	1	1	1	223	117	106	5	2	3
35-39 years ...	129	56	73	1	1	1	155	71	84	1	1	1
40-44 years ...	34	14	20	1	1	1	56	24	32	1	1	1
45 years and over ...	1	1	1	1	1	1	5	2	3	1	1	1
Age not stated ...	1	1	1	1	1	1	14	8	6	1	1	1
All ages ...	664	329	335	8	6	2	836	438	398	33	12	21

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1956, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at Maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
GALWAY							LEITRIM					
Under 20 years ...	25	16	9	11	8	3	10	6	4	5	3	2
20-24 years ...	334	170	164	19	12	7	36	22	14	5	4	1
25-29 years ...	715	377	338	8	3	5	114	57	57	1	1	.
30-34 years ...	926	479	447	6	5	1	223	113	110	.	.	.
35-39 years ...	807	411	396	1	1	.	183	99	84	1	1	.
40-44 years ...	354	183	171	.	.	.	79	32	47	.	.	.
45 years and over ...	21	13	8	.	.	.	3	2	1	.	.	.
Age not stated ...	24	14	10	4	4	.	3	.	3	1	.	1
<b>All ages ...</b>	<b>3,206</b>	<b>1,663</b>	<b>1,543</b>	<b>49</b>	<b>33</b>	<b>16</b>	<b>651</b>	<b>331</b>	<b>320</b>	<b>13</b>	<b>9</b>	<b>4</b>
MAYO							ROSCOMMON					
Under 20 years ...	26	17	9	4	2	2	9	6	3	2	1	1
20-24 years ...	236	133	103	7	2	5	88	45	43	7	2	5
25-29 years ...	531	256	275	4	3	1	222	106	116	3	2	1
30-34 years ...	697	344	353	1	1	.	329	165	164	.	.	.
35-39 years ...	638	329	309	.	.	.	271	138	133	1	.	1
40-44 years ...	276	147	129	.	.	.	117	65	52	.	.	.
45 years and over ...	17	6	11	.	.	.	9	5	4	.	.	.
Age not stated ...	24	9	15	2	.	2	6	2	4	.	.	.
<b>All ages ...</b>	<b>2,445</b>	<b>1,241</b>	<b>1,204</b>	<b>18</b>	<b>8</b>	<b>10</b>	<b>1,051</b>	<b>532</b>	<b>519</b>	<b>13</b>	<b>5</b>	<b>8</b>
SLIGO							CAVAN					
Under 20 years ...	15	7	8	3	1	2	16	8	8	8	4	4
20-24 years ...	97	50	47	5	2	3	97	46	51	10	6	4
25-29 years ...	279	143	136	4	2	2	236	119	117	6	1	5
30-34 years ...	323	158	165	2	1	1	345	192	153	5	2	3
35-39 years ...	219	110	109	.	.	.	268	132	136	2	1	1
40-44 years ...	117	59	58	.	.	.	119	65	54	.	.	.
45 years and over ...	10	6	4	.	.	.	9	3	6	.	.	.
Age not stated ...	4	1	3	.	.	.	8	3	5	1	1	.
<b>All ages ...</b>	<b>1,064</b>	<b>534</b>	<b>530</b>	<b>14</b>	<b>6</b>	<b>8</b>	<b>1,098</b>	<b>568</b>	<b>530</b>	<b>32</b>	<b>15</b>	<b>17</b>
DONEGAL							MONAGHAN					
Under 20 years ...	30	17	13	11	7	4	15	8	7	7	4	3
20-24 years ...	225	120	105	20	9	11	137	77	60	8	5	3
25-29 years ...	461	239	222	7	5	2	240	118	122	8	3	5
30-34 years ...	601	317	284	7	4	3	296	148	148	1	.	1
35-39 years ...	487	241	246	3	1	2	243	132	111	.	.	.
40-44 years ...	196	96	100	2	1	1	95	52	43	.	.	.
45 years and over ...	16	8	8	.	.	.	5	3	2	.	.	.
Age not stated ...	21	11	10	7	1	6	5	4	1	2	2	.
<b>All ages ...</b>	<b>2,037</b>	<b>1,049</b>	<b>988</b>	<b>57</b>	<b>28</b>	<b>29</b>	<b>1,036</b>	<b>542</b>	<b>494</b>	<b>26</b>	<b>14</b>	<b>12</b>



TABLE 34.—TOTAL BIRTHS REGISTERED IN 1956 CLASSIFIED BY AGE OF

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
<b>All ages</b>	<b>60,740</b>	<b>12,772</b>	<b>11,360</b>	<b>9,638</b>	<b>7,681</b>	<b>5,901</b>	<b>4,206</b>	<b>3,032</b>	<b>2,016</b>	<b>1,371</b>	<b>920</b>
15 & under	19	19	.	.	.	.	.	.	.	.	.
16	67	60	5	2	.	.	.	.	.	.	.
17	144	123	13	4	4	.	.	.	.	.	.
18	278	223	48	6	1	.	.	.	.	.	.
19	554	388	121	34	9	.	1	.	.	.	.
<b>Under 20</b>	<b>1,062</b>	<b>813</b>	<b>187</b>	<b>46</b>	<b>14</b>	.	<b>1</b>	.	.	.	.
20	884	517	255	91	17	3	.	.	.	.	.
21	1,165	635	347	126	45	6	1	.	.	.	.
22	1,525	758	440	197	85	37	5	1	.	.	.
23	2,092	937	607	296	153	68	13	2	2	.	.
24	2,390	943	719	369	207	111	26	7	5	.	.
<b>20-24</b>	<b>8,056</b>	<b>3,790</b>	<b>2,368</b>	<b>1,079</b>	<b>507</b>	<b>225</b>	<b>45</b>	<b>10</b>	<b>7</b>	.	.
25	2,699	975	718	483	296	131	58	18	6	1	.
26	3,026	972	818	540	320	193	108	37	13	5	.
27	3,158	873	841	570	374	230	148	71	28	8	4
28	3,280	786	811	655	398	268	171	117	38	19	7
29	3,538	758	811	685	468	369	202	113	74	29	11
<b>25-29</b>	<b>15,701</b>	<b>4,364</b>	<b>3,999</b>	<b>2,933</b>	<b>1,856</b>	<b>1,191</b>	<b>687</b>	<b>356</b>	<b>159</b>	<b>62</b>	<b>22</b>
30	3,614	633	765	702	541	380	230	146	98	50	23
31	3,450	537	647	675	570	387	249	175	78	57	35
32	3,519	445	609	683	543	413	283	202	144	86	42
33	3,493	422	581	637	542	435	315	236	135	76	49
34	3,326	350	465	591	530	426	310	224	195	100	60
<b>30-34</b>	<b>17,402</b>	<b>2,387</b>	<b>3,067</b>	<b>3,288</b>	<b>2,726</b>	<b>2,041</b>	<b>1,387</b>	<b>983</b>	<b>650</b>	<b>369</b>	<b>209</b>
35	3,192	309	408	501	505	429	316	259	161	123	64
36	2,883	228	317	432	443	373	322	262	167	134	86
37	2,505	194	252	333	377	351	299	220	164	123	73
38	2,223	161	222	285	306	317	264	202	128	104	74
39	2,107	148	174	277	308	250	239	200	138	110	107
<b>35-39</b>	<b>12,910</b>	<b>1,040</b>	<b>1,373</b>	<b>1,828</b>	<b>1,939</b>	<b>1,720</b>	<b>1,440</b>	<b>1,143</b>	<b>758</b>	<b>594</b>	<b>404</b>
40	1,697	111	115	166	223	266	202	153	129	106	82
41	1,282	55	83	101	153	161	172	142	104	84	65
42	962	39	50	88	102	128	101	99	91	69	46
43	558	23	31	31	69	65	83	58	44	44	34
44	385	19	19	25	43	49	42	39	30	22	31
<b>40-44</b>	<b>4,884</b>	<b>247</b>	<b>298</b>	<b>411</b>	<b>590</b>	<b>669</b>	<b>600</b>	<b>491</b>	<b>398</b>	<b>325</b>	<b>258</b>
45	203	16	4	15	11	28	16	21	24	11	15
46	61	2	3	3	2	7	10	8	3	3	3
47	35	2	4	1	2	1	3	3	3	3	5
48	13	.	1	2	.	3	1	2	.	.	1
49 and over	10	.	1	1	2	.	1	1	1	1	.
<b>45 and over</b>	<b>322</b>	<b>20</b>	<b>13</b>	<b>22</b>	<b>17</b>	<b>39</b>	<b>31</b>	<b>35</b>	<b>31</b>	<b>18</b>	<b>24</b>
Age not stated	403	111	55	31	32	16	15	14	13	3	3

MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN.

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 & over	Not stated	
557	337	228	131	82	40	30	4	5	2	1	.	2	424	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	15 & under
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	18
.	.	.	.	.	.	.	.	.	.	.	.	.	1	19
.	.	.	.	.	.	.	.	.	.	.	.	.	1	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	.	1	20
.	.	.	.	.	.	.	.	.	.	.	.	.	5	21
.	.	.	.	.	.	.	.	.	.	.	.	.	2	22
.	.	.	.	.	.	.	.	.	.	.	.	.	14	23
.	.	.	.	.	.	.	.	.	.	.	.	.	3	24
.	.	.	.	.	.	.	.	.	.	.	.	.	25	20-24
.	.	.	.	.	.	.	.	.	.	.	.	.	13	25
.	.	.	.	.	.	.	.	.	.	.	.	.	20	26
.	.	.	.	.	.	.	.	.	.	.	.	.	11	27
.	.	.	.	.	.	.	.	.	.	.	.	.	10	28
2	2	.	.	.	.	.	.	.	.	.	.	.	14	29
2	2	.	.	.	.	.	.	.	.	.	.	.	68	25-29
9	7	1	.	.	.	.	.	.	.	.	.	.	29	30
15	5	3	1	.	.	.	.	.	.	.	.	.	16	31
25	10	3	.	1	2	.	.	.	.	.	.	.	28	32
27	14	3	2	1	.	.	.	.	.	.	.	.	18	33
34	16	4	3	.	.	2	.	.	.	.	.	.	16	34
110	52	14	6	2	2	2	.	.	.	.	.	.	107	30-34
43	22	13	4	2	2	.	.	.	.	.	.	.	31	35
51	18	20	9	1	2	.	.	1	.	.	.	.	17	36
40	23	19	9	3	4	2	.	.	.	.	.	.	19	37
56	44	16	12	15	4	5	.	.	.	.	.	.	8	38
52	37	22	15	5	4	2	.	.	.	.	.	.	19	39
242	144	90	49	26	16	9	.	1	.	.	.	.	94	35-39
37	36	27	12	9	7	6	.	.	1	1	.	1	7	40
58	32	24	21	12	5	3	.	1	1	.	.	.	5	41
43	29	30	14	15	4	3	2	.	.	.	.	1	8	42
20	15	20	9	4	1	2	.	.	.	.	.	.	5	43
20	12	10	11	5	1	2	.	3	.	.	.	.	2	44
178	124	111	67	45	18	16	2	4	2	1	.	2	27	40-44
11	9	5	5	6	2	1	1	.	.	.	.	.	2	45
5	2	4	3	2	.	.	.	.	.	.	.	.	1	46
3	1	2	.	1	.	1	.	.	.	.	.	.	.	47
1	.	.	1	.	.	1	.	.	.	.	.	.	.	48
.	1	.	.	.	1	.	.	.	.	.	.	.	.	49 and over
20	13	11	9	9	3	3	1	.	.	.	.	.	3	45 and over
5	2	2	.	.	1	.	1	.	.	.	.	.	99	Age not stated

TABLE 35.—LEGITIMATE BIRTHS REGISTERED IN 1956, CLASSIFIED

Age of mother at maternity	Legitimate births, the marriage										
	All durations	0	1	2	3	4	5	6	7	8	9
<b>All ages</b>	<b>59,567</b>	<b>6,342</b>	<b>5,878</b>	<b>5,793</b>	<b>5,111</b>	<b>4,690</b>	<b>4,202</b>	<b>3,916</b>	<b>3,270</b>	<b>3,015</b>	<b>2,801</b>
15 & under	3	3	.	.	.	.	.	.	.	.	.
16	27	19	5	3	.	.	.	.	.	.	.
17	87	60	19	3	2	.	.	.	.	.	.
18	205	128	52	19	6	.	.	.	.	.	.
19	443	243	98	67	23	7	4	.	.	.	.
<b>Under 20</b>	<b>765</b>	<b>453</b>	<b>174</b>	<b>92</b>	<b>31</b>	<b>7</b>	<b>4</b>	.	.	.	.
20	795	331	208	157	61	18	10	5	.	.	.
21	1,066	398	273	192	112	55	17	11	3	.	.
22	1,425	445	363	258	161	116	49	23	4	2	.
23	2,029	521	506	365	283	167	103	49	23	3	1
24	2,344	514	493	438	322	230	171	99	42	17	8
<b>20-24</b>	<b>7,659</b>	<b>2,209</b>	<b>1,843</b>	<b>1,410</b>	<b>939</b>	<b>586</b>	<b>350</b>	<b>187</b>	<b>72</b>	<b>22</b>	<b>9</b>
25	2,641	522	484	447	344	285	227	159	99	46	12
26	2,970	533	423	467	401	349	281	224	140	67	53
27	3,121	445	414	466	400	364	299	242	200	130	83
28	3,245	385	405	428	382	359	284	288	204	188	148
29	3,501	375	368	436	391	359	327	299	240	205	191
<b>25-29</b>	<b>15,478</b>	<b>2,260</b>	<b>2,094</b>	<b>2,244</b>	<b>1,918</b>	<b>1,716</b>	<b>1,418</b>	<b>1,212</b>	<b>883</b>	<b>636</b>	<b>487</b>
30	3,589	304	306	364	381	367	336	318	274	218	250
31	3,419	231	271	314	322	274	348	308	288	268	228
32	3,498	187	214	279	281	340	291	321	268	262	239
33	3,472	163	213	234	278	294	280	286	252	264	238
34	3,309	137	159	209	231	237	263	244	239	237	220
<b>30-34</b>	<b>17,287</b>	<b>1,022</b>	<b>1,163</b>	<b>1,400</b>	<b>1,493</b>	<b>1,512</b>	<b>1,518</b>	<b>1,477</b>	<b>1,321</b>	<b>1,249</b>	<b>1,175</b>
35	3,180	102	153	181	182	207	209	236	235	222	235
36	2,871	84	109	121	139	166	171	185	174	220	191
37	2,496	54	104	95	113	124	140	150	164	155	156
38	2,218	57	66	83	90	100	128	125	100	129	139
39	2,101	33	64	56	90	109	80	125	99	121	131
<b>35-39</b>	<b>12,866</b>	<b>330</b>	<b>496</b>	<b>536</b>	<b>614</b>	<b>706</b>	<b>728</b>	<b>821</b>	<b>772</b>	<b>847</b>	<b>852</b>
40	1,690	23	44	45	47	67	67	94	105	82	114
41	1,281	16	20	20	22	38	49	60	43	63	50
42	958	8	16	14	14	26	35	31	34	43	48
43	558	6	9	6	9	8	10	18	11	31	27
44	383	1	6	8	4	10	10	5	13	16	19
<b>40-44</b>	<b>4,870</b>	<b>54</b>	<b>95</b>	<b>93</b>	<b>96</b>	<b>149</b>	<b>171</b>	<b>208</b>	<b>206</b>	<b>235</b>	<b>258</b>
45	203	2	3	1	5	1	5	2	7	8	11
46	60	.	.	.	1	.	.	.	1	7	3
47	34	.	1	.	2	1	.	1	.	1	2
48	13	.	.	.	.	.	.	.	1	1	1
49 & over	10	.	.	.	.	.	.	1	.	1	.
<b>45 &amp; over</b>	<b>320</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>8</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>9</b>	<b>18</b>	<b>17</b>
Age not stated	322	12	9	17	12	12	8	7	7	8	3



## BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE.

duration in completed years being													Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20-24	25 & over	Not stated	
2,643	2,203	1,882	1,695	1,298	1,033	894	698	501	427	869	70	336	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	15 & under
.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	3	17
.	.	.	.	.	.	.	.	.	.	.	.	.	18
.	.	.	.	.	.	.	.	.	.	.	.	1	19
.	.	.	.	.	.	.	.	.	.	.	.	4	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	5	20
.	.	.	.	.	.	.	.	.	.	.	.	5	21
.	.	.	.	.	.	.	.	.	.	.	.	4	22
.	.	.	.	.	.	.	.	.	.	.	.	8	23
6	.	.	.	.	.	.	.	.	.	.	.	4	24
6	.	.	.	.	.	.	.	.	.	.	.	26	20-24
6	2	.	.	.	.	.	.	.	.	.	.	8	25
20	5	1	.	.	.	.	.	.	.	.	.	6	26
55	13	6	2	.	.	.	.	.	.	.	.	2	27
105	31	22	9	1	.	.	.	.	.	.	.	6	28
133	103	41	19	5	2	.	.	.	.	.	.	7	29
319	154	70	30	6	2	.	.	.	.	.	.	29	25-29
182	131	70	49	19	6	5	.	.	.	.	.	9	30
189	169	92	67	27	11	2	1	.	.	.	.	9	31
252	165	160	100	77	36	16	3	.	.	.	.	7	32
225	215	162	143	87	62	39	14	4	6	.	.	13	33
240	208	217	178	119	68	54	23	15	3	3	.	5	34
1,088	888	701	537	329	183	116	41	19	9	3	.	43	30-34
224	190	190	169	148	104	86	46	27	16	10	.	8	35
216	192	194	182	148	134	103	61	40	22	13	.	6	36
183	181	170	168	144	107	93	65	58	35	35	.	2	37
163	159	144	139	129	101	84	94	69	47	64	.	8	38
154	147	113	146	106	107	97	91	60	63	104	1	4	39
940	869	811	804	675	553	463	357	254	183	226	1	28	35-39
107	90	106	100	78	96	100	83	61	77	97	4	3	40
75	75	77	97	77	68	79	86	60	50	151	3	2	41
54	54	54	57	47	58	71	51	42	48	138	12	3	42
23	34	29	36	39	34	31	33	30	28	92	13	1	43
22	15	17	21	25	26	20	25	14	13	79	14	.	44
281	268	283	311	266	282	301	278	207	216	557	46	9	40-44
4	10	8	4	14	9	7	12	13	14	49	13	1	45
1	.	2	4	3	1	4	5	3	1	17	6	1	46
.	3	1	1	1	.	.	3	3	2	10	2	.	47
.	.	2	.	.	.	2	.	1	.	3	2	.	48
.	.	.	.	1	2	.	1	1	.	3	.	.	49 & over
5	13	13	9	19	12	13	21	21	17	82	23	2	45 & over
4	11	4	4	3	1	1	1	.	2	1	.	195	Age not stated

TABLE 36.—LEGITIMATE BIRTHS REGISTERED IN 1956 CLASSIFIED BY AGE OF MOTHER

Age of mother at maternity	Legitimate births: the marriage								
	0	1	2	3	4	5	6	7	8
<b>All ages</b>	<b>108</b>	<b>84</b>	<b>114</b>	<b>167</b>	<b>201</b>	<b>220</b>	<b>251</b>	<b>244</b>	<b>573</b>
15 & under	1	.	.	.	.	.	.	.	.
16	4	2	3	3	1	.	2	.	.
17	1	5	6	5	10	6	8	1	3
18	11	4	1	10	16	11	14	9	9
19	9	13	9	21	31	21	20	13	21
<b>Under 20</b>	<b>26</b>	<b>24</b>	<b>19</b>	<b>39</b>	<b>58</b>	<b>38</b>	<b>44</b>	<b>23</b>	<b>33</b>
20	7	11	16	17	24	26	29	26	25
21	11	5	7	15	24	30	23	16	36
22	5	2	10	11	17	17	20	30	49
23	8	5	8	10	13	12	23	21	63
24	3	3	6	7	10	18	21	20	37
<b>20-24</b>	<b>34</b>	<b>26</b>	<b>47</b>	<b>60</b>	<b>88</b>	<b>103</b>	<b>116</b>	<b>113</b>	<b>210</b>
25	13	3	3	6	4	18	7	20	46
26	4	2	5	5	7	16	19	13	57
27	4	3	9	12	5	11	14	13	48
28	2	3	5	5	8	5	11	14	27
29	2	2	6	4	8	7	4	9	26
<b>25-29</b>	<b>25</b>	<b>13</b>	<b>28</b>	<b>32</b>	<b>32</b>	<b>57</b>	<b>55</b>	<b>69</b>	<b>204</b>
30	6	4	6	4	3	5	6	6	26
31	4	3	1	8	3	2	1	7	18
32	1	2	2	2	3	5	9	10	22
33	3	2	2	7	3	4	6	2	20
34	2	3	3	3	5	1	5	4	11
<b>30-34</b>	<b>16</b>	<b>14</b>	<b>14</b>	<b>24</b>	<b>17</b>	<b>17</b>	<b>27</b>	<b>29</b>	<b>97</b>
35	2	.	2	6	3	2	2	6	7
36	1	2	.	1	2	.	3	2	6
37	1	.	.	.	.	1	2	1	3
38	.	2	.	.	.	.	1	.	7
39	.	.	4	2	.	.	.	.	1
<b>35-39</b>	<b>4</b>	<b>4</b>	<b>6</b>	<b>9</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>9</b>	<b>24</b>
40	1	2	.	.	.	.	1	.	4
41	.	1	.	1	1	.	.	.	1
42	1	.	.	2	.	1	.	.	.
43	.	.	.	.	.	.	.	.	.
44	.	.	.	.	.	.	.	.	.
<b>40-44</b>	<b>2</b>	<b>3</b>	.	<b>3</b>	<b>1</b>	<b>1</b>	<b>1</b>	.	<b>5</b>
45	.	.	.	.	.	.	.	.	.
46	.	.	.	.	.	.	.	.	.
47	.	.	.	.	.	.	.	.	.
48	.	.	.	.	.	.	.	.	.
49 & over	.	.	.	.	.	.	.	.	.
45 & over	.	.	.	.	.	.	.	.	.
Age not stated	1	.	.	.	.	1	.	1	.

## AT MATERNITY AND DURATION OF MARRIAGE FOR DURATIONS UNDER TWO YEARS.

duration in completed months being									Age of mother at maternity
9	10	11	0-8	9-11	12-14	15-17	18-20	21-23	
1,679	1,574	1,127	1,962	4,380	2,002	1,256	1,133	1,487	All ages
.	.	2	1	2	.	.	.	.	15 & under
4	.	.	15	4	1	2	2	.	16
5	6	4	45	15	10	2	3	4	17
21	13	9	85	43	17	22	8	5	18
23	32	30	158	85	36	29	19	14	19
<b>53</b>	<b>51</b>	<b>45</b>	<b>304</b>	<b>149</b>	<b>64</b>	<b>55</b>	<b>32</b>	<b>23</b>	<b>Under 20</b>
57	56	37	181	150	70	50	41	47	20
91	78	62	167	231	83	55	56	79	21
119	100	65	161	284	125	90	74	74	22
149	124	85	163	358	172	115	95	124	23
147	131	111	125	389	162	95	104	132	24
<b>563</b>	<b>489</b>	<b>360</b>	<b>797</b>	<b>1,412</b>	<b>612</b>	<b>405</b>	<b>370</b>	<b>456</b>	<b>20-24</b>
158	138	106	120	402	168	109	87	120	25
159	157	89	128	405	169	68	73	113	26
123	119	84	119	326	134	96	81	103	27
117	109	79	80	305	155	77	76	97	28
117	107	83	68	307	109	75	66	118	29
<b>674</b>	<b>630</b>	<b>441</b>	<b>515</b>	<b>1,745</b>	<b>735</b>	<b>425</b>	<b>383</b>	<b>551</b>	<b>25-29</b>
99	75	64	66	238	117	55	49	85	30
64	78	42	47	184	82	55	53	81	31
45	53	33	56	131	80	36	37	61	32
40	39	35	49	114	63	47	53	50	33
38	36	26	37	100	46	32	42	39	34
<b>286</b>	<b>281</b>	<b>200</b>	<b>255</b>	<b>767</b>	<b>388</b>	<b>225</b>	<b>234</b>	<b>316</b>	<b>30-34</b>
24	37	11	30	72	46	39	29	39	35
27	23	17	17	67	39	23	15	32	36
14	13	19	8	46	33	26	19	26	37
16	18	13	10	47	21	13	17	15	38
4	14	8	7	26	24	14	11	15	39
<b>85</b>	<b>105</b>	<b>68</b>	<b>72</b>	<b>258</b>	<b>163</b>	<b>115</b>	<b>91</b>	<b>127</b>	<b>35-39</b>
4	5	6	8	15	17	13	8	6	40
5	5	2	4	12	7	3	7	3	41
2	1	1	4	4	5	8	2	1	42
3	3	.	.	6	2	3	3	1	43
.	.	1	.	1	1	3	.	2	44
<b>14</b>	<b>14</b>	<b>10</b>	<b>16</b>	<b>38</b>	<b>32</b>	<b>30</b>	<b>20</b>	<b>13</b>	<b>40-44</b>
1	1	.	.	2	1	1	.	1	45
.	.	.	.	.	.	.	.	.	46
.	.	.	.	.	.	.	1	.	47
.	.	.	.	.	.	.	.	.	48
.	.	.	.	.	.	.	.	.	49 & over
1	1	.	.	2	1	1	1	1	45 & over
3	3	3	3	9	7	.	2	.	Age not stated



TABLE 37.—LEGITIMATE FIRST BIRTHS REGISTERED IN 1956 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE.

Age of mother at maternity	Legitimate first births: the duration of marriage being																	
	All durations	Completed months		Completed years														
		0-8	9-11	0	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25 and over	Not stated
All ages	11,831	1,733	4,040	5,773	3,892	985	404	238	142	100	64	44	31	91	22	11	1	33
15 and under 16	3	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
17	20	14	4	18	1	1	.	.	.	.	.	.	.	.	.	.	.	.
18	68	43	14	57	11	.	.	.	.	.	.	.	.	.	.	.	.	.
19	155	76	39	115	35	4	1	.	.	.	.	.	.	.	.	.	.	.
20	285	151	79	230	46	7	.	.	1	.	.	.	.	.	.	.	.	1
21	434	172	134	306	109	15	3	.	.	.	.	.	.	.	.	.	.	1
22	548	153	210	363	140	31	6	4	1	2	.	.	.	.	.	.	.	1
23	673	149	264	413	216	30	6	5	1	1	.	.	.	.	.	.	.	1
24	885	150	331	481	331	54	15	2	.	1	.	.	.	.	.	.	.	1
25	909	110	375	485	326	69	17	8	4	.	.	.	.	.	.	.	.	.
26	934	99	378	477	338	71	22	10	6	6	2	1	.	1	.	.	.	.
27	932	116	372	488	294	91	27	19	5	3	2	1	.	1	.	.	.	1
28	843	102	302	404	285	82	34	17	8	7	2	2	1	.	.	.	.	1
29	764	67	279	346	278	73	32	15	9	5	3	1	1	1	.	.	.	.
30	734	57	288	345	238	76	34	18	5	11	2	1	.	2	.	.	.	2
Under 20	531	285	138	423	93	12	1	.	1	.	.	.	.	.	.	.	.	1
20-	3,449	734	1,314	2,048	1,122	199	47	19	6	4	.	.	.	.	.	.	.	4
25-	4,207	441	1,619	2,060	1,433	393	149	79	33	32	11	6	2	5	.	.	.	4
30-	2,322	203	705	908	815	233	120	77	55	32	23	16	11	28	1	.	.	3
35-	1,019	58	227	285	341	117	65	41	32	26	20	13	13	44	16	4	.	2
40-	238	9	28	37	76	26	19	19	12	6	9	7	3	14	5	5	.	.
45 & over	20	.	2	2	3	.	3	2	3	.	1	1	2	.	.	2	1	.
Age not stated	45	3	7	10	9	5	.	1	.	.	.	1	.	.	.	.	.	19

TABLE 38.—BIRTHS REGISTERED IN 1956 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net Number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Carlow ... ..	339	381	19	4	149	.	469	377
Dublin County Boro'	14,333	2,868	4,606	14	65	11	9,792	2,865
Dun Laoghaire Boro'	670	204	383	2	529	3	816	205
Dublin County (rem.)	72	663	64	4	2,335	11	2,343	670
Kildare ... ..	248	709	1	5	568	3	815	707
Kilkenny ... ..	671	418	48	.	222	6	845	424
Laoighis ... ..	521	348	13	2	133	1	641	347
Longford ... ..	517	165	122	1	109	1	504	165
Louth ... ..	1,611	366	529	1	53	3	1,135	368
Meath ... ..	350	408	13	1	668	3	1,005	410
Offaly ... ..	494	569	10	5	144	4	628	568
Westmeath ... ..	935	447	155	4	143	3	923	446
Wexford ... ..	914	776	38	3	144	.	1,020	773
Wicklow ... ..	192	541	15	5	547	6	724	542
Clare ... ..	865	447	6	2	151	1	1,010	446
Cork County Borough	2,362	424	1,525	9	485	1	1,322	416
Cork County ... ..	2,938	1,047	554	2	1,475	8	3,859	1,053
Kerry ... ..	1,665	534	32	1	97	2	1,730	535
Limerick Co. Borough	1,356	389	467	6	21	.	910	383
Limerick County ...	656	570	7	.	478	6	1,127	576
Tipperary, N.R. ...	972	352	171	4	87	1	888	349
Tipperary, S.R. ...	1,178	444	154	4	57	.	1,081	440
Waterford Co. Boro'	866	193	414	4	21	2	473	191
Waterford County ...	266	309	27	1	284	5	523	313
Galway ... ..	2,432	1,004	274	.	40	4	2,198	1,008
Leitrim ... ..	310	241	12	.	112	.	410	241
Mayo ... ..	1,080	1,156	2	2	211	2	1,289	1,156
Roscommon ... ..	621	335	28	1	121	3	714	337
Sligo ... ..	727	364	53	3	26	3	700	364
Cavan ... ..	356	493	2	.	250	1	604	494
Donegal ... ..	720	1,291	7	2	34	1	747	1,290
Monaghan ... ..	841	206	80	3	72	.	833	203
<b>Total ... ..</b>	<b>42,078</b>	<b>18,662</b>	.	.	.	.	<b>42,078</b>	<b>18,662</b>

\* Including registered private maternity homes.

TABLE 39.—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED

COUNTY OR COUNTY BOROUGH	Acute Anterior Poliomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
COUNTY BOROUGHES												
Cork ... ..	78	.	5	43	.	2	.	15	4	.	25	.
Dublin ... ..	80	1	16	706	211	30	.	70	294	43	3	1
Limerick ... ..	1	.	1	6	2	.	.	3	6	1	2	.
Waterford ... ..	2	.	1	2	.	.	.	2	1	.	.	.
COUNTIES												
Carlow												
Urban ... ..	.	.	.	.	.	.	.	.	.	.	.	.
Rural ... ..	7	.	1	.	.	.	.	.	21	.	.	.
Cavan												
Urban ... ..	.	.	.	6	.	1	.	.	.	.	.	.
Rural ... ..	4	.	.	10	.	1	.	3	7	.	9	.
Clare												
Urban ... ..	.	.	.	2	.	.	.	.	.	.	16	.
Rural ... ..	1	.	1	.	.	.	.	1	1	.	2	.
Cork												
Urban ... ..	9	.	.	7	.	.	.	3	.	.	.	.
Rural ... ..	133	.	3	20	.	5	.	7	6	1	9	.
Donegal												
Urban ... ..	.	.	.	.	.	.	.	.	.	.	.	.
Rural ... ..	8	.	.	1	.	1	.	2	.	.	.	.
Dublin												
Urban ... ..	6	.	1	58	1	3	.	2	17	7	1	.
Rural ... ..	23	.	3	53	2	10	.	17	23	13	.	.
Galway												
Urban ... ..	1	.	.	23	.	3	.	1	2	.	.	.
Rural ... ..	3	.	5	25	3	2	.	3	19	.	.	.
Kerry												
Urban ... ..	9	.	.	.	.	.	.	.	.	.	.	.
Rural ... ..	23	1	1	.	.	.	.	3	14	.	1	.
Kildare												
Urban ... ..	.	.	.	.	1	.	.	1	.	1	.	.
Rural ... ..	9	1	1	.	.	1	.	4	.	.	.	.
Kilkenny												
Urban ... ..	2	.	.	.	1	.	.	.	.	.	.	.
Rural ... ..	9	.	.	1	.	2	.	.	17	.	1	.
Laois												
Rural ... ..	8	.	.	.	.	.	.	.	.	.	.	.
Leitrim												
Rural ... ..	1	.	.	.	.	.	.	.	.	.	.	.
Limerick												
Rural ... ..	10	.	1	13	1	.	.	2	4	.	36	.
Longford												
Urban ... ..	.	.	.	.	.	.	.	.	.	.	.	.
Rural ... ..	2	.	.	3	.	.	.	1	.	.	1	.
Louth												
Urban ... ..	.	.	1	.	.	.	.	.	1	.	2	.
Rural ... ..	5	.	.	.	1	.	.	.	1	.	2	.



## TO THE DEPARTMENT OF HEALTH, DURING THE YEAR, 1956.

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases
COUNTY BOROUGHES													
Cork ... ..	443	.	1	.	88	.	11	1	.	.	1	36	2d
Dublin ... ..	3,607	2	.	4	3,538	284	418	40	1	5	1	2,300	1a, 2b, 13d
Limerick ... ..	246	.	.	.	49	.	10	.	.	.	.	29	.
Waterford ... ..	105	.	.	.	1	4	3	.	.	.	.	102	.
COUNTIES													
Carlow													
Urban ... ..	12	.	.	.	.	.	19	.	.	.	.	.	1d
Rural ... ..	9	.	.	.	3	.	2	.	.	.	.	117	1d
Cavan													
Urban ... ..	.	.	.	.	.	.	1	1	.	.	.	1	.
Rural ... ..	131	.	1	.	13	.	10	.	.	.	.	131	.
Clare													
Urban ... ..	3	.	.	.	1	.	4	.	.	.	.	44	.
Rural ... ..	14	1	.	.	2	.	7	3	1	10	.	14	.
Cork													
Urban ... ..	164	.	1	.	5	.	.	.	.	.	.	2	.
Rural ... ..	408	.	.	.	171	.	36	1	.	2	.	48	.
Donegal													
Urban ... ..	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural ... ..	58	.	1	.	4	.	50	.	.	3	.	100	.
Dublin													
Urban ... ..	224	.	.	.	77	5	21	3	.	.	.	179	1d
Rural ... ..	480	.	.	1	649	1	65	1	.	.	.	417	1a, 1b, 1c, 2d
Galway													
Urban ... ..	12	.	.	.	4	.	2	.	.	.	.	55	.
Rural ... ..	41	.	.	.	4	.	13	.	.	.	.	302	1a
Kerry													
Urban ... ..	.	.	1	.	.	.	3	.	.	.	.	.	.
Rural ... ..	2	.	.	.	4	.	5	2	.	1	.	28	1d
Kildare													
Urban ... ..	38	.	.	.	.	.	.	.	.	.	.	61	.
Rural ... ..	43	.	.	.	19	.	16	.	.	.	.	49	.
Kilkenny													
Urban ... ..	37	1	.	.	4	1	18	.	.	.	.	6	.
Rural ... ..	61	1	.	.	7	1	21	1	.	1	.	92	1d
Laois													
Rural ... ..	14	.	.	.	.	.	1	.	.	.	2	9	.
Leitrim													
Rural ... ..	4	.	.	.	.	.	2	.	.	.	.	11	.
Limerick													
Rural ... ..	193	.	.	.	16	.	20	1	.	.	1	13	.
Longford													
Urban ... ..	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural ... ..	12	.	.	.	.	.	4	.	.	.	.	31	.
Louth													
Urban ... ..	.	.	.	.	.	.	24	.	.	.	.	1	.
Rural ... ..	4	.	.	.	.	.	15	.	.	.	.	.	.

(a) Pemphigus Neonatorum.

(c) Salmonella Infection.

(b) Ophthalmia Neonatorum.

(d) Acute Lymphocytic Meningitis.

TABLE 39.—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES

COUNTY OR COUNTY BOROUGH				Acute Anterior Poliomylitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
Mayo															
Urban	...	...		2	2	1	1	2	16	24					
Rural	...	...		2	4	1	1	2	16	24					
Meath															
Urban	...	...		1	1	1	1	1	1	1					
Rural	...	...		10	1	4	1	1	1	1					
Monaghan															
Urban	...	...		1	1	1	1	1	1	1					
Rural	...	...		9	1	1	1	1	1	1					
Offaly															
Urban	...	...		1	1	3	1	1	1	1					
Rural	...	...		1	1	2	1	1	1	1					
Roscommon															
Rural	...	...		1	1	1	1	1	1	1					
Sligo															
Urban	...	...		1	1	5	1	1	1	1					
Rural	...	...		1	1	1	1	1	1	1					
Tipperary, N.R.															
Urban	...	...		1	1	1	1	1	1	1					
Rural	...	...		2	1	1	1	1	1	1					
Tipperary, S.R.															
Urban	...	...		2	1	1	1	1	1	1					
Rural	...	...		7	1	2	1	1	1	1					
Waterford															
Urban	...	...		2	1	1	1	1	1	1					
Rural	...	...		4	1	15	1	1	1	1					
Westmeath															
Urban	...	...		1	1	1	1	1	1	1					
Rural	...	...		1	1	1	1	1	1	1					
Wexford															
Urban	...	...		2	1	8	3	5	1	1					
Rural	...	...		19	1	7	1	1	1	1					
Wicklow															
Urban	...	...		1	1	4	17	10	7	12					
Rural	...	...		1	1	7	1	7	12	12					
All County Boroughs	...	...		161	1	23	757	213	32	90	305	44	30	1	
All Urban Districts	...	...		35	1	5	118	6	29	26	32	14	22	1	
All Rural Districts	...	...		303	2	26	164	9	27	75	159	14	95	1	
Total	...	...		499	3	54	1,039	228	88	191	496	72	147	1	



NOTIFIED TO THE DEPARTMENT OF HEALTH, DURING THE YEAR, 1956.

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases
Mayo													
Urban ...	114	.	.	.	1	6	2	.	.	.	.	7	.
Rural ...	434	3	.	.	1	8	3	1	.	.	.	77	.
Meath													
Urban ...	.	.	.	.	41	.	6	.	.	.	.	1	.
Rural ...	28	.	1	1	50	.	25	.	.	.	.	77	1d
Monaghan													
Urban ...	3	.	.	.	1	.	34	.	.	21	.	.	.
Rural ...	21	.	.	.	.	.	17	.	.	1	.	27	1c, 1d
Offaly													
Urban ...	.	.	.	.	4	.	.	1	.	.	.	.	.
Rural ...	151	.	.	.	1	.	6	4	.	.	.	18	.
Roscommon													
Rural ...	53	.	.	1	2	.	1	.	.	.	.	44	.
Sligo													
Urban ...	3	.	.	.	3	.	4	.	.	1	.	8	.
Rural ...	46	.	.	.	7	.	2	.	.	.	.	23	.
Tipperary, N.R.													
Urban ...	8	.	.	.	2	.	9	.	.	.	.	2	.
Rural ...	35	.	1	.	1	.	18	.	.	.	.	93	.
Tipperary, S.R.													
Urban ...	36	.	.	.	13	1	7	.	.	.	.	.	.
Rural ...	36	1	.	.	49	.	20	.	.	1	.	42	.
Waterford													
Urban ...	2	.	.	.	.	.	.	.	.	.	.	45	.
Rural ...	103	.	1	1	14	7	8	1	.	.	.	75	.
Westmeath													
Urban ...	10	.	.	.	1	.	.	.	.	.	.	.	.
Rural ...	25	.	.	.	13	.	10	.	.	1	.	48	.
Wexford													
Urban ...	161	.	.	.	.	.	8	.	.	1	.	14	1d
Rural ...	87	.	2	.	.	.	12	.	.	.	.	177	2d
Wicklow													
Urban ...	193	.	1	.	3	6	13	.	.	.	.	82	.
Rural ...	86	.	.	.	1	.	15	.	.	.	.	35	.
All County Boroughs	4,401	2	1	4	3,676	288	442	41	1	5	2	2,467	1a, 2b, 15d
All Urban Districts	1,020	1	3	.	160	19	175	5	.	23	.	508	3d
All Rural Districts	2,579	6	7	4	1,031	17	404	15	1	20	3	2,098	2a, 1b, 2c, 9d
Total ...	8,000	9	11	8	4,867	324	1,021	61	2	48	5	5,073	3a, 3b, 2c, 27d

(a) Pemphigus Neonatorum.

(c) Salmonella Infection.

(b) Ophthalmia Neonatorum.

(d) Acute Lymphocytic Meningitis.











